



CUSTOM PIGMENTED POLY TOPCOATS

- Water-based, durable tinted finish
- Clean up with water, no odor, low VOC, and better for the environment
- Faster application, easier to maintain, and longer lasting than paint



Get it next day!

Your order ships same day (pending color match). We will match any Sherwin Williams or Benjamin Moore swatches. Professional finishes are simple & convenient with Charles McMurray Co.

Professional finishes begin with Charles McMurray Co.

Call 1-800-533-0533 today to order!





We proudly offer General Finishes products

- Pre-catalyzed and Post-catalyzed Lacquers
- Conversion Varnishes and Urethanes
- Indoor and Outdoor Water Bases
- Undercoats and Sanding Sealers
- Wood Stains and Dye Stains
- Milk Paint, Glaze Effects, and Pearl Effects
- Water Based Clear and Pigmented Polyurethane
- Custom Pigmented Polyurethane

About General Finishes Polyurethane

General Finishes Enduro Polyurethane is water-based, and formulated to be low VOC and low odor. Its self crosslinking technology resists yellowing, and has excellent chemical, mar, and water resistance. The performance of Enduro Polyurethane meets or exceeds KCMA standards.



Color: Water White (Dries Clear)
Sheen: Flat ≤10 / Satin 25-35
 Semi Gloss 50-60 / Gloss 85+



White
Flat ≤10 / **Satin** 25-35
Gloss 85+



Black
Satin 25-35
Semi Gloss 50-60

Application:	Spray, 3 Coats	Spray, 3 Coats	Spray, 3 Coats
Spray Tip:	HVLP 1.1mm - 1.3mm	HVLP 1.3mm - 1.5mm	HVLP 1.3mm - 1.5mm
Coverage:	450 sq. ft/gal	450 sq. ft/gal	450 sq. ft/gal
Viscosity:	350-450 cPs	600-800 cPs	600-800 cPs
Solids:	28%	44%	28%
VOC	<230 g/L	<240 g/L	<240 g/L
Hardness:	100 (Koenig #)	59 (Koenig #)	62 (Koenig #)
Wear:	35.7 mg loss (Taber #)	109.8 mg loss (Taber #)	105.4 mg loss (Taber #)