

FOREVER HARDWARE

Contemporary Bronze Gate, Door, & Cabinet Hardware 4 Finishes: Midnight - Champagne - Platinum - Espresso

Stocked & Ready to Ship



A Coastal Bronze Product Line



For more information, terms, & pricing, please visit:

www.CoastalHardware.com

A: 1103 Lawrence Drive, Ste A, Newbury Park, CA 91320 **P:** 1-877-227-6603 | **E:** Orders@CoastalBronze.com | **F:** 1-888-778-7889



Dimensions: 4-1/2 H x 2-3/4" W Screw: 1" Oval | #10 Stainless 5" Bar From Center of Plate Beaver Tail (30) Lever Shown Included: Active Bar Side, Passage Side, & Surface or Mortise Strike

Mortise Strike

These lever sets can be ordered with the default (Surface) strike, or ordered with the Mortise Strike at no extra charge.

F2-250







This is a double sided spindle based set and can be used on both Gates & Doors. Both sides can have

be used with any spindle passage plate just specify a half set when ordering.

If product is used without a stop all warranty is void.

different Levers, just specify when you order. The Active Bar Latch side can be ordered as a half-set and can



(10) Square Lever Dimensions: 4-1/8" L Projection: 2-1/2"



(15) Square Twist Dimensions: 4-1/8" L Projection: 2-1/2"



(20) Round Lever Dimensions: 4-3/4" L Projection: 2-1/4"



(25) Square Taper Dimensions: 4-3/4" L Projection: 2-1/4"



(30) Beaver Tail Lever Dimensions: 4-1/2" L Projection: 2-1/4"



(35) Flat Curve Dimensions: 4-1/2" L Projection: 2-1/4"



(45) Square Heavy Dimensions: 4-1/8" L Projection: 2-1/2"



(50) Pull Ring Dimensions: 3-1/2" Dia. Projection: 2-1/4"



(60) Oval Knob Dimensions: 2-1/2"H x 1-1/2" W Projection: 2-3/4"



(75) Large Mushroom Dimensions: 2-1/4" Dia. Projection: 2-1/2"

Simply choose your desired Knob or Lever Code and add it to the SKU Builder below.

Base SKU shown above is: F1-101-00-XX

Handing

Knob/Lever Code

Left Hand (LH) Right Hand (RH)

F1-101-30-RH

This example completed SKU would be a Right Handed Square Latch Lever Set with a Beaver Tail Lever.

Right Hand Shown -Handing Required Displayed SKU: F1-400-25-SET-RH



5" Square Case Latch Set F1-400-00-SET-LH/RH

Thickness: 3/4"
Dimensions: 5" H x 2-3/4" W
Screw: 1-1/4" Oval | #10 Stainless
Square Taper (25) Lever Shown
Included: Active Bar Latch Side,
Passage Side (Shown on Right), &
Surface or Mortise Strike



Mortise Strike **F2-250**

May be used instead of surface strike (shown above). Please specify when ordering.


This is a double sided spindle based set and may be used on both Gates & Doors. Both sides can have different Levers, just specify when you order. If product is used without a stop all warranty is void.

The Active Bar Latch side may be ordered as a half-set and used with any spindle passage plate.

Example Active Side Only SKU: F1-400-25-BAR-RH

Example Passage Set Only SKU: F1-400-25-PAS







5" Arch Case Latch Set F1-401-00-SET-LH/RH

Thickness: 3/4"

Dimensions: 5" H x 2-3/4" W

Screw: 1-1/4" Oval | #10 Stainless

Round (20) Lever Shown

Included: Active Bar Latch Side,

Passage Side (Shown on Right), &

Surface or Mortise Strike



Mortise Strike **F2-250**

May be used instead of surface strike (shown above).
Please specify when ordering.


This is a double sided spindle based set and may be used on both Gates & Doors. Both sides can have different Levers, just specify when you order. If product is used without a stop all warranty is void.

The Active Bar Latch side may be ordered as a half-set and used with any spindle passage plate.

Example Active Side Only SKU: F1-401-20-BAR-RH

Example Passage Set Only SKU: F1-401-20-PAS





Left Hand Shown -Handing Required Displayed SKU: F1-405-60-SET-LH





5" Bevel Case Latch Set F1-405-00-SET-LH/RH

Thickness: 3/4"

Dimensions: 5" H x 2-3/4" W

Screw: 1-1/4" Oval | #10 Stainless

Oval Knob (60) Shown

Included: Active Bar Latch Side,

Passage Side (Shown on Right), &

Surface or Mortise Strike



Mortise Strike **F2-250**


May be used instead of surface strike (shown above).
Please specify when ordering.

This is a double sided spindle based set and may be used on both Gates & Doors. Both sides can have different Levers, just specify when you order. If product is used without a stop all warranty is void. The Active Bar Latch side may be ordered as a half-set and used with any spindle passage plate.

Example Active Side Only SKU: F1-405-60-BAR-LH

Example Passage Set Only SKU: F1-405-60-**PAS**









Square Passage Set **F6-100-00-PAS/DUM**

Thickness: 1/4"
Dimensions: 5" H x 2-3/4" W
Screw: 1" Oval | #10 Stainless
Square Twist (15) Lever Shown


Included with PAS Function: (2) Plates with Levers, Knobs, or Ring & 1 Spring Latch Set

Included with DUM Function:
(2) Plates with Levers, Knobs, or Ring

This is a double sided spindle based set and can be used on both Gates & Doors. Both sides can have different Levers, just specify when you order. One side may be ordered as a half-set dummy.

If product is used without a stop all warranty is void.







Arch Passage Set **F6-104-PAS/DUM**

Thickness: 1/4"
Dimensions: 5" H x 2-3/4" W
Screw: 1" Oval | #10 Stainless
Flat Curve (35) Lever Shown


Included with PAS Function: (2) Plates with Levers, Knobs, or Ring & 1 Spring Latch Set

Included with DUM Function:
(2) Plates with Levers, Knobs, or Ring

This is a double sided spindle based set and can be used on both Gates & Doors. Both sides can have different Levers, just specify when you order. One side may be ordered as a half-set dummy.

If product is used without a stop all warranty is void.





Displayed SKU: F6-105-50-PAS





Beveled Passage Set **F6-105-00-PAS/DUM**

Thickness: 1/4"
Dimensions: 5" H x 2-3/4" W
Screw: 1" Oval | #10 Stainless
Pull Ring (50) Lever Shown


Included with PAS Function: (2) Plates with Levers, Knobs, or Ring & 1 Spring Latch Set

<u>Included with DUM Function:</u>
(2) Plates with Levers, Knobs, or Ring

This is a double sided spindle based set and can be used on both Gates & Doors. Both sides can have different Levers, just specify when you order. One side may be ordered as a half-set dummy.

If product is used without a stop all warranty is void.









Square Deadbolt - Single Cylinder **F6-500**Dimensions: 3-1/4" H x 2-1/2" W

Round Deadbolt - Single Cylinder **F6-530**Dimensions: 2-1/2" Diameter



F6-500 - Side View

Single Cylinder Deadbolts will work on gates up to 6" Thick.

Double Cylinder Deadbolts will work on gates up to 2-3/4" Thick.









Square Deadbolt - Double Cylinder **F6-500-D**Dimensions: 3-1/4" H x 2-1/2" W

Round Deadbolt - Double Cylinder **F6-530-D**<u>Dimensions: 2-1/2" Diameter</u>







F2-235 Bar Dimensions: 8" L

Catch Dimensions: 3-3/4" L x 3/4" W Screw: 1" Flat & Oval | #10 & #8 Stainless



F2-305
Dimensions: 8" L x 1-3/4" W
Screw: 1" Oval | #10 Stainless
Works with any Drop Bar



8" Pull Handle **F2-306** <u>Dimensions:</u> 8" L x 1-3/4" W <u>Screw:</u> 1" Oval | #10 Stainless

Pair either the (F2-305) or (F2-312) Thumb Latches with either the (F2-230, F2-235, or F2-240) to make an active gate latch that can be opened on one side with a thumb piece and the knob/tail piece on the other side. We recommend the use of a gate stop or edge stop -- breakage without a stop is not covered by warranty.

Standard Tailpiece will work on gates up to 3-1/2" Thick Extended Tailpiece (F2-315) will work on gates up to 5" Thick (sold seperately)



8-1/4" Rectangular Thumb Latch **F2-312** Dimensions: 8-1/4" L x -1/2" W Screw: 1" Oval | #10 Stainless

Works with any Drop Bar



8-1/4"Rectangular Pull Handle **F2-313** Dimensions: 8-1/4" L x 1-1/2" W Screw: 1" Oval | #10 Stainless


8" Drop Bar Square with Knob

F2-230 Bar Dimensions: 8" L Catch Dimensions: 3-3/4" L x 3/4" W



6-1/4" Drop Bar Square with Knob

F2-240





Mortise Strike F2-250

May be used instead of the surface strike (shown above). Please specify when ordering.









Gate Stop F2-550

Dimensions: 1-3/4" H x 1-3/4" W x 1-1/2" P Screw: 1-1/4" Flat | #10 Stainless

Included: Stopping Pad

Edge Stop F2-552

Dimensions: 3" H x 3/4" W x 3/4" P Screw: 1-1/4" Flat | #10 Stainless





Slide Bolt **F2-501**

<u>Dimensions:</u> 6" L x 2" W <u>Catch Dimensions:</u> 2" L x 1" W <u>Screw:</u> 1" Oval | #10 Stainless

Mortise Strike **F2-510**

May be used instead of surface strike (shown above). Please specify when ordering.





 $Lockable\ Bar\ Latch\ can\ be\ used\ with\ any\ standard\ lock\ and\ is\ field\ reversible.\ Hole\ Diameter\ is\ 5/8''$



When ordering the Cane Bolt **(F2-800)**, please specify which reciever you would like.

Either the Cane Bolt Cup (**F2-805**), Round Surface Plate (**F2-800-K**), or Square Surface Plate (**F2-800-S**)

There is no additional charge.







(F2-805)

(F2-800-K)

(F2-800-S)



The Standard Gate Latch (F2-200) and the Heavy Gate Latch (F2-220) can be used with an Offset Catch.







12" Active Band Hinge (with Pintle on Plate)

F4-312

Dimensions: 12" L x 2" W Band Thickness: 1/4" Screw: 1-1/2" Hex Lag

All active band hinges (F4-312 & F4-317) come with Pintle on Plate (F4-250). If you would like to purchase the active band hinges without a pintle please specify when ordering or contact us directly.



17" Active Band Hinge (with Pintle on Plate)

F4-317

Dimensions: 17" L x 2" W Band Thickness: 1/4" Screw: 1-1/2" Hex Lag



Pintle on Plate **F4-250** Dimensions: 6" L x 2" W Screw: 1-1/2" Hex Lag



The Template Hinge below (F4-420) is also available in a 4" x 4" size (F4-410).



4-1/2"x 4-1/2" Spring Hinge **F4-455**

Thickness: .125" / 3.2mm Screw: 1-1/4" Stainless | #12 Weight Load (Pair): 60 Lbs



4-1/2" x 4-1/2" Template Hinge

F4-420

Thickness: .125" / 3.2mm Screw: 1-1/4" Brass | #12 Weight Load (Pair): 80 Lbs



4-1/2" x 4-1/2" Heavy Duty Butt Hinge **F4-423**

Thickness: .25" / 6.35 mm Screw: 2" Flat | #18 Stainless Weight Load (Pair): 110 Lbs



4-1/2" x 5" Heavy Duty Hinge

F4-430

Thickness: .25" / 6.35 mm Screw: 2" Flat | #18 Stainless Weight Load (Pair): 150 Lbs



Dimensions: 11-3/4" L x 4" H Thickness: .20" / 5mm Weight Load (Pair): 90 Lbs Screw: 1-1/4" Flat | #10 Stainless



5-3/4" Gate T-Hinge

F4-445

Dimensions: 5-3/4" L x 4" H Thickness: .20" / 5mm Weight Load (Pair): 60 Lbs Screw: 1-1/4" Flat | #10 Stainless

The two hinges above (F4-446) & (F4-445) are cast and may vary slightly in height, width, and thickness.



1-1/4" Round Door Stud/Clavos **F2-560**

<u>Dimensions:</u> 1/4" Projection, <u>Diameter:</u> 1-1/4"





1-1/4" Square Door Stud/Clavos **F2-570**Dimensions: 1/4" Projection, 1-1/4" x 1-1/4"



Flat Top Cabinet Knob

F8-695

<u>Dimensions</u>: 1-1/4" Diameter <u>Projection</u>: 1"

Screw: 1" Truss Head | #8-32



Bevel Square Base Cabinet Knob

F8-692

Dimensions: 1-1/4" Diameter

Projection: 1"

Screw: 1" Truss Head | #8-32



Beveled Cabinet Knob

F8-710

Dimensions: 1-1/4" Diameter

Projection: 1"

Screw: 1" Truss Head | #8-32



Square Cabinet Knob

F8-720

<u>Dimensions</u>: 1-1/4" x 1-1/4"

Projection: 1"

Screw: 1" Truss Head | #8-32



Square Cabinet Pull **F8-731**

<u>Dimensions</u>: 4-1/2" L x 1/4" W <u>C2C</u>: 4" - 102mm

<u>Proj. & Grip</u>: 1-1/4" H - 1" H <u>Screw</u>: 1" Truss Head | #8-32



Twist Cabinet Pull

F8-741

<u>Dimensions</u>: 4-1/2" L x 1/4" W

C2C: 4" - 102mm

Proj. & Grip: 1-1/4" H - 1" H Screw: 1" Truss Head | #8-32



Section Pull

F8-300-4

Dimensions: 4" W x 1" Projection

C2C: 2" - 51mm

Screw: 1" Truss Head | #8-32



Section Pull

F8-300-2

Dimensions: 2" W x 1" Projection

C2C: 1" - 25.5mm

Screw: 1" Truss Head | #8-32

3" C2C Curved Cabinet Pull

F8-830-3

<u>Dimensions</u>: 3-3/4" L x 1/2" W C2C: 3" - 76mm Proj. & Grip: 1-1/4" H - 1" H

Screw: 1" Truss Head | #8-32



F8-835-12-A


Dimensions: 13" L x 5/8" W C2C: 12" - 305mm Proj. & Grip: 1-3/4" H - 1-1/4" H Screw: 1" Truss Head | #1/4-20



9" C2C Curved Cabinet Pull

F8-830-9


<u>Dimensions</u>: 9-5/8" L x 1/2" W <u>C2C:</u> 9" - 229mm <u>Proj. & Grip</u>: 1-1/4" H - 1" H





F8-830-6

<u>Dimensions</u>: 6-5/8" L x 1/2" W C2C: 6" - 152mm Proj. & Grip: 1-1/4" H - 1" H Screw: 1" Truss Head | #8-32



F8-830-4

<u>Dimensions</u>: 4-3/4" L x 1/2" W C2C: 4" - 102mm Proj. & Grip: 1-1/4" H - 1" H

Screw: 1" Truss Head | #8-32









