



FASTENER SOLUTIONS

PRODUCT GUIDE

www.grabberpro.com



TABLE OF CONTENTS

DRYWALL TO METAL 4

| | |
|---|---|
| Scavenger head fine thread – drywall to light gauge metal attachment | 4 |
| Bugle head fine thread – drywall to light gauge metal attachment | 4 |
| Scavenger head drill point screws – drywall to heavy gauge metal attachment | 4 |
| Bugle head drill point – drywall to heavy gauge metal attachment | 5 |

DRYWALL TO WOOD 6

| | |
|--|---|
| Scavenger head coarse thread – drywall to wood attachment | 6 |
| Bugle head coarse thread – drywall to wood attachment | 6 |
| Bugle head coarse thread – drywall to exterior wood attachment | 7 |

DRYWALL TO DRYWALL 7

| | |
|---|---|
| Bugle head drywall laminator – laminating drywall | 7 |
|---|---|

LIGHT GAUGE METAL FRAMING 8

| | |
|---|---|
| Pan framing head Vector™ point fine thread – metal to metal attachment | 8 |
| Modified truss head Vector™ point fine thread – metal to metal attachment | 8 |
| Scavenger® head Vector™ point fine thread – metal to metal attachment | 8 |
| Modified Truss head sharp point – lath to wood or metal attachment | 9 |
| Flat pan head sharp point – metal to metal attachment | 9 |

METAL FRAMING 10

| | |
|--|----|
| Modified Truss head drill point – lath to metal attachment | 10 |
| Pan head drill point – metal to metal attachment | 10 |
| Pan framing head drill point – metal framing to metal attachment | 10 |

HEAVY GAUGE METAL FRAMING 11

| | |
|---|----|
| Flat pan head drill point – metal to metal attachment | 11 |
| Hex head sharp point – sheet metal | 11 |
| Hex head drill point – metal to metal framing | 12 |

CEMENT BOARD TO WOOD, LIGHT OR HEAVY GAUGE METAL 13

| | |
|--|----|
| Flat wafer head sharp point – cement sheathing to wood attachment | 13 |
| Flat wafer head sharp point – high density sheathing to wood attachment | 13 |
| Flat wafer head drill point – cement sheathing to metal attachment | 13 |
| Flat wafer head LOX® winged drill point – high density sheathing to metal attachment | 14 |
| Flat wafer head winged drill point – high density sheathing to metal attachment | 14 |

PLYWOOD TO LIGHT GAUGE METAL 14

| | |
|--|----|
| Plylite flat head – sheathing to light gauge metal | 14 |
|--|----|

SHEATHING TO HEAVY GAUGE METAL 15

| | |
|---|----|
| Wafer head PLYLOK® winged pilot point – plywood sheathing to metal attachment | 15 |
| Wafer head PLYLOK® pilot drill point – plywood to metal attachment | 15 |

| | |
|---|----|
| Wafer head PLYLOK® winged drill point – plywood to metal attachment | 16 |
| Flat head PLYLOK® drill point – plywood to steel joist attachment | 16 |
| Flat head PLYLOK® winged drill point – plywood to metal attachment | 16 |

WOOD TO WOOD OR METAL 17

| | |
|--|----|
| Trim head sharp point – wood to light gauge metal or wood | 17 |
| Trim head drill point – wood to metal or wood attachment | 17 |
| Flat head XGT® – exterior deck and fence wood construction | 17 |
| Trim head XGT® – exterior wood general | 18 |
| UltraPro Wood Screw – interior wood general | 18 |
| UltraPro Wood Screw – exterior wood general | 18 |
| Pan head cabinet screws – cabinets and general wood construction | 18 |

STAINLESS STEEL SCREWS 19

| | |
|--|----|
| Bugle head coarse thread – general wood to wood attachment | 19 |
| Flat head coarse thread – deck and fence attachment | 19 |
| Trim head fine thread sharp point – trim to wood or metal attachment | 19 |

WOOD TO WOOD FRAMING 20

| | |
|--|----|
| Hex head Lag-Master™ – general wood to wood attachment | 20 |
| Flat head star Tie-Master™ – timber attachment | 20 |

DRYWALL NAILS 21

SUPERDRIVE® 23

| | |
|--|----|
| SuperDrive® tools | 23 |
| Collated application chart for SuperDrive® | 25 |

ACOUSTICAL PRODUCTS 27

| | |
|---|----|
| Eye-lag screws – hanger wire attachment | 27 |
| Eye-lag driver – ceiling attachment | 27 |
| Eye-lag poles – ceiling attachment | 28 |

BITS AND BIT HOLDERS 28

GRABBER ROCKER® SCREW GUNS 30

RAMSET® POWDER FASTENING SYSTEMS 30

GRABBER TRACK TOOLS 32

RAMSET® GAS FASTENING SYSTEMS 33

COATINGS AND FINISHES 34

GRABBER BRANCH LOCATIONS 35

GRABBER FASTENER APPLICATIONS

GRABBER HAS YOU COVERED

Grabber's extensive line of professional grade fasteners covers just about every fastener need in residential and commercial construction applications.

- Interior Grade Screws
- Exterior Grade Screws
- Light Gauge Metal Screws
- Heavy Gauge Metal Screws
- Stainless Steel Screws
- Cement Board Screws



DRYWALL TO METAL

LIGHT GAUGE METAL DRYWALL

SCAVENGER® HEAD STREAKER®



Attaches gypsum board to 18-30 mil nonstructural steel. Unique Scavenger® head helps reduce paper burrs.

- Scavenger® head
- Fine thread
- No. 2 Phillips
- Gray phosphate

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|--------------|--------|-----|---|
| 168S | 6 x 1-in | 28-lb | 10M | SCAVENGER HEAD, #2PHIL, FINE THREAD, GRAY PHOSPHATE |
| 268S | 6 x 1-1/8-in | 32-lb | 10M | SCAVENGER HEAD, #2PHIL, FINE THREAD, GRAY PHOSPHATE |
| 368S | 6 x 1-1/4-in | 30-lb | 8M | SCAVENGER HEAD, #2PHIL, FINE THREAD, GRAY PHOSPHATE |
| 468S | 6 x 1-5/8-in | 22-lb | 5M | SCAVENGER HEAD, #2PHIL, FINE THREAD, GRAY PHOSPHATE |

Grabber's unique Scavenger® head screws drive cleanly into drywall helping to reduce or eliminate paper burrs. As typical drywall screws are driven they tend to leave behind paper burrs. These paper burrs require more mud to cover and more sanding and finishing time, resulting in lost time and higher labor costs.

TYPICAL



SCAVENGER®



LIGHT GAUGE METAL DRYWALL

BUGLE HEAD STREAKER®



Attaches gypsum board to wood or 18-30 mil nonstructural steel. Standard bugle head.

- Bugle head
- Fine thread
- No. 2 Phillips
- Gray phosphate

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|---------------|--------|------|---|
| 168 | 6 x 1-in | 28-lb | 10M | BUGLE HEAD, #2PHIL, FINE THREAD, GRAY PHOSPHATE |
| 268 | 6 x 1-1/8-in | 32-lb | 10M | BUGLE HEAD, #2PHIL, FINE THREAD, GRAY PHOSPHATE |
| 368 | 6 x 1-1/4-in | 30-lb | 8M | BUGLE HEAD, #2PHIL, FINE THREAD, GRAY PHOSPHATE |
| 468 | 6 x 1-5/8-in | 22-lb | 5M | BUGLE HEAD, #2PHIL, FINE THREAD, GRAY PHOSPHATE |
| 768 | 6 x 2-in | 22-lb | 3.5M | BUGLE HEAD, #2PHIL, FINE THREAD, GRAY PHOSPHATE |
| 868 | 7 x 2-1/4-in | 20-lb | 3M | BUGLE HEAD, #2PHIL, FINE THREAD, GRAY PHOSPHATE |
| 968 | 8 x 2-1/2-in | 20-lb | 2.5M | BUGLE HEAD, #2PHIL, FINE THREAD, GRAY PHOSPHATE |
| 1168 | 8 x 3-in | 22-lb | 2M | BUGLE HEAD, #2PHIL, FINE THREAD, GRAY PHOSPHATE |
| 1268 | 10 x 3-1/2-in | 17-lb | 1M | BUGLE HEAD, #2PHIL, FINE THREAD, GRAY PHOSPHATE |
| 1368 | 10 x 4-in | 21-lb | 1M | BUGLE HEAD, #2PHIL, FINE THREAD, GRAY PHOSPHATE |
| 1468 | 10 x 4-1/2-in | 23-lb | 1M | BUGLE HEAD, #2PHIL, FINE THREAD, GRAY PHOSPHATE |
| 1568 | 10 x 5-in | 24-lb | 1M | BUGLE HEAD, #2PHIL, FINE THREAD, GRAY PHOSPHATE |
| 1768 | 10 X 6-in | 28-lb | 1M | BUGLE HEAD, #2PHIL, FINE THREAD, GRAY PHOSPHATE |



Attaches gypsum board to wood or 18-30 mil nonstructural steel. Standard bugle head.

- Bugle head
- Fine thread
- No. 2 Phillips
- Clear Zinc

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|--------------|--------|------|---|
| 168Z | 6 x 1-in | 28-lb | 10M | BUGLE HEAD, #2PHIL, FINE THREAD, CLEAR ZINC |
| 268Z | 6 x 1-1/8-in | 32-lb | 10M | BUGLE HEAD, #2PHIL, FINE THREAD, CLEAR ZINC |
| 368Z | 6 x 1-1/4-in | 30-lb | 8M | BUGLE HEAD, #2PHIL, FINE THREAD, CLEAR ZINC |
| 468Z | 6 x 1-5/8-in | 22-lb | 5M | BUGLE HEAD, #2PHIL, FINE THREAD, CLEAR ZINC |
| 768Z | 6 x 2-in | 22-lb | 3.5M | BUGLE HEAD, #2PHIL, FINE THREAD, CLEAR ZINC |
| 968Z | 8 x 2-1/2-in | 22-lb | 2.5M | BUGLE HEAD, #2PHIL, FINE THREAD, CLEAR ZINC |
| 1168Z | 8 x 3-in | 22-lb | 2M | BUGLE HEAD, #2PHIL, FINE THREAD, CLEAR ZINC |

HEAVY GAUGE METAL DRYWALL

SCAVENGER® HEAD DRILLER



Attaches gypsum, insulation board, wood, etc. to 33-97 mil cold-formed steel. Unique Scavenger® head helps reduce paper burrs.

- Scavenger® head
- Drill point
- No. 2 Phillips
- Gray phosphate

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|--------------|--------|-----|---|
| 13S | 6 x 1-in | 33-lb | 10M | SCAVENGER HEAD, #2PHIL, DRILL POINT, GRAY PHOSPHATE |
| 135S | 6 x 1-1/8-in | 37-lb | 10M | SCAVENGER HEAD, #2PHIL, DRILL POINT, GRAY PHOSPHATE |
| 14S | 6 x 1-1/4-in | 33-lb | 8M | SCAVENGER HEAD, #2PHIL, DRILL POINT, GRAY PHOSPHATE |
| 15S | 6 x 1-5/8-in | 22-lb | 5M | SCAVENGER HEAD, #2PHIL, DRILL POINT, GRAY PHOSPHATE |
| 16S | 6 x 1-7/8-in | 26-lb | 4M | SCAVENGER HEAD, #2PHIL, DRILL POINT, GRAY PHOSPHATE |
| 30SS | 8 x 2-3/8-in | 28-lb | 3M | SCAVENGER HEAD, #2PHIL, DRILL POINT, GRAY PHOSPHATE |
| 30MS | 8 x 2-5/8-in | 20-lb | 2M | SCAVENGER HEAD, #2PHIL, DRILL POINT, GRAY PHOSPHATE |
| 30LS | 8 x 3-in | 22-lb | 2M | SCAVENGER HEAD, #2PHIL, DRILL POINT, GRAY PHOSPHATE |

SCAVENGER® HEAD DRILLER



Attaches gypsum, insulation board, wood, etc. to 33-97 mil cold-formed steel. Unique Scavenger® head helps reduce paper burrs.

- Scavenger® head
- Drill point
- No. 2 Phillips
- Clear zinc



Attaches gypsum, insulation board, wood, etc. to 33-97 mil cold-formed steel. Unique Scavenger® head helps reduce paper burrs.

- Scavenger® head
- Drill point
- LOX® 2
- Clear zinc

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|--------------|--------|-----|---|
| 13SZ | 6 x 1-in | 33-lb | 10M | SCAVENGER HEAD, #2PHIL, DRILL POINT, CLEAR ZINC |
| 13SSZ | 6 x 1-1/8-in | 37-lb | 10M | SCAVENGER HEAD, #2PHIL, DRILL POINT, CLEAR ZINC |
| 14SZ | 6 x 1-1/4-in | 33-lb | 8M | SCAVENGER HEAD, #2PHIL, DRILL POINT, CLEAR ZINC |
| 15SZ | 6 x 1-5/8-in | 22-lb | 5M | SCAVENGER HEAD, #2PHIL, DRILL POINT, CLEAR ZINC |
| 16SZ | 6 x 1-7/8-in | 26-lb | 4M | SCAVENGER HEAD, #2PHIL, DRILL POINT, CLEAR ZINC |
| 14SZB | 8 X 1-1/4-in | 26-lb | 6M | SCAVENGER HEAD, #2PHIL, DRILL POINT, CLEAR ZINC |
| 30SSZ | 8 x 2-3/8-in | 28-lb | 3M | SCAVENGER HEAD, #2PHIL, DRILL POINT, CLEAR ZINC |
| 30MSZ | 8 x 2-5/8-in | 20-lb | 2M | SCAVENGER HEAD, #2PHIL, DRILL POINT, CLEAR ZINC |
| 30LSZ | 8 x 3-in | 22-lb | 2M | SCAVENGER HEAD, #2PHIL, DRILL POINT, CLEAR ZINC |

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|--------------|--------|-----|---|
| 14Z8LOX | 8 X 1-1/4-in | 29-lb | 6M | SCAVENGER HEAD, LOX®, DRILL POINT, CLEAR ZINC |

BUGLE HEAD DRILLER



Attaches sheathing, insulation board, wood, etc. to 33-97 mil cold-formed steel. Standard bugle head.

- Bugle head
- Drill point
- No. 2 Phillips
- GrabberGard® gray



- Bugle head
- Drill point
- No. 2 Phillips
- Clear zinc

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|------------|---------------|--------|-----|--|
| 14RG | 6 x 1-1/4-in | 33-lb | 8M | BUGLE HEAD, #2PHIL, DRILL POINT, GRABBERGARD |
| 15RG | 6 x 1-5/8-in | 22-lb | 5M | BUGLE HEAD, #2PHIL, DRILL POINT, GRABBERGARD |
| 16RG | 6 x 1-7/8-in | 26-lb | 4M | BUGLE HEAD, #2PHIL, DRILL POINT, GRABBERGARD |
| 14RG8F | 8 x 1-1/4-in | 30-lb | 6M | BUGLE HEAD, #2PHIL, DRILL POINT, GRABBERGARD |
| 30SRG | 8 x 2-3/8-in | 28-lb | 3M | BUGLE HEAD, #2PHIL, DRILL POINT, GRABBERGARD |
| 30MRG | 8 x 2-5/8-in | 20-lb | 2M | BUGLE HEAD, #2PHIL, DRILL POINT, GRABBERGARD |
| 30LRG | 8 x 3-in | 22-lb | 2M | BUGLE HEAD, #2PHIL, DRILL POINT, GRABBERGARD |
| B10350SDRG | 10 x 3-1/2-in | 17-lbs | 1M | BUGLE HEAD, #2PHIL, DRILL POINT, GRABBERGARD |
| B10400SDRG | 10 x 4-in | 20-lb | 1M | BUGLE HEAD, #2PHIL, DRILL POINT, GRABBERGARD |
| B10500SDRG | 10 x 5-in | 25-lb | 1M | BUGLE HEAD, #2PHIL, DRILL POINT, GRABBERGARD |

GrabberGard® finish is a high-grade proprietary metal surface processing technology that prevents corrosion. Suitable for use in non-coastal areas with all pressure treated lumbers including ACQ.

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|-----------|---------------|--------|-----|---|
| B10350SDZ | 10 x 3-1/2-in | 24-lbs | 1M | BUGLE HEAD, #2PHIL, DRILL POINT, CLEAR ZINC |
| B10400SDZ | 10 x 4-in | 20-lb | 1M | BUGLE HEAD, #2PHIL, DRILL POINT, CLEAR ZINC |
| B10500SDZ | 10 x 5-in | 25-lb | 1M | BUGLE HEAD, #2PHIL, DRILL POINT, CLEAR ZINC |

DRYWALL TO WOOD

SCAVENGER® HEAD GRABBER®



Attaches gypsum board to wood. Unique Scavenger® head helps reduce paper burrs.

- Scavenger® head
- Coarse thread
- No. 2 Phillips
- Gray phosphate

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|--------------|--------|------|---|
| 10B | 6 x 1-in | 28-lb | 10M | SCAVENGER HEAD, #2PHIL, COARSE THREAD, GRAY PHOSPHATE |
| 20B | 6 x 1-1/8-in | 32-lb | 10M | SCAVENGER HEAD, #2PHIL, COARSE THREAD, GRAY PHOSPHATE |
| 30B | 6 x 1-1/4-in | 30-lb | 8M | SCAVENGER HEAD, #2PHIL, COARSE THREAD, GRAY PHOSPHATE |
| 40B | 6 x 1-5/8-in | 22-lb | 5M | SCAVENGER HEAD, #2PHIL, COARSE THREAD, GRAY PHOSPHATE |
| 50B | 7 x 2-in | 21-lb | 3.5M | SCAVENGER HEAD, #2PHIL, COARSE THREAD, GRAY PHOSPHATE |

BUGLE HEAD GRABBER®



Attaches gypsum board to wood. Extra sharp point and threads make driving easier and provide better holding power.

- Bugle head
- Coarse thread
- No. 2 Phillips
- Gray phosphate

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|---------------|--------|------|---|
| 100 | 6 x 1-in | 29-lb | 10M | BUGLE HEAD, #2PHIL, COARSE THREAD, GRAY PHOSPHATE |
| 200 | 6 x 1-1/8-in | 32-lb | 10M | BUGLE HEAD, #2PHIL, COARSE THREAD, GRAY PHOSPHATE |
| 300 | 6 x 1-1/4-in | 33-lb | 8M | BUGLE HEAD, #2PHIL, COARSE THREAD, GRAY PHOSPHATE |
| 400 | 6 x 1-5/8-in | 22-lb | 5M | BUGLE HEAD, #2PHIL, COARSE THREAD, GRAY PHOSPHATE |
| 500 | 7 x 2-in | 21-lb | 3.5M | BUGLE HEAD, #2PHIL, COARSE THREAD, GRAY PHOSPHATE |
| 600 | 7 x 2-1/4-in | 20-lb | 3M | BUGLE HEAD, #2PHIL, COARSE THREAD, GRAY PHOSPHATE |
| 900 | 8 x 2-1/2-in | 25-lb | 2.5M | BUGLE HEAD, #2PHIL, COARSE THREAD, GRAY PHOSPHATE |
| 1100 | 8 x 3-in | 22-lb | 2M | BUGLE HEAD, #2PHIL, COARSE THREAD, GRAY PHOSPHATE |
| 1200 | 10 x 3-1/2-in | 17-lb | 1M | BUGLE HEAD, #2PHIL, COARSE THREAD, GRAY PHOSPHATE |
| 1300 | 10 x 4-in | 20-lb | 1M | BUGLE HEAD, #2PHIL, COARSE THREAD, GRAY PHOSPHATE |



Ideal for general purpose interior soft wood to wood applications. Extra sharp point and threads make driving easier and provide better holding power.

- Bugle head
- Coarse thread
- No. 2 Phillips
- Yellow zinc

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|---------------|--------|------|--|
| 100YZ | 6 x 1-in | 29-lb | 10M | BUGLE HEAD, #2PHIL, COARSE THREAD, YELLOW ZINC |
| 200YZ | 6 x 1-1/8-in | 32-lb | 10M | BUGLE HEAD, #2PHIL, COARSE THREAD, YELLOW ZINC |
| 300YZ | 6 x 1-1/4-in | 33-lb | 8M | BUGLE HEAD, #2PHIL, COARSE THREAD, YELLOW ZINC |
| 400YZ | 6 x 1-5/8-in | 22-lb | 5M | BUGLE HEAD, #2PHIL, COARSE THREAD, YELLOW ZINC |
| 500YZ | 7 x 2-in | 21-lb | 3.5M | BUGLE HEAD, #2PHIL, COARSE THREAD, YELLOW ZINC |
| 600YZ | 7 x 2-1/4-in | 20-lb | 3M | BUGLE HEAD, #2PHIL, COARSE THREAD, YELLOW ZINC |
| 900YZ | 8 x 2-1/2-in | 25-lb | 2.5M | BUGLE HEAD, #2PHIL, COARSE THREAD, YELLOW ZINC |
| 1100YZ | 8 x 3-in | 22-lb | 2M | BUGLE HEAD, #2PHIL, COARSE THREAD, YELLOW ZINC |
| 1200YZ | 10 x 3-1/2-in | 17-lb | 1M | BUGLE HEAD, #2PHIL, COARSE THREAD, YELLOW ZINC |
| 1300YZ | 10 x 4-in | 20-lb | 1M | BUGLE HEAD, #2PHIL, COARSE THREAD, YELLOW ZINC |



Attaches sheathing, insulation board, wood to wood. Standard bugle head.

Note: Staining may occur when using freshly cut lumber.

- Bugle head
- Coarse thread
- No. 2 Phillips
- GrabberGard® gray

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|---------------|--------|------|--|
| 100RG | 6 x 1-in | 30-lb | 10M | BUGLE HEAD, #2PHIL, COARSE THREAD, GRABBERGARD |
| 200RG | 6 x 1-1/8-in | 32-lb | 10M | BUGLE HEAD, #2PHIL, COARSE THREAD, GRABBERGARD |
| 300RG | 6 x 1-1/4-in | 33-lb | 8M | BUGLE HEAD, #2PHIL, COARSE THREAD, GRABBERGARD |
| 400RG | 6 x 1-5/8-in | 22-lb | 5M | BUGLE HEAD, #2PHIL, COARSE THREAD, GRABBERGARD |
| 500RG | 7 x 2-in | 21-lb | 3.5M | BUGLE HEAD, #2PHIL, COARSE THREAD, GRABBERGARD |
| 600RG | 7 x 2-1/4-in | 20-lb | 3M | BUGLE HEAD, #2PHIL, COARSE THREAD, GRABBERGARD |
| 900RG | 8 x 2-1/2-in | 25-lb | 2.5M | BUGLE HEAD, #2PHIL, COARSE THREAD, GRABBERGARD |
| 1100RG | 8 x 3-in | 22-lb | 2M | BUGLE HEAD, #2PHIL, COARSE THREAD, GRABBERGARD |
| 1200RG | 10 x 3-1/2-in | 17-lb | 1M | BUGLE HEAD, #2PHIL, COARSE THREAD, GRABBERGARD |
| 1300RG | 10 x 4-in | 20-lb | 1M | BUGLE HEAD, #2PHIL, COARSE THREAD, GRABBERGARD |



DRYWALL TO DRYWALL

BUGLE HEAD DRYWALL LAMINATOR



Laminates gypsum board. #10 laminator screws are also ideal for wood to wood connection.

- Bugle head
- Coarse thread
- No. 2 Phillips
- Gray phosphate



Laminates gypsum board. #10 laminator screws are also ideal for wood to wood connection.

- Bugle head
- Coarse thread
- No. 2 Phillips
- Clear zinc

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|---------------|--------|-----|---|
| 12 | 10 x 1-1/2-in | 37-lb | 5M | BUGLE HEAD, #2PHIL, COARSE THREAD, GRAY PHOSPHATE |

Use with Grabber drywall adhesive, item number: GDWAW or GDWAV



| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|---------------|--------|-----|---|
| 12Z | 10 x 1-1/2-in | 37-lb | 5M | BUGLE HEAD, #2PHIL, COARSE THREAD, CLEAR ZINC |

Use with Grabber drywall adhesive, item number: GDWAW or GDWAV



LAMINATING DRYWALL

LIGHT GAUGE METAL FRAMING

PAN FRAMING HEAD VECTOR™ POINT



- Pan Framing head
- Fine thread
- Vector™ point
- No. 2 Phillips
- Phosphate
- Faster seating
- Sharper/steeper angle point
- Faster penetration
- Better holding power

Pan Framing Head Vector™ point fasteners are designed for exceptionally fast driving into 18-30 mil nonstructural steel. Unique grip-tight, high torque pan framing head design

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|-------------|--------|-----|---|
| 23V | 7 x 7/16-in | 35-lb | 15M | PAN FRAMING HEAD, #2PHIL, VECTOR POINT, FINE THREAD |

PRO-FIT™ recess for fewer cam-outs.

Steep-angled point drives up to 50% faster than traditional metal framing fasteners



Serrated under surface for better holding power

Vector™ sharp point for faster starts and quick penetration

MODIFIED TRUSS HEAD VECTOR™ POINT




- Modified Truss head
- Fine thread
- Vector™ point
- No. 2 Phillips
- Clear zinc
- Faster seating
- Sharper/steeper angle point
- Faster penetration
- Better holding power

Modified Truss Head Vector™ point fasteners are designed for exceptionally fast driving into 18-30 mil nonstructural steel. Attaches lath to light gauge metal or wood.

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|-------------|--------|-----|--|
| 312V | 7 x 9/16-in | 35-lb | 10M | MODIFIED TRUSS HEAD, #2PHIL, VECTOR POINT, FINE THREAD |

Steep-angled point drives up to 50% faster than traditional metal framing fasteners



PRO-FIT™ recess for fewer cam-outs.

Vector™ sharp point for faster starts and quick penetration

SCAVENGER® HEAD VECTOR™ POINT



- Scavenger® head
- Fine thread
- No. 2 Phillips
- Gray phosphate

Attaches gypsum board to wood or 18-30 mil nonstructural steel. Unique Scavenger® head helps reduce paper burrs.

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|--------------|--------|-----|--|
| 368SV | 6 x 1-1/4-in | 30-lb | 8M | SCAVENGER HEAD, #2PHIL, VECTOR POINT, FINE THREAD, PHOSPHATE |

Grabber's Vector™ screw significantly reduces drive time and increases productivity with its much sharper and steeper-angled point compared to traditional drywall fasteners. In a drive comparison with standard drywall fasteners, the Vector™ performed considerably better across the board in multiple drive test comparisons.

MODIFIED TRUSS HEAD STREAKER®



Attaches metal lath to wood or to 18-30 mil nonstructural steel studs and framing.

- Modified Truss Head
- Fine thread
- No. 2 Phillips
- Clear zinc



Attaches metal lath to wood or to 18-30 mil nonstructural steel studs and framing.

- Modified Truss Head
- Fine thread
- No. 2 Phillips
- GrabberGard® Gray

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|---------------|--------|------|--|
| 3119Z | 8 x 3/4-in | 37-lb | 10M | MODIFIED TRUSS HEAD, #2PHIL, FINE THREAD, CLEAR ZINC |
| 31Z | 8 x 9/16-in | 37-lb | 10M | MODIFIED TRUSS HEAD, #2PHIL, FINE THREAD, CLEAR ZINC |
| 32Z | 8 x 1-in | 26-lb | 5M | MODIFIED TRUSS HEAD, #2PHIL, FINE THREAD, CLEAR ZINC |
| 33Z | 8 x 1-1/4-in | 31-lb | 5M | MODIFIED TRUSS HEAD, #2PHIL, FINE THREAD, CLEAR ZINC |
| 3138Z | 8 x 1-1/2-in | 21-lb | 3M | MODIFIED TRUSS HEAD, #2PHIL, FINE THREAD, CLEAR ZINC |
| 3140Z | 8 x 1-5/8 | 22-lb | 3M | MODIFIED TRUSS HEAD, #2PHIL, FINE THREAD, CLEAR ZINC |
| 3151Z | 8 x 2-in | 22-lb | 2.5M | MODIFIED TRUSS HEAD, #2PHIL, FINE THREAD, CLEAR ZINC |
| 3163Z | 8 x 2-1/2-in | 27-lb | 2.5 | MODIFIED TRUSS HEAD, #2PHIL, FINE THREAD, CLEAR ZINC |
| 3176Z | 8 x 3-in | 12-lb | 1M | MODIFIED TRUSS HEAD, #2PHIL, FINE THREAD, CLEAR ZINC |
| 311038Z | 10 x 1-1/2-in | 36-lb | 4M | MODIFIED TRUSS HEAD, #2PHIL, FINE THREAD, CLEAR ZINC |

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|--------------|--------|-----|---|
| 31RG | 8 x 9/16-in | 37-lb | 10M | MODIFIED TRUSS HEAD, #2PHIL, FINE THREAD, GRABBERGARD |
| 32RG | 8 x 1-in | 26-lb | 5M | MODIFIED TRUSS HEAD, #2PHIL, FINE THREAD, GRABBERGARD |
| 33RG | 8 x 1-1/4-in | 31-lb | 5M | MODIFIED TRUSS HEAD, #2PHIL, FINE THREAD, GRABBERGARD |
| 3138RG | 8 x 1-1/2 | 21.82 | 3M | MODIFIED TRUSS HEAD, #2PHIL, FINE THREAD, GRABBERGARD |

FLAT PAN HEAD SHARP POINT



Flat pan head sharp point screws are designed for attaching 18-30 mil light gauge steel

- Flat Pan Head
- Sharp Point
- No. 2 LOX®
- Yellow Zinc

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|--|-------------|--------|-----|---|
|  FP101875SLYZ | 10 x 3/4-in | 33-lb | 10M | FLAT PAN HEAD, LOX® 2, SHARP POINT, YELLOW ZINC |

METAL FRAMING

MODIFIED TRUSS HEAD DRILLER



Attaches framing or metal lathing to 33-97 mil cold-formed steel studs.

Note: Super Point Type 3 Available in bulk. Part numbers: 234Z, 235Z, 236Z, and 237Z. Specific fasteners are listed in an ICC approval, ESR-1271. Check the report for listed item numbers.

- Modified Truss Head
- Drill point
- No. 2 Phillips
- Clear zinc



| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|---------------|--------|------|--|
| 34Z | 8 x 1/2-in | 37-lb | 10M | MODIFIED TRUSS HEAD, #2PHIL, DRILL POINT, CLEAR ZINC |
| 35Z | 8 x 1-in | 27-lb | 5M | MODIFIED TRUSS HEAD, #2PHIL, DRILL POINT, CLEAR ZINC |
| 36Z | 8 x 1-1/4-in | 32-lb | 5M | MODIFIED TRUSS HEAD, #2PHIL, DRILL POINT, CLEAR ZINC |
| 37Z | 8 x 1 5/8-in | 32-lb | 4M | MODIFIED TRUSS HEAD, #2PHIL, DRILL POINT, CLEAR ZINC |
| 39Z | 8 x 3-in | 31-lb | 1M | MODIFIED TRUSS HEAD, #2PHIL, DRILL POINT, CLEAR ZINC |
| 234Z | 8 x 1/2-in | 37-lb | 10M | MODIFIED TRUSS HEAD, #2PHIL, DRILL POINT, CLEAR ZINC |
| 235Z | 8 x 1-in | 27-lb | 5M | MODIFIED TRUSS HEAD, #2PHIL, DRILL POINT, CLEAR ZINC |
| 236Z | 8 x 1-1/4-in | 32-lb | 5M | MODIFIED TRUSS HEAD, #2PHIL, DRILL POINT, CLEAR ZINC |
| 237Z | 8 x 1-5/8-in | 32-lb | 4M | MODIFIED TRUSS HEAD, #2PHIL, DRILL POINT, CLEAR ZINC |
| 238Z | 8 x 2-1/2-in | 31-lb | 2.5M | MODIFIED TRUSS HEAD, #2PHIL, DRILL POINT, CLEAR ZINC |
| 234Z10CW | 10 x 3/4-in | 34-lb | 5M | MODIFIED TRUSS HEAD, #2PHIL, DRILL POINT, CLEAR ZINC |
| 236Z10CW | 10 x 1-1/4-in | 34-lb | 5M | MODIFIED TRUSS HEAD, #2PHIL, DRILL POINT, CLEAR ZINC |
| 234Z12CW | 12 x 3/4-in | 34-lb | 5M | MODIFIED TRUSS HEAD, #2PHIL, DRILL POINT, CLEAR ZINC |

Grabber's SuperPoint™ premium lathing and framing fasteners feature sharper threads and drill points and are designed to meet the most demanding metal framing applications.

PAN HEAD DRILLER



Framing screw for 33-97 mil cold-formed steel.

- Pan head
- Drill point
- No. 2 Phillips
- Clear zinc



| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|-------------|--------|------|---|
| 20Z | 8 x 1/2-in | 33-lb | 10M | PAN HEAD, #2PHIL, DRILL POINT, CLEAR ZINC |
| 10058P3 | 10 x 5/8-in | 38-lb | 7.5m | PAN HEAD, #2PHIL, DRILL POINT, CLEAR ZINC |

PAN FRAMING HEAD DRILLER



Framing screw for 33-97 mil cold-formed steel.

- Pan framing head
- Drill point
- No. 2 Phillips
- Clear zinc

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|-------------|--------|-----|---|
| 19Z | 6 x 7/16-in | 38-lb | 15M | PAN FRAMING HEAD, #2PHIL, DRILL POINT, CLEAR ZINC |



Framing screw for 33-97 mil cold-formed steel.

- Pan framing head
- Drill point
- No. 2 Phillips
- Gray phosphate

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|-------------|--------|-----|---|
| 19 | 6 x 7/16-in | 38-lb | 15M | PAN FRAMING HEAD, #2PHIL, DRILL POINT, GRAY PHOSPHATE |



HEAVY GAUGE METAL FRAMING - SELF DRILLING SCREWS

FLAT PAN HEAD DRILLER



Flat pan head drill point fasteners designed for attaching 33-97 mil cold-formed steel. LOX[®] recess for better driving performance. Unique grip-tight, high torque pan head design.

- Flat Pan head
- Drill point
- No. 2 LOX[®]
- Yellow zinc



Flat pan head drill point fasteners designed for attaching 33-97 mil cold-formed steel. LOX[®] recess for better driving performance. Unique grip-tight, high torque pan head design.

- Flat Pan head
- Drill point
- No. 2 LOX[®]
- Clear zinc



| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|-------------|----------------|--------|-----|-----------------------------------|
| FP101875LYZ | 10-18 x 3/4-in | 42-lb | 8M | FLAT PAN HEAD, LOX 2, YELLOW ZINC |
| FP102275LYZ | 10-22 X 3/4-in | 40-lb | 8M | FLAT PAN HEAD, LOX 2, YELLOW ZINC |

Specific fasteners are listed in an ICC approval, ESR-1271. Check the report for listed item numbers.

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|--------------|----------------|--------|-----|----------------------------------|
| FP121878JBWZ | 12-18 x 7/8-in | 43-lb | 6M | FLAT PAN HEAD, LOX 2, CLEAR ZINC |

HEX HEAD STREAKER[®]



High-torque washer head for fast framing and sheet metal work in 18-30 mil nonstructural steel. Use 1/4-in nutsetter.

- Hex head
- Fine thread
- Clear zinc

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|-------------|--------|-----|-----------------------------------|
| 25Z | 8 x 9/16-in | 33-lb | 10M | HEX HEAD, FINE THREAD, CLEAR ZINC |

HEAVY GAUGE METAL FRAMING

LIGHT GAUGE METAL FRAMING

HEX HEAD DRILLER



Attaches fixtures, backup plates, door frames and lathers channel to structural studs, metal checks, etc. in 33-97 mil cold-formed steel.

- Hex head
- Fine thread
- GrabberGard® Gray



HEX HEAD DRILLER



Attaches fixtures, backup plates, door frames and lathers channel to structural studs in 33-97 mil cold-formed steel.

- Hex head
- Drill point
- Clear zinc



Grabber's #10, #12 & #14 zinc-plated drill point fasteners are manufactured in ISO 9001 factories,

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|------------|------------------|--------|------|--|
| H10050H3 | 10 x 1/2-in | 34-lb | 5M | #10 HIGH HEX HEAD DRILLER, CLEAR ZINC |
| H10075H3 | 10 x 3/4-in | 30-lb | 5M | #10 HIGH HEX HEAD DRILLER, CLEAR ZINC |
| H10100H3 | 10 x 1-in | 37-lb | 5M | #10 HIGH HEX HEAD DRILLER, CLEAR ZINC |
| H10125H3 | 10 x 1-1/4-in | 33-lb | 5M | #10 HIGH HEX HEAD DRILLER, CLEAR ZINC |
| H10150H3 | 10 x 1-1/2-in | 35-lb | 3.5M | #10 HIGH HEX HEAD DRILLER, CLEAR ZINC |
| H10200H3 | 10 x 2-in | 31-lb | 3M | #10 HIGH HEX HEAD DRILLER, CLEAR ZINC |
| H12075H3 | 12 x 3/4-in | 40-lb | 5M | #12 HIGH HEX HEAD DRILLER, CLEAR ZINC |
| H12100H3 | 12 x 1-in | 40-lb | 3.5M | #12 HIGH HEX HEAD DRILLER, CLEAR ZINC |
| H12125H3 | 12 x 1-1/4-in | 34-lb | 3.5M | #12 HIGH HEX HEAD DRILLER, CLEAR ZINC |
| H12150H3 | 12 x 1-1/2-in | 35-lb | 3.5M | #12 HIGH HEX HEAD DRILLER, CLEAR ZINC |
| H12200H3 | 12 x 2-in | 32-lb | 3.5M | #12 HIGH HEX HEAD DRILLER, CLEAR ZINC |
| H12250H3 | 12 x 2-1/2-in | 30-lb | 2M | #12 HIGH HEX HEAD DRILLER, CLEAR ZINC |
| H12300H3 | 12 x 3-in | 22-lb | 1M | #12 HIGH HEX HEAD DRILLER, CLEAR ZINC |
| H1224125H4 | 12-24 x 1-1/4-in | 50-lb | 3M | #12-24 HIGH HEX HEAD DRILLER, CLEAR ZINC |
| H1224200H4 | 12-24 x 2-in | 50-lb | 2M | #12-24 HIGH HEX HEAD DRILLER, CLEAR ZINC |

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|-------------|------------------|--------|------|------------------------------------|
| 10075H3RG | 10 x 3/4-in | 34-lb | 5M | #10 HEX HEAD DRILLER, GRABBERGARD® |
| 10150H3RG | 10 x 1-1/2-in | 34-lb | 3.5M | #10 HEX HEAD DRILLER, GRABBERGARD® |
| 12075H3RG | 12 x 3/4-in | 35-lb | 5M | #12 HEX HEAD DRILLER, GRABBERGARD® |
| 12150H3RG | 12 x 1-1/2-in | 35-lb | 3.5M | #12 HEX HEAD DRILLER, GRABBERGARD® |
| 1224150HARG | 12-24 x 1-1/2-in | 33-lb | 2.5M | #12 HEX HEAD DRILLER, GRABBERGARD® |
| 1224200HARG | 12-24 x 2-in | 36-lb | 2M | #12 HEX HEAD DRILLER, GRABBERGARD® |
| 1224125H5RG | 12-24 x 1-1/4-in | 36-lb | 2M | #12 HEX HEAD DRILLER, GRABBERGARD® |
| 1420150H5RG | 14-20 X 1-1/2-in | 36-lb | 2M | #14 HEX HEAD DRILLER, GRABBERGARD® |

Specific fasteners are listed in an ICC approval, ESR-1271. Check the report for listed item numbers.

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|------------|------------------|--------|------|-------------------------------------|
| 08050H3 | 8 x 1/2-in | 37-lb | 10M | #8 HEX HEAD DRILLER, CLEAR ZINC |
| 08058H3 | 8 x 5/8-in | 37-lb | 10M | #8 HEX HEAD DRILLER, CLEAR ZINC |
| 08075H3 | 8 x 3/4-in | 42-lb | 10M | #8 HEX HEAD DRILLER, CLEAR ZINC |
| 08100H3 | 8 x 1-in | 38-lb | 7.5M | #8 HEX HEAD DRILLER, CLEAR ZINC |
| 08125H3 | 8 x 1-1/4-in | 35-lb | 5M | #8 HEX HEAD DRILLER, CLEAR ZINC |
| 08200H3 | 8 x 2-in | 32-lb | 3M | #8 HEX HEAD DRILLER, CLEAR ZINC |
| H10050H3 | 10 x 1/2-in | 34-lb | 5M | #10 HEX HEAD DRILLER, CLEAR ZINC |
| H10058H3 | 10 x 5/8-in | 41-lb | 7.5M | #10 HEX HEAD DRILLER, CLEAR ZINC |
| H10075H3 | 10 x 3/4-in | 30-lb | 5M | #10 HEX HEAD DRILLER, CLEAR ZINC |
| H10100H3 | 10 x 1-in | 37-lb | 5M | #10 HEX HEAD DRILLER, CLEAR ZINC |
| H10125H3 | 10 x 1-1/4-in | 33-lb | 5M | #10 HEX HEAD DRILLER, CLEAR ZINC |
| H10150H3 | 10 x 1-1/2-in | 35-lb | 3.5M | #10 HEX HEAD DRILLER, CLEAR ZINC |
| H10200H3 | 10 x 2-in | 31-lb | 3M | #10 HEX HEAD DRILLER, CLEAR ZINC |
| H12075H3 | 12 x 3/4-in | 40-lb | 5M | #12 HEX HEAD DRILLER, CLEAR ZINC |
| H12100H3 | 12 x 1-in | 40-lb | 3.5M | #12 HEX HEAD DRILLER, CLEAR ZINC |
| H12125H3 | 12 x 1-1/4-in | 34-lb | 3.5M | #12 HEX HEAD DRILLER, CLEAR ZINC |
| H12150H3 | 12 x 1-1/2-in | 35-lb | 3.5M | #12 HEX HEAD DRILLER, CLEAR ZINC |
| H12200H3 | 12 x 2-in | 32-lb | 3.5M | #12 HEX HEAD DRILLER, CLEAR ZINC |
| H12250H3 | 12 x 2-1/2-in | 30-lb | 2M | #12 HEX HEAD DRILLER, CLEAR ZINC |
| H12300H3 | 12 x 3-in | 22-lb | 1M | #12 HEX HEAD DRILLER, CLEAR ZINC |
| H12350H3 | 12 x 3-1/2-in | 21-lb | 1M | #12 HEX HEAD DRILLER, CLEAR ZINC |
| H14075H3 | 14 x 3/4-in | 61-lb | 5M | #14 HEX HEAD DRILLER, CLEAR ZINC |
| H14100H3 | 14 x 1-in | 52-lb | 3.5M | #14 HEX HEAD DRILLER, CLEAR ZINC |
| H14125H3 | 14 x 1-1/4-in | 35-lb | 2M | #14 HEX HEAD DRILLER, CLEAR ZINC |
| H14150H3 | 14 x 1-1/2-in | 33-lb | 2M | #14 HEX HEAD DRILLER, CLEAR ZINC |
| H14200H3 | 14 x 2-in | 34-lb | 1.5M | #14 HEX HEAD DRILLER, CLEAR ZINC |
| H14250H3 | 14 x 2-1/2-in | 33-lb | 2M | #14 HEX HEAD DRILLER, CLEAR ZINC |
| H14300H3 | 14 x 3-in | 22-lb | 2M | #14 HEX HEAD DRILLER, CLEAR ZINC |
| H14400H4 | 14 x 4-in | 21-lb | .5M | #14 HEX HEAD DRILLER, CLEAR ZINC |
| H122478H4 | 12-24 x 7/8-in | 50-lb | 3.5M | #12-24 HEX HEAD DRILLER, CLEAR ZINC |
| H1224125H4 | 12-24 x 1-1/4-in | 50-lb | 3M | #12-24 HEX HEAD DRILLER, CLEAR ZINC |

CEMENT BOARD TO WOOD, LIGHT OR HEAVY GAUGE METAL

FLAT WAFER HEAD



Attaches cement board to light gauge metal (18-30 mil nonstructural steel) or wood. Features a .40 diameter head and GrabberGuard® exterior coating.

- Flat wafer head
- ASTM B117 1500 hours
- Alternating thread
- No. 2 Phillips
- GrabberGuard® Gray

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|------------|---------------|--------|-----|--|
| GCB8125HL | 8 x 1-1/4-in | 37-lb | 5M | FLAT WAFER HEAD, #2PHIL, ALT THREAD, GRABBERGARD |
| GCB8158HL | 8 x 1-5/8-in | 31-lb | 4M | FLAT WAFER HEAD, #2PHIL, ALT THREAD, GRABBERGARD |
| GCB8238HL | 8 x 2-3/8-in | 31-lb | 3M | FLAT WAFER HEAD, #2PHIL, ALT THREAD, GRABBERGARD |
| GCB10350HL | 10 x 3-1/2-in | 31-lb | 2M | FLAT WAFER HEAD, #2PHIL, ALT THREAD, GRABBERGARD |

FLAT WAFER HEAD



Attaches cement board to steel. Features a .40 diameter head and GrabberGuard® exterior coating.

- Flat wafer head
- ASTM B117 1500 hours
- Drill point
- No. 2 Phillips
- GrabberGuard® Gray

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|------------|---------------|--------|-----|--|
| GCB8125SD | 8 x 1-1/4-in | 29-lb | 5M | FLAT WAFER HEAD, #2PHIL, SELF DRILL, GRABBERGARD |
| GCB8158SD | 8 x 1-5/8-in | 29-lb | 4M | FLAT WAFER HEAD, #2PHIL, SELF DRILL, GRABBERGARD |
| GCB8238SD | 8 x 2-3/8-in | 29-lb | 3M | FLAT WAFER HEAD, #2PHIL, SELF DRILL, GRABBERGARD |
| GCB10350SD | 10 x 3-1/2-in | 29-lb | 2M | FLAT WAFER HEAD, #2PHIL, SELF DRILL, GRABBERGARD |

FLAT WAFER HEAD



Attaches high density sheathing to light gauge metal (18-30 mil nonstructural steel) or wood. Features .375 diameter head and GrabberGuard® exterior coating.

- Flat wafer head
- Fine thread
- No. 2 LOX®
- GrabberGuard® Gray



| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|-----------|--------------|--------|-----|--|
| GHS8114LG | 8 x 1-1/4-in | 26-lb | 5M | FLAT WAFER HEAD, LOX 2, FINE THREAD, GRABBERGARD |
| GHS8158LG | 8 x 1-5/8-in | 29-lb | 4M | FLAT WAFER HEAD, LOX 2, FINE THREAD, GRABBERGARD |
| GHS8238LG | 8 x 2-3/8-in | 27-lb | 3M | FLAT WAFER HEAD, LOX 2, FINE THREAD, GRABBERGARD |

FLAT WAFFER HEAD



Attaches high density sheathing and fiber cement siding to heavy gauge metal. Features a .375 diameter head and GrabberGuard® exterior coating.

- Flat wafer head
- Winged drill point
- No. 2 LOX®
- GrabberGuard® Gray



| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|--------------|--------|-----|--|
| GH8114LG | 8 x 1-1/4-in | 26-lb | 5M | FLAT WAFFER HEAD, #2LOX, WINGED DRILLER, GRABBERGARD |
| GH8158LG | 8 x 1-5/8-in | 25-lb | 4M | FLAT WAFFER HEAD, #2LOX, WINGED DRILLER, GRABBERGARD |
| GH8238LG | 8 x 2-3/8-in | 31-lb | 3M | FLAT WAFFER HEAD, #2LOX, WINGED DRILLER, GRABBERGARD |

FLAT WAFFER HEAD WINGED DRILLER



Attaches high density sheathing to steel. Features a .375 diameter head and GrabberGuard® exterior coating.

- Flat wafer head
- Winged drill point
- No. 2 Phillips
- GrabberGuard® Gray

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|--------------|--------|-----|---|
| 8125SDW | 8 x 1-1/4-in | 27-lb | 5M | FLAT WAFFER HEAD, #2PHIL, WINGED DRILLER, GRABBERGARD |
| 8158SDW | 8 x 1-5/8-in | 27-lb | 4M | FLAT WAFFER HEAD, #2PHIL, WINGED DRILLER, GRABBERGARD |

PLYWOOD TO LIGHT GAUGE METAL

PLYLITE™ FLAT HEAD



"The miracle fastener™" Attaches and countersinks plywood, plywood sheathing, dense board, slat-wall, OSB & FRP to 18-30 mil nonstructural steel.

- Flat head
- PLYLITE™ threaded point
- No. 2 Phillips
- Yellow zinc

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|--------------|--------|------|--|
| GPLY150 | 7 x 1-1/2-in | 35-lb | 7.5M | FLAT HEAD, #2 PHILLIPS RECESS, YELLOW ZINC |
| GPLY200 | 7 x 2-in | 31-lb | 5M | FLAT HEAD, #2 PHILLIPS RECESS, YELLOW ZINC |
| GPLY275 | 7 x 2-3/4-in | 25-lb | 7.5M | FLAT HEAD, #2 PHILLIPS RECESS, YELLOW ZINC |



SHEATHING TO HEAVY GAUGE METAL

PLYLOK® WAFER HEAD WINGED



Attaches 3/16-in to 3/4-in plywood to 33-97 mil cold-formed steel.

- Wafer head
- No. 3 winged drill point
- No. 2 Phillips
- Clear zinc

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|----------------|--------|-----|---|
| 101716W3 | 10 x 1-7/16-in | 39-lb | 4M | WAFER HEAD WINGED 3PT DRILLER, #2PHIL, CLEAR ZINC |



Attaches 3/16-in to 3/4-in plywood to 33-97 mil cold-formed steel.

- Wafer head
- No. 3 winged drill point
- No. 2 Phillips
- GrabberGard gray

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|------------|----------------|--------|-----|--|
| 101716W3RG | 10 x 1-7/16-in | 39-lb | 4M | WAFER HEAD WINGED 3PT DRILLER, #2PHIL, GRABBERGARD |

PLYLOK® WAFER HEAD DRILLER



Attaches 3/16-in to 3/4-in plywood to 33-97 mil cold-formed steel.

- Wafer head
- No. 3 pilot drill point
- No. 2 Phillips
- Clear zinc

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|----------------|--------|-----|---|
| 101716 | 10 x 1-7/16-in | 39-lb | 4M | WAFER HEAD PILOT 3 PT DRILLER, #2PHIL, CLEAR ZINC |



Attaches 3/16-in to 3/4-in plywood to 33-97 mil cold-formed steel.

- Wafer head
- No. 4 winged drill point
- No. 2 Phillips
- Clear zinc

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|---------------|--------|-----|--|
| 10158W4 | 10 x 1-5/8-in | 39-lb | 4M | WAFER HEAD NO 4 WINGED DRILLER, #2PHIL, CLEAR ZINC |

HEAVY GAUGE METAL SHEATHING

PLYLOK® FLAT HEAD

Attaches 3/8-in to 1-in plywood to steel joist 33-97 mil cold-formed steel.

- Flat head
- No. 3 pilot drill point
- No. 2 Phillips
- Clear zinc

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|----------------|--------|-----|---|
| P8516F3 | 8 x 1-5/16-in | 30lb | 6M | FLAT HEAD PILOT POINT DRILLER, #2PHIL, 3 PT, CLEAR ZINC |
| P81516F3 | 8 x 1-15/16-in | 31lb | 4m | FLAT HEAD PILOT POINT DRILLER, #2PHIL, 3 PT, CLEAR ZINC |

PLYLOK® FLAT HEAD

Attaches 3/8-in to 1-in plywood to steel joist 33-97 mil cold-formed steel.

- Flat head
- No. 3 winged drill point
- No. 2 Phillips
- Clear zinc

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|---------------|--------|------|--|
| 12200FW3 | 12 x 2-in | 33-lb | 2M | FLAT HEAD WINGED DRILLER, #3PHIL, 3 PT, CLEAR ZINC |
| 12225FW3 | 12 x 2-1/4-in | 30-lb | 2M | FLAT HEAD WINGED DRILLER, #3PHIL, 3 PT, CLEAR ZINC |
| 12250FW3 | 12 x 2-1/2-in | 33-lb | 1.5M | FLAT HEAD WINGED DRILLER, #3PHIL, 3 PT, CLEAR ZINC |
| 12275FW3 | 12 x 2-3/4-in | 33-lb | 1M | FLAT HEAD WINGED DRILLER, #3PHIL, 3 PT, CLEAR ZINC |
| 14275FW3 | 14 x 2-3/4-in | 33-lb | 1M | FLAT HEAD WINGED DRILLER, #3PHIL, 3 PT, CLEAR ZINC |



Attaches 1-in or thicker, plywood to 54-118 mil cold-formed steel.

- Flat head
- No. 3 winged drill point
- No. 3 Phillips
- GrabberGuard® Gray

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|------------|---------------|--------|------|---|
| 12200FW3RG | 12 x 2-in | 33-lb | 2M | FLAT HEAD WINGED DRILLER, #3PHIL, 3 PT, GRABBERGARD |
| 12250FW3RG | 12 x 2-1/2-in | 30-lb | 1.5M | FLAT HEAD WINGED DRILLER, #3PHIL, 3 PT, GRABBERGARD |
| 12275FW3RG | 12 x 2-3/4-in | 30-lb | 1M | FLAT HEAD WINGED DRILLER, #3PHIL, 3 PT, GRABBERGARD |
| 14325FW4RG | 14 x 3-1/4-in | 34-lb | .9M | FLAT HEAD WINGED DRILLER, #3PHIL, 3 PT, GRABBERGARD |
| 14350FW4RG | 14 x 3-1/2-in | 34-lb | .5M | FLAT HEAD WINGED DRILLER, #3PHIL, 3 PT, GRABBERGARD |
| 14375FW4RG | 14 x 3-3/4-in | 34-lb | .5M | FLAT HEAD WINGED DRILLER, #3PHIL, 3 PT, GRABBERGARD |

PLYLOK® FLAT HEAD

Attaches 1-in or thicker, plywood to 54-118 mil cold-formed steel.

- Flat head
- No. 3 winged drill point
- LOX
- Clear zinc

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|--------------|---------------|--------|-----|---|
| M175SDZJBW | 8 x 1-3/4-in | 30-lb | 4M | FLAT HEAD WINGED DRILLER, LOX, 3 PT, CLEAR ZINC |
| M10178SDZJBW | 10 x 1-7/8-IN | 29-lb | 3M | FLAT HEAD WINGED DRILLER, LOX, 3 PT, CLEAR ZINC |

WOOD TO WOOD OR METAL

TRIM HEAD STREAKER®



Attaches interior wood to light gauge metal and wood. Streaker point means quick and easy penetration while the smaller, less noticeable head provides a finished look.

- Trim head
- No. 1 square recess
- Gray phosphate



- Trim head
- No. 1 square recess
- GrabberGuard

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|--------------|--------|-----|--|
| 17S100 | 7 x 1-in | 29-lb | 10M | TRIM HEAD, #1SQ, FINE THREAD, GRAY PHOSPHATE |
| 17S | 7 x 1-5/8-in | 49-lb | 10M | TRIM HEAD, #1SQ, FINE THREAD, GRAY PHOSPHATE |
| 18S | 7 x 2-1/4-in | 34-lb | 5M | TRIM HEAD, #1SQ, FINE THREAD, GRAY PHOSPHATE |
| 17S76 | 8 x 3-in | 21-lb | 2M | TRIM HEAD, #1SQ, FINE THREAD, GRAY PHOSPHATE |

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|----------|--------|-----|--|
| 17S76RG | 8 x 3-in | 21-lb | 2M | TRIM HEAD, #1SQ, FINE THREAD, GRABBERARD |

TRIM HEAD DRILLER



Attaches wood trim over single or double layer gypsum board to 33-54 mil cold-formed steel.

- Trim head
- Drill point
- No. 1 square recess
- Gray phosphate

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|--------------|--------|-----|--|
| 17SD | 7 x 1-5/8-in | 28-lb | 5M | TRIM HEAD, #1SQ, DRILL POINT, GRAY PHOSPHATE |
| 18SD | 7 x 2-1/4-in | 29-lb | 4M | TRIM HEAD, #1SQ, DRILL POINT, GRAY PHOSPHATE |
| 17SD76 | 8 x 3-in | 22-lb | 2M | TRIM HEAD, #1SQ, DRILL POINT, GRAY PHOSPHATE |

XGT™ WOOD SCREW



Dependable performance in most wood to wood applications.

Note: Staining may occur when using freshly cut lumber.

- Flat head
- Star recess
- Draw-Tite shank
- QuickGrab™ Point
- GrabberGuard® Gray

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|---------------|--------|------|--|
| G6125G | 6 x 1-1/4-in | 30-lb | 5M | FLAT HEAD, STAR T20, COARSE THREAD, GRABBERGARD GRAY |
| G6150G | 6 x 1-1/2-in | 32-lb | 4M | FLAT HEAD, STAR T20, COARSE THREAD, GRABBERGARD GRAY |
| G7200G | 7 x 2-in | 33-lb | 4M | FLAT HEAD, STAR T20, COARSE THREAD, GRABBERGARD GRAY |
| G8225G | 8 x 2-1/4-in | 33-lb | 3M | FLAT HEAD, STAR T20, COARSE THREAD, GRABBERGARD GRAY |
| G8250G | 8 x 2-1/2-in | 33-lb | 2.5M | FLAT HEAD, STAR T20, COARSE THREAD, GRABBERGARD GRAY |
| G8300G | 8 x 3-in | 22-lb | 2M | FLAT HEAD, STAR T20, COARSE THREAD, GRABBERGARD GRAY |
| G9300G | 9 x 3-in | 20 lb | 2M | FLAT HEAD, STAR T20, COARSE THREAD, GRABBERGARD GRAY |
| G10350G | 10 x 3-1/2-in | 23 lb | 1M | FLAT HEAD, STAR T25, COARSE THREAD, GRABBERGARD GRAY |
| G10400G | 10 x 4-in | 22 lb | 1M | FLAT HEAD, STAR T25, COARSE THREAD, GRABBERGARD GRAY |
| G10500G | 10 x 5-in | 21 lb | 1M | FLAT HEAD, STAR T25, COARSE THREAD, GRABBERGARD GRAY |

LIGHT GAUGE METAL TRIM

HEAVY GAUGE METAL TRIM

EXTERIOR WOOD GENERAL

XGT™ WOOD SCREW



Dependable performance in most wood to wood applications.

Note: Staining may occur when using freshly cut lumber.

- Trim head
- Star recess
- Draw-Tite shank
- QuickGrab™ Point
- GrabberGard® Gray

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|--------------|--------|-----|--|
| G7158G | 7 x 1-5/8-in | 30-lb | 5M | TRIM HEAD, STAR T15, COARSE THREAD, GRABBERGARD GRAY |
| G7225G | 7 x 2-1/4-in | 32-lb | 3M | TRIM HEAD, STAR T15, COARSE THREAD, GRABBERGARD GRAY |
| G78300G | 8 x 3-in | 33-lb | 2M | TRIM HEAD, STAR T20, COARSE THREAD, GRABBERGARD GRAY |

ULTRAPRO™ WOOD SCREW



The ultimate screw for interior and exterior wood to wood connection.

Note: Staining may occur when using freshly cut lumber.

- Scavenger® II head
- LOX® 2 recess
- Draw-Tite™ threads
- Ultracut™ threads
- QuickGrab™ Point
- GrabberGard® Gold

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|---------------|--------|------|--|
| U8125G | 8 x 1-1/4-in | 30-lb | 4.5M | FLAT HEAD, #2 LOX, COARSE THREAD, GRABBERGARD GOLD |
| U8150G | 8 x 1-1/2-in | 32-lb | 3.5M | FLAT HEAD, #2 LOX, COARSE THREAD, GRABBERGARD GOLD |
| U8200G | 8 x 2-in | 33-lb | 2.5M | FLAT HEAD, #2 LOX, COARSE THREAD, GRABBERGARD GOLD |
| U9250G | 9 x 2-1/2-in | 22-lb | 2M | FLAT HEAD, #2 LOX, COARSE THREAD, GRABBERGARD GOLD |
| U10300G | 10 x 3-in | 21-lb | 1.5M | FLAT HEAD, #2 LOX, COARSE THREAD, GRABBERGARD GOLD |
| U10350G | 10 x 3-1/2-in | 20-lb | 1.5M | FLAT HEAD, #2 LOX, COARSE THREAD, GRABBERGARD GOLD |
| U10400G | 10 x 4-in | 20-lb | 1M | FLAT HEAD, #2 LOX, COARSE THREAD, GRABBERGARD GOLD |
| U10450G | 10 x 4-1/2-in | 20-lb | 1M | FLAT HEAD, #2 LOX, COARSE THREAD, GRABBERGARD GOLD |
| U10500G | 10 x 5-in | 20-lb | 1M | FLAT HEAD, #2 LOX, COARSE THREAD, GRABBERGARD GOLD |

ULTRAPRO™ WOOD SCREW



The ultimate screw for interior wood to wood connection.

Note: Staining may occur when using freshly cut lumber.

- Scavenger® II head
- LOX® 2 recess
- Draw-Tite™ threads
- Ultracut™ threads
- QuickGrab™ Point
- Yellow zinc coating

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|---------------|--------|------|---|
| U8125Y | 8 x 1-1/4-in | 30-lb | 4.5M | FLAT HEAD, #2 LOX, COARSE THREAD, YELLOW ZINC |
| U8150Y | 8 x 1-1/2-in | 32-lb | 3.5M | FLAT HEAD, #2 LOX, COARSE THREAD, YELLOW ZINC |
| U8200Y | 8 x 2-in | 33-lb | 2.5M | FLAT HEAD, #2 LOX, COARSE THREAD, YELLOW ZINC |
| U9250Y | 9 x 2-1/2-in | 22-lb | 2M | FLAT HEAD, #2 LOX, COARSE THREAD, YELLOW ZINC |
| U10300Y | 10 x 3-in | 21-lb | 1.5M | FLAT HEAD, #2 LOX, COARSE THREAD, YELLOW ZINC |
| U10350Y | 10 x 3-1/2-in | 20-lb | 1.5M | FLAT HEAD, #2 LOX, COARSE THREAD, YELLOW ZINC |
| U10400Y | 10 x 4-in | 20-lb | 1M | FLAT HEAD, #2 LOX, COARSE THREAD, YELLOW ZINC |
| U10450Y | 10 x 4-1/2-in | 20-lb | 1M | FLAT HEAD, #2 LOX, COARSE THREAD, YELLOW ZINC |
| U10500Y | 10 x 5-in | 20-lb | 1M | FLAT HEAD, #2 LOX, COARSE THREAD, YELLOW ZINC |

PAN HEAD CABINET SCREWS



Pan head screw used for joining together cabinet face frames. Type 17 point provides easy penetration and minimal expansion of material.

- Pan head
- Type 17 point
- No. 2 square recess
- Gray phosphate

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|--------------|--------|-----|--|
| 902Q4 | 6 x 1-1/4-in | 24-lb | 10M | PAN HEAD, #2 SQUARE, TP17 POINT, PHOSPHATE |
| 902Q | 6 x 1-1/2-in | 44-lb | 5M | PAN HEAD, #2 SQUARE, TP17 POINT, PHOSPHATE |



Pan head screw used for joining together cabinet face frames. Type 17 point provides easy penetration and minimal expansion of material.

- Pan head
- Type 17 point
- No. 2 Phillips recess
- Gray phosphate

STAINLESS STEEL

302 S/STEEL BUGLE HEAD SCREW



302 heavy-duty #10 stainless steel designed specifically for application in redwood, cedar & pressure treated lumber.

- Bugle head
- Type 17 point
- No. 2 square recess
- 302 stainless steel



302 heavy-duty #10 stainless steel designed specifically for application in redwood, cedar & pressure treated lumber.

- Bugle head
- Type 17 point
- No. 2 Phillips recess
- 302 stainless steel

305 STAINLESS STEEL FLAT HEAD SCREW



305 stainless steel, flat head, star drive screws designed for deck and fence fastening where additional corrosion protection is needed. Pre-drill holes for best results.

- Flat head
- Type 17 point
- Star recess
- 305 stainless steel

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|--------------|--------|-----|--|
| 90-4 | 6 x 1-1/4-in | 44-lb | 10M | PAN HEAD, #2 PHILLIPS, TP17 POINT, PHOSPHATE |
| 90 | 6 x 1-1/2-in | 24-lb | 5M | PAN HEAD, #2 PHILLIPS, TP17 POINT, PHOSPHATE |

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|---------------|--------|------|--|
| 10200SSQ | 10 x 2-in | 36-lb | 3.5M | BUGLE HEAD WOOD SCREW, #2SQ, TP17, 302 S/STEEL |
| 10250SSQ | 10 x 2-1/2-in | 26-lb | 2.5M | BUGLE HEAD WOOD SCREW, #2SQ, TP17, 302 S/STEEL |
| 10300SSQ | 10 x 3-in | 22-lb | 2M | BUGLE HEAD WOOD SCREW, #2SQ, TP17, 302 S/STEEL |

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|---------------|--------|------|--|
| 10200SS | 10 x 2-in | 36-lb | 3.5M | BUGLE HEAD WOOD SCREW, #2PHIL, TP17, 302 S/STEEL |
| 10250SS | 10 x 2-1/2-in | 26-lb | 2.5M | BUGLE HEAD WOOD SCREW, #2PHIL, TP17, 302 S/STEEL |
| 10300SS | 10 x 3-in | 22-lb | 2M | BUGLE HEAD WOOD SCREW, #2PHIL, TP17, 302 S/STEEL |

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|---------------|--------|------|---|
| GTST125 | 8 x 1-1/4-in | 30-lb | 5M | FLAT HEAD WOOD SCREW, STAR T20, TP17, 305 S/STEEL |
| GTST150 | 8 x 1-1/2-in | 32-lb | 4M | FLAT HEAD WOOD SCREW, STAR T20, TP17, 305 S/STEEL |
| GTST200 | 8 x 2-in | 33-lb | 3M | FLAT HEAD WOOD SCREW, STAR T20, TP17, 305 S/STEEL |
| GTST250 | 10 x 2-1/2-in | 24-lb | 2M | FLAT HEAD WOOD SCREW, STAR T25, TP17, 305 S/STEEL |
| GTST300 | 10 x 3-in | 21-lb | 1.5M | FLAT HEAD WOOD SCREW, STAR T25, TP17, 305 S/STEEL |
| GTST350 | 10 x 3-1/2-in | 20-lb | 1M | FLAT HEAD WOOD SCREW, STAR T25, TP17, 305 S/STEEL |
| GTST400 | 10 x 4-in | 20-lb | 1M | FLAT HEAD WOOD SCREW, STAR T25, TP17, 305 S/STEEL |

305 S/S TRIM HEAD DECK SCREW



305 stainless steel, trim head, star drive, fine thread screws designed for fastening decks and trim to light gauge steel or wood. Pre-drill holes for best results.

- Trim head
- Type 17 point
- Star recess
- 305 stainless steel

| PART NO. | SIZE | WEIGHT | QTY | DESCRIPTION |
|----------|--------------|--------|-----|---|
| GTSTR158 | 7 x 1-5/8-in | 36-lb | 5M | TRIM HEAD WOOD SCREW, T15 STAR, TP17, 305 S/STEEL |
| GTSTR225 | 7 x 2-1/4-in | 26-lb | 3M | TRIM HEAD WOOD SCREW, T15 STAR, TP17, 305 S/STEEL |
| GTSTR300 | 8 x 3-in | 22-lb | 2M | TRIM HEAD WOOD SCREW, T20 STAR, TP17, 305 S/STEEL |

WOOD TO WOOD FRAMING

LAG-MASTER™



Multi-purpose wood fastener for general wood construction such as laminated beams, under-deck connections, dimensional lumber and timber framing.

Lag-Master™ and Tie-Master™: TWO FASTENERS FOR ALL YOUR STRUCTURAL WOOD FRAMING NEEDS.

- ICC-ES 3531
- 3/8-in Hex head
- Type 17 point
- Draw-Tite™ shank
- Mechanical Galvanized

| PART NO. | SIZE | COUNT | DESCRIPTION |
|----------|---------------|--------------|---|
| GLM312 | 14 x 3-1/2-in | BULK, 500-CT | HEX HEAD, COARSE THREAD, TYPE 17 POINT, MECH.GALVANIZED |
| GLM400 | 14 x 4-in | BULK, 500-CT | HEX HEAD, COARSE THREAD, TYPE 17 POINT, MECH.GALVANIZED |
| GLM412 | 14 x 4-1/2-in | BULK, 500-CT | HEX HEAD, COARSE THREAD, TYPE 17 POINT, MECH.GALVANIZED |
| GLM500 | 14 x 5-in | BULK, 500-CT | HEX HEAD, COARSE THREAD, TYPE 17 POINT, MECH.GALVANIZED |
| GLM600 | 14 x 6-in | BULK, 500-CT | HEX HEAD, COARSE THREAD, TYPE 17 POINT, MECH.GALVANIZED |

TIE-MASTER™



Multi-purpose wood fastener for general wood construction such as laminated beams, under-deck connections, dimensional lumber, decks, docks, boardwalks and timber framing.

Tie-Master™ and Lag-Master™: TWO FASTENERS FOR ALL YOUR STRUCTURAL WOOD FRAMING NEEDS.

- ICC-ES 3531
- Flat head
- Star recess
- Type 17 point
- Draw-Tite™ shank
- Mechanical Galvanized

| PART NO. | SIZE | COUNT | DESCRIPTION |
|----------|---------------|--------------|--|
| GTIE4 | 14 X 4-in | BULK, 500-CT | FLAT HEAD, COARSE THREAD, TYPE 17, STAR T40, MECH.GALVANIZED |
| GTIE412 | 14 X 4-1/2-in | BULK, 500-CT | FLAT HEAD, COARSE THREAD, TYPE 17, STAR T40, MECH.GALVANIZED |
| GTIE5 | 14 X 5-in | BULK, 500-CT | FLAT HEAD, COARSE THREAD, TYPE 17, STAR T40, MECH.GALVANIZED |
| GTIE6 | 14 X 6-in | BULK, 500-CT | FLAT HEAD, COARSE THREAD, TYPE 17, STAR T40, MECH.GALVANIZED |
| GTIE8 | 14 X 8-in | BULK, 500-CT | FLAT HEAD, COARSE THREAD, TYPE 17, STAR T40, MECH.GALVANIZED |
| GTIE10 | 14 X 10-in | BULK, 500-CT | FLAT HEAD, COARSE THREAD, TYPE 17, STAR T40, MECH.GALVANIZED |
| GTIE12 | 14 X 12-in | BULK, 500-CT | FLAT HEAD, COARSE THREAD, TYPE 17, STAR T40, MECH.GALVANIZED |

DRYWALL NAILS

SMOOTH SHANK CUP HEAD



For attaching drywall to wood framing. Smooth shank design. Extra sharp long diamond point reduces the possibility of drywall cracking. Cupped saucer head is designed to countersink into drywall. The phosphate coating reduces possible chemical reaction with joint compound.

- Cup Head
- Smooth shank
- Phosphate
- Long sharp diamond point (LSDP)

| PART NO. | SIZE | WEIGHT | QTY |
|-------------|-------------------------------|--------|-----|
| DWCH1316 | 13 GA x 19/64 HD x 1-3/16-in | 50-LB | BOX |
| DWCH138 | 13 GA x 19/64 HD x 1-3/8-in | 50-LB | BOX |
| DWCH158 | 13 GA x 19/64 HD x 1-5/8-in | 50-LB | BOX |
| DWCH178 | 13 GA x 19/64 HD x 1-7/8-in | 50-LB | BOX |
| DWCH1386 | 12.5 GA x 11/32 HD x 1-3/8-in | 50-LB | BOX |
| DWCH1386-25 | 12.5 GA x 11/32 HD x 1-3/8-in | 25-LB | BOX |
| DWCH1586 | 12.5 GA x 11/32 HD x 1-5/8-in | 50-LB | BOX |
| DWCH1786 | 12.5 GA x 11/32 HD x 1-7/8-in | 50-LB | BOX |
| DWCH2386 | 11.5 GA x 3/8 HD x 2-3/8-in | 50-LB | BOX |

RING SHANK



For attaching drywall to wood framing. Ring shank design reduces back out and nail pops. Extra sharp long diamond point reduces the possibility of drywall cracking.

- Ring shank
- Bright finish
- Long sharp diamond point (LSDP)

| PART NO. | SIZE | WEIGHT | QTY |
|------------|----------------------------|--------|-----|
| DWAT125 | 12.5 GA x 11/32 x 1-1/4-in | 50-LB | BOX |
| DWAT138 | 12.5 GA x 11/32 x 1-3/8-in | 50-LB | BOX |
| DWAT158 | 12.5 GA x 11/32 x 1-5/8-in | 50-LB | BOX |
| DWAT200 | 12.5 GA x 11/32 x 2-in | 50-LB | BOX |
| DWAT125-25 | 12.5 GA x 11/32 x 1-1/4-in | 25-LB | BOX |

SMOOTH SHANK CEMENT-COATED



For attaching drywall to wood framing. Smooth shank design. Extra sharp long diamond point reduces the possibility of drywall cracking.

- Smooth shank
- Cement coated
- Long sharp diamond point (LSDP)

| PART NO. | SIZE | WEIGHT | QTY |
|------------|----------------------------|--------|-----|
| DWCC125H | 12.5 GA x 11/32 x 1-1/4-in | 50-LB | BOX |
| DWCC138 | 13 GA x 3/8 x 1-3/8-in | 50-LB | BOX |
| DWCC138-25 | 13 GA x 3/8 x 1-3/8-in | 25-LB | BOX |
| DWCC200 | 13 GA x 3/8 x 2-in | 50-LB | BOX |

SMOOTH SHANK VINYL-COATED



For attaching drywall to wood framing. Smooth shank design. Extra sharp long diamond point reduces the possibility of drywall cracking. Vinyl coating helps prevent pullouts.

- Smooth shank
- Vinyl coated
- Long sharp diamond point (LSDP)

| PART NO. | SIZE | WEIGHT | QTY |
|----------|----------------------------|--------|-----|
| DWVC158 | 12.5 GA x 19/64 x 1-5/8-in | 50-LB | BOX |
| DWVC200 | 12.5 GA x 19/64 x 2-in | 50-LB | BOX |

RING SHANK CUP HEAD



For attaching drywall to wood framing. Ring shank design reduces back out and nail pops. Extra sharp long diamond point reduces the possibility of drywall cracking.

- Cupped head
- Ring shank
- Phosphate coated
- Long sharp diamond point (LSDP)

| PART NO. | SIZE | WEIGHT | QTY |
|-----------|-----------------------------|--------|-----|
| DWCH138RS | 13 GA x 19/64 HD x 1-3/8-in | 50-LB | BOX |

TENSION PIN



Tension Pins are tempered steel designed for attaching clips, hangers, furring strips, etc. to concrete blocking.

- Flat head
- Smooth shank
- Bright finish
- 30 degree point

| PART NO. | SIZE | WEIGHT | QTY |
|----------|---------------|--------|-----|
| TP118 | 14 x 1-1/8-in | 50-LB | BOX |

This line includes several nail types including common, vinyl, box, finish, casing, sinker, roofing, drywall, flooring, and masonry, among many other nails.

These drywall nails are designed to meet the requirements in ASTM C514 Standard Specification for Nails for the Application of Gypsum Board.

SUPERDRIVE® TOOLS

SuperDrive®

GRABBER SuperDrive® N7 Series



| PART NO. | DESCRIPTION | WORKS WITH | BIT TIPS |
|----------|--|----------------------------------|------------------------|
| SDN7M1 | N7 SERIES HEAD - MAKITA CORDED AND CORDLESS | FS4200, FS4300, XSF03, XSF04 | (BIT - CF155 W/E-RING) |
| SDN7D1 | N7 SERIES HEAD - ROCKER SCREW GUNS AND DEWALT CORDED | 4060, 4063, DW272, DW266, DW274K | (BIT - CF155 W/E-RING) |
| SDN7D2B | N7 SERIES HEAD - DEWALT CORDLESS | DCF620M2 or DCF620D2 | (BIT - CF155) |



- SDN7M1 for use with Makita XSF03, FS4200 and FS4300



- SDN7D2B for use with DeWalt DCF620M2, DCF620D2 and DFC630



- SDN7D1 for use with Rocker 4060, 4063 and DeWalt DW272, DW266, DW274K

The new SuperDrive® N7, is a light weight easy-to-use automated fastening tool designed to work with your favorite driver. N7 works with DeWalt, and Makita screw guns.

SUPERDRIVE® N7 HEAD WITH DRYWALL CLIP FEATURES:

- Quick adjustment for fastener length from 3/4-in - 2-3/16-in
- Use with screw diameters from #6 - #12
- Simple design, easy to service
- Compact and lightweight industrial-strength design
- SureLock™ fine depth control adjustment
- Works with DeWalt, and Makita drivers

RECOMMENDED APPLICATIONS:

- Drywall and Sheathing to Wood or Metal
- Metal to Metal
- Light or Heavy Gauge Metal
- Sub-floor
- Wood to Wood

SuperDrive® 55 Series



FEATURES AND BENEFITS:

- Use for any screw application from 1-in - 2-in
- Use with screw diameters from #6 - #12
- Simple design, easy to service
- Compact and lightweight industrial design
- SureLock™ fine depth control adjustment
- Extra long bit life with patented LOX® bits

RECOMMENDED APPLICATIONS:

- Drywall and Sheathing to Wood or Metal
- Metal to Metal
- Light or Heavy Gauge Metal
- Sub-floor
- Wood to Wood

| PART NO. | DESCRIPTION |
|----------|--------------------------------------|
| CW55G | SUPERDRIVE 55 HEAD WITH DRYWALL CLIP |
| CW55F | SUPERDRIVE 55 HEAD WITH FEEDTRACK |

SuperDrive® 75 Series



FEATURES AND BENEFITS:

- Use for any screw application from 5/8-in - 3-in
- Use with screw diameters from #6 - #12
- Simple design, easy to service
- Compact and lightweight industrial design
- Most versatile tool on the market
- Set and forget depth control system
- Extra long bit life with patented LOX® bits

RECOMMENDED APPLICATIONS:

- Sub-floor/deck/dock
- Roof tile
- Wood to metal
- Drywall and sheathing
- Wood to wood construction

PART NO. DESCRIPTION

| | |
|---------|------------------------------------|
| CW75F | SUPERDRIVE 75 HEAD WITH FEED TRACK |
| SDEXT18 | EXTENSION ROD AND COUPLER |
| EXT520 | DRIVE SHAFT |
| DHHL03A | HANDLE |

SuperDrive® 80 Series



Use with your choice of DeWalt, Makita, Metabo or as pictured here with Grabber Rocker® power tool.

FEATURES AND BENEFITS:

- Compact
- Light weight
- Low profile
- Use for any screw application from 3/4-in - 1-1/4-in
- Fine depth control adjustment
- Drywall clip (pictured) or feedtrack options

RECOMMENDED APPLICATIONS:

- Drywall and sheathing to wood or metal
- Metal to metal

PART NO. DESCRIPTION

| | |
|------|--|
| SDDW | SUPERDRIVE 80 HEAD WITH FEEDTRACK CLIP |
|------|--|

SuperDrive® 85 Series



Use with your choice of DeWalt, Makita, Metabo or as pictured here with Grabber Rocker® power tool.

FEATURES AND BENEFITS:

- Compact
- Light weight
- Low profile
- Use for any screw application from 3/4-in - 7/8-in
- Fine depth control adjustment
- Drywall clip or feedtrack (pictured) options

RECOMMENDED APPLICATIONS:

- Sheathing to wood or metal
- Metal to metal

PART NO. DESCRIPTION

| | |
|------|--|
| SDFD | SUPERDRIVE 85 HEAD WITH FEEDTRACK CLIP |
|------|--|

WOOD & METAL FRAME - RESIDENTIAL COLLATED SCREW APPLICATIONS

1 BUGLE HEAD GRABBER®



- Bugle head
- Coarse thread
- No. 2 Phillips
- Gray phosphate

| SIZE | ITEM NO. | COUNT |
|--------------|----------|-------|
| 6 x 1-1/4-in | C300 | 1,000 |
| 6 x 1-5/8-in | C400 | 1,000 |
| 7 x 2-in | C500 | 1,000 |
| 8 x 2-1/2-in | C900 | 1,000 |

Attaches gypsum board and wood to wood. Extra sharp point and threads make driving easier and provide better holding power.



- Bugle head
- Coarse thread
- No. 2 Phillips
- Yellow zinc

| SIZE | ITEM NO. | COUNT |
|--------------|----------|-------|
| 6 x 1-1/4-in | C300YZ | 1,000 |
| 6 x 1-5/8-in | C400YZ | 1,000 |

Ideal for general purpose interior soft wood to wood applications. Extra sharp point and threads make driving easier and provide better holding power.


BUGLE HEAD LAMINATOR



- Bugle head
- Coarse thread
- No. 2 Phillips
- Gray phosphate

| SIZE | ITEM NO. | COUNT |
|---------------|----------|-------|
| 10 x 1-1/2-in | C12 | 1,000 |
| 10 x 2-in | C12-2 | 1,000 |

Attaches gypsum board to gypsum board. Extra sharp point and threads make driving easier and provide better holding power.



2 LOX® RECESS SUB-FLOOR SCREWS



- Flat head
- Coarse thread
- No. 3 LOX®
- Yellow zinc

| SIZE | ITEM NO. | COUNT |
|--------------|-----------|-------|
| 8 x 1-3/4-in | C8175L3YZ | 1,000 |
| 8 x 2-in | C8200L3YZ | 1,000 |
| 8 x 2-1/2-in | C8250L3YZ | 1,000 |

Designed for sub-floor attachment to wood. LOX® sub-floor screws provide a secure attachment and eliminate squeaks. Experience fewer cam-outs and an unparalleled driving experience with LOX® recess fasteners.

3 BUGLE HEAD GRABBER®



- Bugle head
- Coarse thread
- No. 2 Phillips
- GrabberGard® Gray

| SIZE | ITEM NO. | COUNT |
|--------------|----------|-------|
| 6 x 1-1/4-in | C300RG | 1,000 |
| 6 x 1-5/8-in | C400RG | 1,000 |
| 7 x 2-in | C500RG | 1,000 |

Attaches sheathing, insulation board, wood, etc. wood. Standard bugle head. NOTE: Staining may occur when using freshly cut lumber.

4 LOX® RECESS DECK SCREWS



- Flat head
- Coarse thread
- No. 2 LOX®
- GrabberGard® Gray

| SIZE | ITEM NO. | COUNT |
|--------------|----------|-------|
| 8 x 2-in | C8200L2M | 1,000 |
| 8 x 2-1/2-in | C8250L2M | 1,000 |
| 9 x 3-in | C9300L2M | 1,000 |

Designed for exterior deck & fence construction. Experience fewer cam-outs and an unparalleled driving experience with LOX® recess fasteners. NOTE: Staining may occur when using freshly cut lumber.




- Bugle head
- Coarse thread
- No. 2 LOX®
- 316 Stainless steel

| SIZE | ITEM NO. | COUNT |
|-----------|-------------|-------|
| 10 x 3-in | C810300L316 | 1,000 |

Designed for exterior deck & fence construction. Experience fewer cam-outs and an unparalleled driving experience with LOX® recess fasteners. NOTE: Staining may occur when using freshly cut lumber.

5 INTERIOR FINE THREAD




- Bugle head
- Fine thread
- No. 2 Phillips
- Gray phosphate

| SIZE | ITEM NO. | COUNT |
|--------------|----------|-------|
| 6 x 1-1/4-in | C368 | 1,000 |
| 6 x 1-5/8-in | C468 | 1,000 |
| 6 x 1-3/4-in | C568 | 1,000 |
| 6 x 2-in | C768 | 1,000 |

Attaches gypsum board to wood or 18-30 mil nonstructural steel. Standard bugle head.

6 BUGLE HEAD DRILL POINT



- Bugle head
- Drill point
- No. 2 Phillips
- Clear zinc

| SIZE | ITEM NO. | COUNT |
|--------------|----------|-------|
| 6 x 1-1/4-in | C14Z | 1,000 |
| 6 x 1-5/8-in | C15Z | 1,000 |
| 6 x 1-7/8-in | C16Z | 1,000 |

Attaches gypsum board to 33-68 mil cold-formed steel. Standard bugle head.

SUPERDRIVE IS STATE-OF-THE-ART:

Professional tools designed to do the job.

- **SUPERDRIVE N7** drives screws from 3/4-in to 2-3/16-in and up to #10. N7's light-weight and compact design make it the ideal tool for hanging drywall.
- **SUPERDRIVE 05** drives screws from 3/4-in to 2-in and is most often used for metal to metal construction.
- **SUPERDRIVE 55** drives screws from 1-in to 2-in and is ideal for metal framing and drywall fastening applications.
- **SUPERDRIVE 75** drives screws from 5/8-in to 3-in and is designed for sub-floor, roof tile, docks and deck fastening applications.
- **SUPERDRIVE 85** features a narrow indexing module designed to reach into tight corners and recess. SuperDrive 85 is perfect for metal framing, and metal roof stitching, and drives 3/4-in - 7/8-in screws.

SuperDrive is a modular, professional automated fastening system. The tools described above are combined with any number of screws and two nose-piece types to meet the specific demands of particular applications. SuperDrive can be used with or without an extension and can be used with most major screw-guns including Makita, Metabo, DeWalt and Rocker.

SUPERDRIVE IS SIMPLY THE BEST:

- Will not jam
- Rapid change bits
- 50 screws per strip
- Low maintenance modular design
- Custom designed hardened nose piece
- Accurate depth control
- Drives at angles
- Works in narrow and restricted spaces

QUALITY EVERY STEP OF THE WAY... THE REASON THE PROS CHOOSE GRABBER®

GRABBER® sweats the small stuff, and that makes all the difference. The professionals first choice for half a century, GRABBER® premium quality screws are built for performance. Sharper threads mean a better driving experience so GRABBER® changes thread dies more frequently. Tight recesses mean screws are less likely to cam-out and bit tips will last longer so GRABBER® changes recess dies more frequently. Consistent heat treating means screw heads will be less likely to pop off, so GRABBER® heat treats fewer screws at a time ensuring more even heat treatment. These are small things most people don't notice, but they are also small things that make the difference between average fasteners and professional grade fasteners.



LOX®
DRIVE SYSTEM

If you use power tools... You should use screws designed for power tools.



4 BUGLE HEAD STREAKER®

- Bugle head
- Fine thread
- No. 2 Phillips
- GrabberGard® Gray

| SIZE | ITEM NO. | COUNT |
|--------------|----------|-------|
| 6 x 1-1/4-in | C368RG | 1,000 |

Attaches sheathing, insulation board, wood, etc. to 18-30 mil nonstructural steel studs. Standard bugle head. Features GrabberGard® exterior coating.

5 SCAVENGER® HEAD VECTOR™ POINT

- Scavenger® head
- Fine thread
- No. 2 Phillips
- Phosphate

| SIZE | ITEM NO. | COUNT |
|--------------|----------|-------|
| 6 x 1-1/4-in | C368SV | 1,000 |

Attaches gypsum board to wood or 18-30 mil nonstructural steel.

6 FLAT WAFFER HEAD WINGED DRILL POINT

- Flat wafer head
- Winged drill point
- No. 2 LOX®
- GrabberGard® Gray

| SIZE | ITEM NO. | COUNT |
|--------------|-----------|-------|
| 8 x 1-1/4-in | CGH8114LG | 1,000 |
| 8 x 1-5/8-in | CGH8158LG | 1,000 |

Attaches high density sheathing and fiber cement siding to heavy gauge metal. Features a .375 diameter head and GrabberGard® exterior coating.

7 FLAT HEAD STABBER®

- Flat head
- Fine thread
- No. 2 LOX®
- Yellow zinc

| SIZE | ITEM NO. | COUNT |
|--------------|-------------|-------|
| 8 x 1-1/2-in | CS8150JBWVZ | 1,000 |
| 8 x 2-in | CS8200JBWVZ | 1,000 |

STABBER® sub-floor screws attach plywood/OSB to 27-54 mil cold-formed steel. Flat head provides a flush finished surface. LOX® recess does not require a magnetic bit tip holder and provides a sure driving experience.

FLAT HEAD PILOT POINT

- Flat head
- Fine thread
- No. 2 LOX®
- Clear zinc

| SIZE | ITEM NO. | COUNT |
|--------------|-------------|-------|
| 8 x 1-5/8-in | CM158SDZJBW | 1,000 |
| 8 x 1-3/4-in | CM175SDZJBW | 1,000 |
| 8 x 2-in | CM200SDZJBW | 1,000 |

Attaches 3/8-in to 1-in plywood to 33-97 mil cold-formed steel. LOX® recess does not require a magnetic bit tip holder and provides a sure driving experience.

FLAT HEAD PLYLOK®

- Flat head
- Winged drill point
- No. 3 LOX®
- Yellow zinc

| SIZE | ITEM NO. | COUNT |
|---------------|-------------|-------|
| 10 x 2-in | C10200L3YZE | 1,000 |
| 10 x 2-1/2-in | C10250L3YZE | 1,000 |

#10 with winged drill point PLYLOK® screws attach plywood/OSB sub-floor panels to 33-97 mil cold-formed steel. LOX® recess does not require a magnetic bit tip holder and provides a sure driving experience.



- Flat head
- Winged drill point
- No. 3 LOX®
- GrabberGard® Gray

| SIZE | ITEM NO. | COUNT |
|-----------|------------|-------|
| 10 x 2-in | C10200L3GE | 1,000 |

#10 with winged drill point PLYLOK® screws attach plywood/OSB sub-floor panels to 33-97 mil cold-formed steel. LOX® recess does not require a magnetic bit tip holder and provides a sure driving experience.

8 FLAT PAN HEAD DRILL POINT

- Flat pan head
- Drill point
- No. 2 LOX®
- Yellow zinc

| SIZE | ITEM NO. | COUNT |
|----------------|--------------|-------|
| 10-18 x 3/4-in | CFP101875LYZ | 1,000 |
| 10-22 x 3/4-in | CFP102275LYZ | 1,000 |

Flat pan head drill point fasteners designed for attaching 33-97 mil cold-formed steel.

FLAT PAN HEAD DRILL POINT

- Flat pan head
- Drill point
- No. 2 LOX®
- Clear zinc

| SIZE | ITEM NO. | COUNT |
|----------------|---------------|-------|
| 12-18 x 7/8-in | CFP121878JBWZ | 1,000 |

Flat pan head drill point fasteners designed for attaching 33-97 mil cold-formed steel.

FLAT PAN HEAD SHARP POINT

- Flat pan head
- Sharp point
- No. 2 LOX®
- Yellow zinc

| SIZE | ITEM NO. | COUNT |
|----------------|---------------|-------|
| 10-18 x 3/4-in | CFP101875SLYZ | 1,000 |

Flat pan head sharp point fasteners designed for attaching 18-30 mil light gauge steel.

9 BUGLE HEAD DRILL POINT

- Bugle head
- Drill point
- No. 2 Phillips
- GrabberGard® Gray

| SIZE | ITEM NO. | COUNT |
|--------------|----------|-------|
| 6 x 1-1/4-in | C14RG | 1,000 |
| 8 x 1-5/8-in | C15G68P | 1,000 |
| 6 x 1-7/8-in | C16RG | 1,000 |
| 8 x 1-1/4-in | C14RG8F2 | 1,000 |

Attaches sheathing, insulation board, wood, etc. to 33-97 mil cold-formed steel studs. Standard bugle head.

GRABBER SuperDrive®



| ITEM NO. | DESCRIPTION |
|----------|--|
| SDDW25IT | MAKITA, 2500RPM, W/DRYWALL CLIP |
| SDDWIT | GRABBER ROCKER®, 4000RPM, W/DRYWALL CLIP |



| ITEM NO. | DESCRIPTION |
|----------|--|
| SDDW25IT | MAKITA, 2500RPM, W/DRYWALL CLIP |
| SDDWIT | GRABBER ROCKER®, 4000RPM, W/DRYWALL CLIP |




| ITEM NO. | DESCRIPTION |
|----------|--|
| SDFD25IT | MAKITA, 2500RPM, FEEDTRACK, NO EXTENSION |
| SDFD25XT | MAKITA, 2500RPM, W/EXTENSION |



| ITEM NO. | DESCRIPTION |
|----------|--|
| 7520VXT | DEWALT, 2500RPM, W/ FEEDTRACK |
| 7540XT | GRABBER ROCKER®, 4000RPM, W/DRYWALL CLIP |



| ITEM NO. | DESCRIPTION |
|----------|---|
| SDN7M1 | N7 SERIES HEAD - MAKITA CORDED AND CORDESS |
| SDN7D1 | N7 SERIES HEAD - ROCKER® SCREW GUNS AND DEWALT CORDED |
| SDN7D2B | N7 SERIES HEAD - DEWALT CORDESS |

COMMERCIAL APPLICATIONS



ACOUSTICAL FASTENERS

EYE-LAG SCREWS



Attaches hanger wire to wooden ceiling joist.

- Gray phosphate



Attaches hanger wire to wooden ceiling joist.

- Clear zinc (Z)

| PART NO. | SIZE | WEIGHT | QTY |
|----------|------------|--------|-------|
| 3EL | 1/4 x 3-in | 36-LB | 1,000 |
| 4EL | 1/4 x 4-in | 38-LB | 1,000 |
| 3ELZ | 1/4 x 3-in | 36-LB | 1,000 |
| 4ELZ | 1/4 x 4-in | 38-LB | 1,000 |
| 5ELZ | 1/4 x 5-in | 40-LB | 1,000 |

EYE-LAG SCREWS



Attaches hanger wire to steel deck or joist ceiling. 18-33 mil nonstructural steel.

- Clear zinc

| PART NO. | SIZE | WEIGHT | QTY |
|----------|----------------|--------|-------|
| H-3 | 1/4 x 2-7/8-in | 20-LB | 1,000 |

EYE-LAG SCREWS



Attaches hanger wire to steel deck or joist ceiling. 33-97 mil cold-formed steel.

- Clear zinc

| PART NO. | SIZE | WEIGHT | QTY |
|----------|------------|--------|-------|
| H-2 | 1/4 x 2-in | 20-LB | 1,000 |
| H-1 | 1/4 x 3-in | 20-LB | 1,000 |

EYE-LAG DRIVER



| PART NO. | DESCRIPTION |
|----------|---------------------------|
| ALD14 | EYE LAG INSTALLATION TOOL |

INTERIOR WOOD HANGER

LIGHT GAUGE METAL HANGER

HEAVY GAUGE METAL HANGER

EYE LAG POLE



Note: Other sizes available upon request

ITEM NO. DESCRIPTION

| | |
|------|------------------------|
| LM12 | EYE LAG POLE, 4' - 12' |
| LM18 | EYE LAG POLE, 6' - 18' |
| LM24 | EYE LAG POLE, 8' - 24' |

INSERT BITS AND BIT HOLDERS

PHILLIPS BIT TIPS



| ITEM NO. | SIZE | LENGTH | DESCRIPTION |
|----------|-------|------------|------------------------|
| 28BIT | No. 2 | 1-in | PHILLIPS BIT (REDUCED) |
| 250PB1 | No. 1 | 2-1/2-in | PHILLIPS BIT |
| 250PB2 | No. 2 | 2-1/2-in | PHILLIPS BIT (REGULAR) |
| 250PB3 | No. 3 | 2-1/2-in | PHILLIPS BIT |
| 30-2P | No. 2 | 1-15/16-in | PHILLIPS BIT |
| 30-3P | No. 3 | 1-15/16-in | PHILLIPS BIT |

LOX® 1-IN BIT TIPS



LOX
PROFESSIONAL GRADE

| ITEM NO. | SIZE | LENGTH | DESCRIPTION |
|----------|-------|--------|---------------------|
| 1002LN | No. 2 | 1-in | LOX BIT |
| 1002LB2 | No. 2 | 1-in | LOX BIT (2 PC) |
| 1002LB5 | No. 2 | 1-in | LOX BIT (5 PC) |
| 1002L | No. 2 | 1-in | LOX BIT (STICK FIT) |
| 100L3 | No. 3 | 1-in | LOX BIT (STICK FIT) |

PHILLIPS SUPERDRIVE® BIT TIPS



| ITEM NO. | SIZE | LENGTH | DESCRIPTION |
|----------|-------|----------|-----------------------|
| TCW153 | No. 2 | 6-in | PHILLIPS BIT |
| CF155 | No. 2 | 6-1/4-in | PHILLIPS BIT (SD, N7) |
| CF158 | No. 2 | 6-3/8-in | PHILLIPS BIT (SD, N7) |
| TCW1788 | No. 2 | 7-in | PHILLIPS BIT |

LOX® 2-IN BIT TIPS



LOX
PROFESSIONAL GRADE

| ITEM NO. | SIZE | LENGTH | DESCRIPTION |
|----------|-------|--------|---------------------|
| 2002L | No. 2 | 2-in | LOX BIT (STICK FIT) |
| 2002LN | No. 2 | 2-in | LOX BIT |
| 2002LB5 | No. 2 | 2-in | LOX BIT (5 PC) |
| 2002L3 | No. 3 | 2-in | LOX BIT (STICK FIT) |

STAR BIT TIPS



| ITEM NO. | SIZE | LENGTH | DESCRIPTION |
|----------|------|--------|-------------|
| SZT25 | T25 | 1-in | STAR BIT |
| SZT20 | T20 | 1-in | STAR BIT |

LOX® 3-IN BIT TIPS



LOX
PROFESSIONAL GRADE

| ITEM NO. | SIZE | LENGTH | DESCRIPTION |
|----------|-------|--------|---------------------|
| 3002L | No. 2 | 3-in | LOX BIT (STICK FIT) |

SQUARE BIT TIPS



| ITEM NO. | SIZE | LENGTH | DESCRIPTION |
|----------|-------|--------|-------------|
| 250R1 | No. 1 | 1-in | SQUARE BIT |
| 250R2 | No. 2 | 1-in | SQUARE BIT |

MAGNETIC NUT SETTERS



| ITEM NO. | LENGTH | DESCRIPTION |
|----------|------------------|------------------|
| MSHS516 | 1-1/8 x 5/16-in | SHORT NUTSETTER |
| MSHS38 | 1-1/8 x 3/8-in | SHORT NUTSETTER |
| MSH14 | 1-3/4 x 1/4-in | MEDIUM NUTSETTER |
| MSH516 | 1-3/4 x 5/16-in | MEDIUM NUTSETTER |
| MSH38 | 1-3/4 x 3/8-in | MEDIUM NUTSETTER |
| MSHL14 | 2-9/16 x 1/4-in | LONG NUTSETTER |
| MSHL516 | 2-9/16 x 5/16-in | LONG NUTSETTER |
| MSHL38 | 2-9/16 x 3/8-in | LONG NUTSETTER |

MAGNETIC BIT HOLDERS



| ITEM NO. | LENGTH | DESCRIPTION |
|----------|----------------|---------------------|
| MBHW14 | 1/4 x 2-3/8-in | MAGNETIC BIT HOLDER |
| MBH143 | 1/4 x 3-in | MAGNETIC BIT HOLDER |
| MBH146 | 1/4 x 6-in | MAGNETIC BIT HOLDER |
| MBH148 | 1/4 x 8-in | MAGNETIC BIT HOLDER |
| MBH1410 | 1/4 x 10-in | MAGNETIC BIT HOLDER |
| MBH1412 | 1/4 x 12-in | MAGNETIC BIT HOLDER |

QUICK CONNECT BIT HOLDER



| ITEM NO. | DESCRIPTION |
|----------|-----------------------------------|
| BH142 | QUICK CONNECT BIT HOLDER |
| BPBH142 | QUICK CONNECT BIT HOLDER (2 PACK) |

LOX® #2 SUPERDRIVE BIT TIPS



LOX
DRIVE SYSTEM

| ITEM NO. | SIZE | LENGTH | DESCRIPTION |
|----------|-------|--------|---------------------|
| T2153L | No. 2 | 6-in | LOX "STICK-FIT" BIT |
| T2153LN | No. 2 | 6-in | LOX BIT |
| T2178LN | No. 2 | 7-in | LOX BIT |

LOX® #3 SUPERDRIVE BIT TIPS



LOX
DRIVE SYSTEM

| ITEM NO. | SIZE | LENGTH | DESCRIPTION |
|----------|-------|--------|-------------|
| T3153LN | No. 3 | 6-in | LOX BIT |
| T3178LN | No. 3 | 7-in | LOX BIT |

LOX® IS DESIGNED FOR POWER TOOLS

In a recent independent torque test, LOX® screws demonstrated almost double the torque capacity of a four point contact recess. Applying increased torque to the recess — the standard drive cammed out with 15 Nm (well before the screw was fully seated). In every comparable test, the LOX® recess screw seated completely with an average force of 26 Nm.

ADVANTAGES OF LOX®

- Less Waste
- Less Wobble
- Less Cam Out
- Fewer Slivers
- Stick Torque
- Drives Off-angle
- Exceptional Bit Life



LOX
DRIVE SYSTEM



TENSOR™ BIT WITH REDUCED SHANK

- Tensor™ reduced shank bit tips minimize engagement shock extending bit tip life. Tensor™ bits are designed specifically for impact drivers and screw guns.



- LOX® Stick-Fit bit tips are ideal for use with Grabber bulk screws. Stick-fit bit tips are precision bit tips designed to fit snugly into a LOX® recess allowing screws to be held in place on the end of the bit tip. No magnetic bit is required. Stick-fit also means a better driving experience drive after drive with less chance for cam-outs.

SCREW GUN

GRABBER ROCKER® SCREW GUN



SPECIFICATIONS:

- High torque pro clutch heavy-duty screw driver 120V AC, 50-60 Hz
- 6.3 Amp HD 0 - 4,000 RPM variable speed reversible
- Set & forget aluminum depth locator pop-on/pop-off nose piece
- Includes #2 Phillips bit-tip and magnetic bit-tip holder 3.1 lb. (1.4 Kg)

| ITEM NO. | RPM | AMP | WEIGHT |
|----------|--------|-----|--------|
| 4063 | 0-4000 | 6.3 | 3.1-lb |

RAMSET® POWDER FASTENING SYSTEMS



RAMSET® RA27



ADVANTAGES:

- Lower pushdown force and back end padding reduces fatigue.
- Long lasting piston reduces downtime.
- Collar requires only 1/4 turn for quicker cleaning.
- More power load-for-load provides flexibility in a wide range of applications.
- Power adjust dial provides the ability to dial down power for ideal pin embedment.
- Durable magazine provides up to 30% longer life.

SPECIFICATIONS:

- .27 Single Shot Tool
- Uses standard .27 caliber single shot powder loads: 3 (Green), 4 (Yellow), 5 (Red)
- Weight: 5.3 lbs.
- Maximum pin length without washer: 1-1/2-in
- Maximum pin length with washer: 2-in

INCLUDED:

- Safety glasses
- Spall guard
- Two cleaning brushes
- Operators manual

RAMSET® XT540 — SEMI AUTOMATIC



ADVANTAGES:

- Power adjust dial down two full loads
- Quick & easy front end maintenance
- Fully automatic piston return
- Shock absorbing rubber grip
- Ergonomically balanced
- Trigger lock & hand guard for safety

SPECIFICATIONS:

- Low recoil .27 caliber strip tool
- Capacity for up to 3-in pin

| ITEM NO. | LENGTH MM | EMBEDMENT LENGTH | PIN LENGTH |
|----------|-----------|-----------------------------|------------|
| TE12 | 13.8-mm | 1/2-in PREMIUM STEEL PIN | .545-in |
| TE34 | 20.6-mm | 3/4-in TRUE EMBEDMENT PIN | 13/16-in |
| TE114 | 33.3-mm | 1-1/4-in TRUE EMBEDMENT PIN | 1-5/16-in |

The Ramset XT540 was specifically designed for the commercial framer for heavy-duty interior and exterior applications. The XT540's combination of high power and durability make it the ideal tool for the following applications:

- Driving 1-1/4-in embedment for perimeter track
- Fastening track & clips to structural steel
- Track to hard concrete
- Excellent complement to the Ramset TrakFast tool

*To protect the operator and assure safety on the jobsite, OSHA and ANSI require all powder actuated tool users to be trained and certified for the tool that will be used.



**RAMSET® VIPER — SEMI
AUTOMATIC**



ADVANTAGES:

- Automatic load advance
- Automatic piston return
- Overdrive protection
- Open front-end design
- Simplified barrel retention collar
- Stable steel collar
- Uses Viper pole system

SPECIFICATIONS:

- .27 Caliber strip tool
- Semi-Automatic
- Designed specifically for overhead applications
- 3 year warranty
- .27 caliber 10-shot strip loads, 3 (green), 4 (yellow), 5 (red)
- Weight: 4.5 lbs.
- Length: 17-in
- Maximum pin length: 1-1/2-in

| SHANK IN | LENGTH MM | APPLICATION | ITEM NO. |
|----------|-----------|---------------------|-----------|
| 1-in | 25.4-mm | THREADED ROD HANGER | 14TRHSS10 |
| 1-in | | THREADED ROD HANGER | 38TRHSS10 |
| 1-in | | CEILING CLIP | SDC100 |
| 1-1/4-in | 31.8-mm | CEILING CLIP | SDC125 |
| 7/8-in | | CEILING CLIP | SPC78 |
| 1-1/4-in | 31.8-mm | CEILING CLIP | SPC114 |

GRABBER TRACK TOOLS

GTT150



ADVANTAGES:

- High performance gas powered tool
- 2 lithium ion batteries included
- Battery life gauge included
- Depth-of-drive adjustment
- Quick release 40-pin magazine
- Light weight - only 8.3 lbs
- Magnetic lath adaptor available
- Belt clip included

SPECIFICATIONS:

- Weight: 8.32 lbs
- Height: 14-in
- Length: 15-3/4-in
- Fastener compatibility: 1/2" - 1-1/2"
- Shots per battery: 8,000
- Shots per fuel cell: 1,000
- Power: 90 Joules
- Fuel cell shelf life: 4-year shelf life
- Battery charge time: 1-hour
- Mag capacity: 40
- Applications: Shoot into concrete and steel
- Warranty: 2-year

GTT150HD



ADVANTAGES:

- High performance gas powered tool
- 2 lithium ion batteries included
- Battery life gauge included
- Depth-of-drive adjustment
- Quick release 40-pin magazine
- Light weight - only 8.8 lbs
- Magnetic lath adaptor available
- Belt clip included

SPECIFICATIONS:

- Weight: 8.8 lbs
- Height: 14.96-in
- Length: 17.3-in
- Fastener compatibility: 1/2" - 1-1/2"
- Shots per battery: 8,000
- Shots per fuel cell: 1,000
- Power: 105 Joules
- Fuel cell shelf life: 4-year shelf life
- Battery charge time: 1-hour
- Mag capacity: 40
- Applications: Shoot into concrete, hard concrete, steel, and structural steel
- Warranty: 2-year

GTTPINS & ACCESSORIES



GTTPINS

| ITEM NO. | HEAD DIA. | SHANK SIZE | APPLICATION |
|----------|-----------|------------|----------------------------|
| GTTP012 | .250# | 1/2-in | TRACK TO CONCRETE OR STEEL |
| GTTP034 | .250# | 3/4-in | TRACK TO CONCRETE OR STEEL |
| GTTFP034 | .250# | 3/4-in | TRACK TO CONCRETE OR STEEL |
| GTTP100 | .250# | 1-in | TRACK TO CONCRETE OR STEEL |
| GTTP114 | .250# | 1-1/4-in | TRACK TO CONCRETE OR STEEL |
| GTTP112 | .250# | 1-1/2-in | TRACK TO CONCRETE OR STEEL |

LATH MAGNETIC ADAPTORS AND WASHERS

| ITEM NO. | DESCRIPTION |
|----------|---|
| GTTLDW | 1" LATH DISC WASHER (1M/BOX, 5M/CASE) |
| GTTLA | MAGNETIC LATH WASHER ADAPTER FOR GTT150 |
| GTTDLA | MAGNETIC LATH WASHER ADAPTER FOR GTT150HD |

FUEL CELL

| ITEM NO. | DESCRIPTION |
|----------|--|
| GTTFUELB | GAS FUEL CELL FOR GTT150 & GTT150HD (CASE OF 12) |

GTTPINS are listed in ESR-4492

RAMSET® T4MAG



RAMSET® T4MAG



T4MAG (COMMON FASTENERS)

ACCESSORIES:

| | |
|--------|-----------|
| T4FUEL | FUEL CELL |
| 18581 | BATTERY |

ADVANTAGES:

- Higher stick rate (.125 diameter pin)
- 30% more power
- Easy push-down force
- Deep leg track capable
- 45 pin magazine capacity
- Newly designed fitted dust shield
- Battery charger provides constant charging even with voltage drops.
- Pins ICC approved (ESR -1955)

SPECIFICATIONS:

- Weight: 9.2 lbs
- Height: 15-in, Length: 18-1/2-in, Width: 4.3-in
- Fuel cell design: One step insert and click
- 45 pin magazine capacity
- Fastener assembly: 15 pin (strip)
- Fastener length capability: 0.5 – 1.0-in
- Fastener pin diameter: .125-in
- Fuel cell capacity: Over 1000 shots
- Shots per battery charge: 3000 (approx.)

| ITEM NO. | SHANK MM | APPLICATION | SHANK IN |
|----------|----------|------------------|-------------------------------|
| T4012 | 1000 | 10 BOXES (\$100) | 1/2-in STEEL PIN W/ T4 FUEL |
| T4012S | 1000 | 10 BOXES (\$100) | 1/2-in PREMIUM PIN W/ T4 FUEL |
| T4034B | 1000 | 10 BOXES (\$100) | 3/4-in CONCRETE PIN W/T4 FUEL |
| T4034S | 1000 | 10 BOXES (\$100) | 3/4-in PREMIUM PIN W/T4 FUEL |
| T4100 | 1000 | 10 BOXES (\$100) | 1-in CONCRETE PIN W/T4 FUEL |

RAMSET® TRAKFAST



STILL THE MOST REVOLUTIONARY FASTENING SYSTEM IN THE CONSTRUCTION INDUSTRY

Since its introduction in 1991, TrakFast has been the tool of choice for both interior and exterior contractors. The TrakFast Automatic Fastening System fastens all types of track, from standard track to hat channel, deep leg, Z, and J channel. Contractors continue to report tremendous savings when using TrakFast for high production fastening.

ADVANTAGES:

- Increased durability and reliability
- Off position to prevent battery drainage
- Three to five times faster than powder tools
- 42 pin magazine
- Piston automatically resets
- No recoil
- No licensing required
- No changing loads
- Narrow nose & profile
- 2 year warranty (6 months on wearable parts)

SPECIFICATIONS:

- Gas technology
- Fully automatic
- 1-1/2-in pin capacity
- 42 pin magazine capacity
- Length: 17.5-in
- Height: 15-in
- Weight: 8.3-lbs.
- Maximum cycles per second: 2
- Fuel cell: 1000 shots
- Battery (charged): 3000 shots

| ITEM NO. | LENGTH MM | APPLICATION | SHANK IN |
|----------|-----------|-------------------------|-----------|
| FPP012 | | PIN | 1/2-in |
| FPP012S | 12.7-mm | STEP DOWN PIN | 1/2-in |
| FPP034B | 19.1-mm | BLACK PIN | 3/4-in |
| FPP034S | | STEP DOWN PIN, | 3/4-in |
| FPP100 | | PIN CLEAR ZINC COLLATED | 1-in |
| FPP114 | | PIN CLEAR ZINC COLLATED | 1-1/4-in |
| FPP034T | | PIN BREAKAWAY STRIP | 3/4-in |
| FPP100T | | PIN | 1-in |
| FPP112T | | PIN | 1-1/2-in |
| FPP114T | | PIN | 1-1/4-in |
| PLY138 | | WOOD TO METAL PIN | 1- 3/4-in |

ACCESSORIES

| | |
|--------|-----------|
| T FUEL | FUEL CELL |
| B0092 | BATTERY |

COATINGS AND FINISHES

GRAY PHOSPHATE

SALT SPRAY RESULTS ASTM B117 MINIMUM 24 HOURS, NO RED RUST

Recommended for interior applications.

CLEAR ZINC

SALT SPRAY RESULTS ASTM B117 MINIMUM 12 HOURS, NO RED RUST

Recommended for interior applications and exterior applications where the fastener will be encapsulated, i.e. the attachment of lathing prior to the application of stucco.

YELLOW ZINC

SALT SPRAY RESULTS ASTM B117 MINIMUM 24 HOURS, NO RED RUST

Recommended for interior applications and exterior applications where the fastener will be encapsulated, i.e. the attachment of lathing prior to the application of stucco.



SALT SPRAY RESULTS ASTM B117 1000 HOURS, 15 CYCLES KESTERNICH PER DIN 50018, NO RED RUST

GrabberGard® metal finish is a high-grade proprietary metal surface processing technology that prevents corrosion. It is a duplex coating constituting a zinc substrate and organic polymer topcoat. These layers are bonded together through thermal fusion, and this unique method of combining layers results in a combination of the coating films. GrabberGard® treatment does not attribute its anti-corrosion properties to any single material when combined has superb corrosion resistant qualities. Suitable for use in non coastal areas with all pressure treated lumbars including ACQ.



GRABBERGARD® 15 — SALT SPRAY RESULTS ASTM B117 1500 HOURS, 20 CYCLES KESTERNICH PER DIN 50018, NO RED RUST

GrabberGard® metal finish is a high-grade proprietary metal surface processing technology that prevents corrosion. It is a ROHS compliant coating constituting a Hexavalent chromium-free zinc substrate and organic polymer topcoat. The distinguishing feature of GrabberGard® 15 is the joining and encapsulation the substrate with the fused organic surface coating. GrabberGard® 15 treatment does not attribute its anti-corrosion properties to any single material, but the synergy of these two layers, which when combined has superb corrosion resistant qualities.



302 STAINLESS STEEL NON-COASTAL GRADE

Type 302 stainless steel is an extremely tough, ductile grade that demonstrates superior corrosion resistance compared to 400 series, or zinc plated fasteners. This grade as well as the rest of the 300 series we offer can be used in MRI and other applications calling out non-magnetic parts. Suitable for exterior grade that is not in coastal areas when used in conjunction with untreated wood, MCQ, CCA or Borate and other NON ACQ treated lumber.



305 STAINLESS STEEL NON-COASTAL GRADE

Type 305 stainless steel is a nickel chromium austenitic grade of stainless steel and is inherently non-magnetic. This material is not hardened by heat treatment and provides very good corrosion protection. Suitable for exterior grade that is not in coastal areas when used in conjunction with untreated or treated wood, including ACQ.



316 STAINLESS STEEL MARINE GRADE

Type 316 stainless steel is a nickel chromium austenitic grade of stainless steel and is inherently non-magnetic. This material provides the highest level of corrosion protection. This austenitic stainless steel has an increased molybdenum content to increase its resistance to corrosion when compared to other 300 series alloys. It is suitable for use in coastal areas and is considered Marine grade stainless. Suitable for exterior grade in coastal areas, and around pools and spas, acidic conditions, and can be used in conjunction with untreated or treated, including ACQ.



MECHANICAL GALVANIZED

Mechanical Galvanizing results in a very uniform coating thickness reducing thread fit issues at assembly, making it a preferable coating for structural applications. Not only does Mechanical Galvanizing provide excellent coating uniformity, but the process is consistent from batch to batch. Mechanical Galvanizing is a room temperature process in which zinc coatings are applied to fasteners without the electricity used for electroplating, and without heat used for Hot-Dip Galvanizing. This eliminates hydrogen embrittlement issues, and tempering issues with hardened fasteners, the room temperature process ensures no chance of re-tempering or softening high strength fasteners and guards against hydrogen embrittlement because the fasteners are also never exposed to acid pickling in the process. All exposed surfaces can be coated very uniformly, and are processed to minimize thread nicking. The requirements for Mechanical Galvanizing are covered in ASTM B695, "Coatings of Zinc Mechanically Deposited on Iron and Steel" and are applied to a Class 55 thickness (.0022"), to provide you with the corrosion protection you expect from Galvanized products.



MANY GRABBER FASTENERS ARE PROTECTED AGAINST HYDROGEN EMBRITTLEMENT FAILURE.

Hydrogen embrittlement (HE) refers to any time-delayed failure mechanism that is aggravated or accelerated because of the presence of hydrogen. Most self-drilling fasteners are case-hardened, which provides the necessary hardness for drilling and tapping, but can leave the screws vulnerable to (HE) due to their high surface hardness and the opportunity for introduction of hydrogen during the electroplating manufacturing processes. Grabber fasteners are specially designed and processed to help prevent hydrogen-induced brittle failures. Each fastener undergoes a post plating baking process to ensure the optimal combination of hardness and hydrogen relief required for maximum performance in the field.



GRABBER BRANCH LOCATIONS



WEST REGION

Grabber San Diego
858.292.6022
9466 Chesapeake Drive
San Diego CA 92123-1353

Grabber Salt Lake
801.266.4151
4273 South 590 West
Murray UT 84123-3615

Grabber Portland
503.467.5001
15031 NE Airport Way Ste 300
Portland OR 97230-8333

Grabber L.A.
562.696.5122
8319 Allport Ave
Santa Fe Springs CA 90670-2107

Grabber NorCal
925.687.6606
2241 Carion Court
Pittsburg CA 94565-4029

SOUTH REGION

Grabber Memphis
662.895.9300
6045 E Shelby Drive Ste 1
Memphis TN 38141-7601

Grabber Dallas
972.470.9044
10990 Petal Street Ste 400
Dallas TX 75238-2487

Grabber Houston
713.545.6424
2121 Britmoore Road Ste 1600
Houston TX 77043-2230

MIDWEST REGION

Grabber Cincinnati
513.874.9027
4325 Mulhauser Road Ste 8
Fairfield OH 45014-2266

Grabber Maumee
419.794.8212
370 W Dussel Drive Ste 5
Maumee OH 43537-1604

Grabber Kansas City
816.931.8816
805 Liberty Street
Kansas City MO 64102-1009

NORTHEAST REGION

Grabber DC
301.808.5100
850 B Hampton Park Blvd
Capitol Heights MD 20743-4917

Grabber New England
860.623.3600
120 Newberry Road
East Windsor CT 06088-9544

Grabber Jersey
856.662.2525
1125 Thomas Busch Memorial Hwy
Pennsauken NJ 08110-2310

Grabber Virginia
703.631.8770
14801 Willard Road Ste 700
Chantilly VA 20151-3719

SOUTHEAST REGION

Grabber Conover
828.267.6245
1136 Industrial Dr SW
Conover NC 28613-2753

Grabber Ft. Myers
239.278.1888
12570 Metro Pkwy
Fort Myers FL 33966-8356

Grabber Tampa
813.249.2281
5835 Barry Road
Tampa FL 33634-3020

Grabber Pompano
954.971.4730
1857 SW 3rd Street
Pompano FL 33069-3105

Grabber Orlando
407.297.7278
3714 Silver Star Road
Orlando FL 32808-6605

Grabber Jacksonville
904.739.2760
5913 Saint Augustine Rd Ste 7
Jacksonville FL 32207-8000

Grabber Atlanta
770.813.1332
2605 N Berkeley Lake Rd NW
Ste 500
Duluth GA 30096-3099

Grabber has you covered with more than just great fastening products

In short, Grabber is here to help you build a better product and make you more money. Through constant innovation, Grabber helps you do every job faster, better, and safer – with the industry's best, most technologically advanced products.



**DRYWALL SCREWS
METAL FRAMING SCREWS
DIRECT FASTENING
PNEUMATIC NAILS**

FASTEN IT

Grabber invented the drywall screw and changed an entire industry – but we didn't stop there. From drywall screws to heavy gauge framing screws, Grabber has a fastener for just about everything.



**SUPERDRIVE
SCREW GUNS
CHOP SAWS
LASERS**

DRIVE IT

Grabber's SuperDrive tool makes driving screws faster and more accurate than ever. Beyond SuperDrive, Grabber offers other tools that make your job easier including chop saws, routers, lasers and more.



**SUBFLOOR ADHESIVES
DRYWALL ADHESIVES
ACOUSTICAL SEALANTS
FIRESTOPPING CAULKS**

CAULK IT

For all your caulk projects, trust Grabber's complete line of caulks, including sound control sealants, subfloor adhesives, drywall adhesives, insulation foam and more. We also offer EFC and IFC firestopping caulks.



**CERTAINTED CORNERS
STRAIT-FLEX CORNERS
DRYWALL TAPE
FINISHING TOOLS**

FINISH IT

Finishing never came faster than with Grabber drywall products. From fiberglass mesh tape to spark perforated drywall tape to the innovative No-Coat structural drywall system, Grabber has what you need to do the job right.



**PANELMAX MACHINES
ST-48
FT-30
HYBRID CNC
CM10P**

PRE-FAB IT

PanelMax is a revolutionary system that makes creating intricate shapes and assemblies from drywall much more affordable. Now even the most challenging assemblies can be completed more efficiently with less finishing, less labor and fewer materials.

Discover the Grabber Difference

Grabber products are trusted to perform at the highest levels so you can do more, better. Since 1967, contractors have relied on the quality, value, consistency and performance of Grabber products, box after box. In a post-pandemic environment, you can count on Grabber to start boosting your productivity and profitability even before you reach the jobsite with easy purchasing options and valuable advice.

Visit www.grabberpro.com or call 800-477-8876
to find a dealer near you.

