

# PRIME<sup>®</sup>

# 2023-2024 STOCK PRODUCTS CATALOG



**PRIME WIRE & CABLE, INC.**  
1330 Valley Vista Drive  
Diamond Bar, CA 91765  
[www.primewirecable.com](http://www.primewirecable.com)

**Industrial Products Division**  
Toll Free: (800) 962-2738  
Fax: (800) 797-2226

**Retail Products Division**  
Toll Free: (888) 445-9958  
Fax: (909) 859-2926

Effective March 23, 2023


# Table of Contents

|  |           |
|--|-----------|
| <b>CORD GAUGE vs AMPERAGE CHART</b> .....  | <b>3</b>  |
| <b>TEN QUALITY REASONS TO BUY PRIME</b> .....  | <b>4</b>  |
| <b>OUTDOOR EXTENSION CORDS</b> .....   | <b>5</b>  |
| Bulldog Tough® Cords, Bulldog Tough® Triple-Tap Cords, Amp Detection Cords, Generator Cords & Adapters, Arctic Blue™ All-Weather Cords, Arctic Blue™ All-Weather Triple-Tap Cords, Arctic Blue™ All-Weather Work Lights, Cold Weather Cords, Neon Flex® High Visibility Cords, JobSite® Locking Connector Cords, No Overload® Circuit Breaker Cords, Farm & Shop Cords, Rubber Cords, Landscape Cords, Outdoor Cords, Kaleidoscope of Colors® Cords, Heavy Duty & Extra Heavy Duty Cords, SL3™ Outdoor Slim Line Triple-Tap Cords, Outdoor Triple-Tap Cords, Outdoor Twist-to-Lock Cords, Flexzilla® Outdoor Cords |           |
| <b>SHOCK SAFE® GFCI PRODUCTS</b> .....   | <b>9</b>  |
| <b>WIRING DEVICES</b> .....  | <b>9</b>  |
| <b>APPLIANCE &amp; POWER SUPPLY CORDS</b> .....  | <b>10</b> |
| Dishwasher/Garbage Disposal Cords, Range & Dryer Cords, Air Conditioner/Major Appliance Cords, Power Supply Cords  |           |
| <b>INDOOR HOUSEHOLD &amp; UTILITY CORDS</b> .....  | <b>10</b> |
| Household Cords, SnugPlug® Low-Profile Cords, Office Cords, Shop & Utility Cords, Accent Fabric Cords  |           |
| <b>POWER TAPS &amp; ELECTRICAL ADAPTERS</b> .....  | <b>12</b> |
| <b>MULTI-OUTLET STRIPS &amp; SURGE PROTECTORS</b> .....  | <b>12</b> |
| Multiple Outlet Taps, Multiple Outlet Strips, Workshop Power, General Purpose Surge Taps, General Purpose Surge Protectors, Multimedia Surge Protectors  |           |
| <b>TIMERS &amp; REMOTE CONTROLS</b> .....  | <b>13</b> |
| Indoor Timers, Outdoor Timers, Remote Controls   |           |
| <b>WI-FI CONTROLS</b> .....  | <b>13</b> |
| <b>LIGHT SOCKET CONTROLS</b> .....   | <b>14</b> |
| <b>NIGHT LIGHTS</b> .....  | <b>14</b> |
| Energy Saving, Utility   |           |
| <b>LIGHTING PRODUCTS</b> .....   | <b>14</b> |
| Clamp Lamps, Work Lights, Halogen Work Lights, LED Work Lights, Flexzilla® LED Work Lights, LED Specialty Lights, Temporary Light Strings w/Plastic Cages, Temporary Light Strings w/Dipped Metal Cages, Outdoor Floodlight Holder   |           |
| <b>CORD REELS &amp; CORD STORAGE ACCESSORIES</b> .....   | <b>15</b> |
| <b>BATTERY BOOSTER CABLES</b> .....  | <b>15</b> |
| <b>HOLIDAY SPECIALTY PRODUCTS</b> .....  | <b>16</b> |
| Indoor Extension Cords, Outdoor Extension Cords, Power Adapters, Power Stakes  |           |
| <b>UPC CODE INDEX</b> .....  | <b>17</b> |
| <b>NEMA CONFIGURATIONS</b> .....   | <b>21</b> |
| <b>DEFINITION OF SYMBOLS</b> .....   | <b>22</b> |
| <b>TERMS &amp; CONDITIONS</b> .....  | <b>22</b> |

The information contained in this catalog is presented solely as a guide to product selection and is reliable to the best of our knowledge. Any printing errors are subject to correction in future releases or reprints of this catalog. Prime Wire & Cable has taken precautions, at the time of publication, to ensure the accuracy of the data and specifications presented herein, but reserves the right to modify, append or change the specifications and/or design of any and all products contained within this catalog at any time and without prior notice.

**PRIME<sup>®</sup>**


# Cord Gauge vs Amperage



|                            | MEDIUM DUTY     | HEAVY DUTY   | EXTRA HEAVY DUTY | ULTRA HEAVY DUTY |
|----------------------------|-----------------|--------------|------------------|------------------|
| <b>TYPICAL USAGE GUIDE</b> | Lawnmowers      | Drills       | Circular Saws    | Generators       |
|                            | Hedge Trimmers  | Belt Sanders | Chain Saws       | Recipro Saws     |
|                            | Fans            | Routers      | Worm Drives      | Rotary Hammers   |
|                            | Household Tools | Table Saws   | Grinders         | Compressors      |

# Ten Quality Reasons to Buy Prime

## Prime's Quality Design and Manufacturing Solves Your Extension Cord Problems!



**1. Nickel-Coated Brass Blades**

Prime's full-sized, full-contact nickel-coated 100% brass blades are designed to resist corrosion which prevents arcing, and won't break off or pull out, making them the safest blades possible.

**2. Oversized Plugs & Connectors Won't Deform or Shatter**

Made from a special virgin compound that will not harden, become brittle or shatter, Prime's exclusively designed oversized plugs and connectors are made to withstand the rigors and abuse of even the most demanding jobsites.

**3. Oversized Strain Relief Prevents Plugs from Separating from the Wire**

Built to exceed UL's most stringent safety test requirements, Prime's large, flexible, ribbed strain relief was engineered to prevent the wire from pulling out of the plug, even in the most extreme conditions.

**4. Dual Safety Listings for Added Confidence**

In addition to meeting or exceeding all OSHA requirements, Prime's cords are tested and listed by UL, CSA and/or ETL to meet the safety standards in both the United States and Canada. Prime has cords made for use in extreme environments as well as for standard indoor and outdoor applications.

**5. 100% Electrical Testing Ensures Safety**

Prime conducts over 50 separate safety tests on each cord including continuity, short-circuit, polarity and electrical breakdown (dielectric voltage) to ensure that each cord performs up to UL requirements and is also the safest cord on the market.

**6. Non-Stop Electrical Performance**

Made from precisely drawn and bunched 100% pure copper wire, Prime's full-sized conductors resist electrical failure, even under the hardest use.

**7. Superior Flexibility and Abrasion Resistance**

Prime's cord jacket compound is precisely formulated to provide maximum flexibility while maintaining superior resistance to abuse and abrasion.

**8. Water Resistant & Flame Retardant Cord**

Prime's cords are water resistant and will help prevent moisture failure for safety and long life. Standard vinyl and TPE rubber cords will quickly burn end-to-end. Prime's cords are flame retardant and will extinguish the flame, providing added safety.

**9. Arc-Resistant Female Connectors**

As tools are plugged in and out of the female plug, a small arc can slowly eat away at the metal contacts in the plug. Prime suppresses this problem by using arc-resistant full-sized contacts and precise contact alignment.

**10. Primelight<sup>®</sup>**

Primelight<sup>®</sup> power indicator light lets you see when the power is ON.

**Industrial Products Division**

Toll Free (888) 445-9955 • Fax (800) 797-2226

**Retail Products Division**

Toll Free (888) 445-9955 • Fax (909) 859-2926




**WATER RESISTANT  
& FLAME RETARDANT**

# 2023-2024 Stock Products Catalog




| Cat # | PRIME Item # | Description | Case Pack | Case Weight |
|-------|--------------|-------------|-----------|-------------|
|-------|--------------|-------------|-----------|-------------|

## OUTDOOR EXTENSION CORDS









|   |          | <b>BULLDOG TOUGH® Extension Cords</b>    |   |      |
|---|----------|--|---|------|
| 1 | LT511725 | 25ft. 14/3 SJTOW Yellow w/Primelight® Indicator Light  | 8 | 22.0 |
| 2 | LT511730 | 50ft. 14/3 SJTOW Yellow w/Primelight® Indicator Light  | 8 | 42.3 |
| 3 | LT511735 | 100ft. 14/3 SJTOW Yellow w/Primelight® Indicator Light   | 4 | 41.4 |
| 4 | LT511825 | 25ft. 12/3 SJTOW Yellow w/Primelight® Indicator Light  | 8 | 31.0 |
| 5 | LT511830 | 50ft. 12/3 SJTOW Yellow w/Primelight® Indicator Light  | 5 | 37.4 |
| 6 | LT511835 | 100ft. 12/3 SJTOW Yellow w/Primelight® Indicator Light   | 3 | 43.5 |
| 7 | LT511930 | 50ft. 10/3 SJTOW Yellow w/Primelight® Indicator Light  | 4 | 44.3 |
| 8 | LT511935 | 100ft. 10/3 SJTOW Yellow w/Primelight® Indicator Light   | 2 | 44.4 |



|    |          | <b>BULLDOG TOUGH® Triple-Tap Cords</b>    |   |      |
|----|----------|---|---|------|
| 9  | LT611830 | 50ft. 12/3 SJTOW Yellow Triple-Tap w/Primelight® Indicator Light  | 5 | 38.5 |
| 10 | LT611835 | 100ft. 12/3 SJTOW Yellow Triple-Tap w/Primelight® Indicator Light   | 3 | 43.5 |




|    |            | <b>AMP DETECTION CORDS</b>    |   |      |
|----|------------|---|---|------|
| 11 | AD050802AD | 2ft. 12/3 STW Yellow Triple-Tap w/Primelight® Indicator Light   | 8 | 9.9  |
| 12 | EC611825AD | 25ft. 12/3 SJTW Yellow Triple-Tap w/Primelight® Indicator Light   | 8 | 33.6 |
| 13 | EC611830AD | 50ft. 12/3 SJTW Yellow Triple-Tap w/Primelight® Indicator Light   | 5 | 38.4 |
| 14 | EC611835AD | 100ft. 12/3 SJTW Yellow Triple-Tap w/Primelight® Indicator Light  | 3 | 43.6 |

|    |           | <b>GENERATOR CORDS &amp; ADAPTERS</b>    |    |      |
|----|-----------|--|----|------|
| 15 | AD100801L | 1ft. 12/3 STW Yellow Twist-to-Lock to U-Ground Adapter   | 18 | 10.3 |
| 16 | AD110801L | 1ft. 12/3 STW Yellow U-Ground to Twist-to-Lock Adapter   | 18 | 10.3 |
| 17 | AD060802  | 2ft. 12/3 STW Yellow Twist-to-Lock to U-Ground Triple-Tap  | 8  | 12.8 |
| 18 | AD180802  | 2ft. 12/3 STW Yellow "Y" Adapter   | 6  | 8.8  |
| 19 | AD190802L | 2ft. 12/3 STW Yellow "W" Adapter   | 6  | 10.4 |
| 20 | AD050802  | 2ft. 12/3 STW Yellow Triple-Tap Adapter  | 8  | 9.0  |
| 21 | AD150802  | 2ft. 12/3 STW Yellow Twist-to-Lock "Y" Adapter   | 6  | 8.8  |
| 22 | AD160802L | 2ft. 12/3 STW Yellow Twist-to-Lock "W" Adapter   | 6  | 13.3 |
| 23 | GCT12802  | 2ft. 12/3 STOW Yellow 20A T-Blade to 20A T-Slot Triple-Tap w/Primelight® *   | 8  | 9.2  |
| 24 | GC130802  | 2ft. 12/3 STOW Yellow 30A Twist-to-T-Slot "W" Adapter w/Primelight® *  | 6  | 11.1 |
| 25 | GCT20802  | 2ft. 12/3 STOW Yellow 20A T-Blade to 20A T-Slot to 20A T-Blade "Y" w/Primelight®   | 6  | 8.3  |
| 26 | GCT20903  | 3ft. 10/4 STOW Yellow 20A "Y" L14-30P to Two 10/3 STOW 5-20R "Y" w/Primelight®   | 6  | 13.3 |
| 27 | GCT20825  | 25ft. 12/3 STOW Yellow 20A T-Blade "Y" w/Primelight®   | 5  | 33.1 |
| 28 | GC143925  | 25ft. 10/4 STOW Yellow 30A Twist-to-Lock Transfer Switch Extension Cord  | 4  | 39.6 |

\*Not UL listed, but manufactured to accepted industry standards


















|    |          | <b>ARCTIC BLUE™ All-Weather Extension Cords</b>    |    |      |
|----|----------|---|----|------|
| 29 | LT530725 | 25ft. 14/3 SJEOW Blue/Orange w/Primelok® & Primelight® Indicator Light  | 8  | 20.6 |
| 30 | LT530730 | 50ft. 14/3 SJEOW Blue/Orange w/Primelok® & Primelight® Indicator Light  | 8  | 42.3 |
| 31 | LT530735 | 100ft. 14/3 SJEOW Blue/Orange w/Primelok® & Primelight® Indicator Light   | 4  | 37.5 |
| 32 | LT530815 | 15ft. 12/3 SJEOW Blue/Orange w/Primelok® & Primelight® Indicator Light  | 10 | 24.5 |
| 33 | LT530825 | 25ft. 12/3 SJEOW Blue/Orange w/Primelok® & Primelight® Indicator Light  | 8  | 31.0 |
| 34 | LT530830 | 50ft. 12/3 SJEOW Blue/Orange w/Primelok® & Primelight® Indicator Light  | 5  | 37.4 |
| 35 | LT530835 | 100ft. 12/3 SJEOW Blue/Orange w/Primelok® & Primelight® Indicator Light   | 3  | 43.5 |
| 36 | LT530930 | 50ft. 10/3 SJEOW Blue/Orange w/Primelok® & Primelight® Indicator Light  | 4  | 48.5 |
| 37 | LT530935 | 100ft. 10/3 SJEOW Blue/Orange w/Primelok® & Primelight® Indicator Light   | 2  | 50.8 |

**NEW** New Item

◆ Purchase-to-Order Item

◇ Christmas Item

# 2023-2024 Stock Products Catalog






















| Cat #   | PRIME Item # | Description   | Case Pack | Case Weight |
|---|--------------|---|-----------|-------------|
| <div style="display: flex; justify-content: space-between; align-items: center;">  <div style="text-align: right;"> <p><b>ARCTIC BLUE™ All-Weather Triple-Tap Cords</b>   </p> </div> </div>          |              |   |           |             |
| 38  | LT630825     | 25ft. 12/3 SJEOW Blue/Orange Triple-Tap w/Primelight® Indicator Light                               | 8         | 35.1        |
| 39  | LT630830     | 50ft. 12/3 SJEOW Blue/Orange Triple-Tap w/Primelight® Indicator Light                               | 5         | 38.5        |
| 40  | LT630835     | 100ft. 12/3 SJEOW Blue/Orange Triple-Tap w/Primelight® Indicator Light                              | 3         | 43.5        |
| <div style="display: flex; justify-content: space-between; align-items: center;">  <div style="text-align: right;"> <p><b>ARCTIC BLUE™ All-Weather Work Lights</b>  </p> </div> </div>  |              |   |           |             |
| 41  | TL020625     | 25ft. 16/3 SJEOW 75W Blue/Orange w/Metal Guard & Outlet   | 6         | 17.8        |
| 42  | TL020630     | 50ft. 16/3 SJEOW 75W Blue/Orange w/Metal Guard & Outlet   | 6         | 28.6        |
| <div style="display: flex; justify-content: space-between; align-items: center;">  <div style="text-align: right;"> <p><b>Cold Weather Extension Cords</b>   </p> </div> </div>                          |              |   |           |             |
| 43  | CW511615     | 15ft. 16/3 SJTW -50°C Blue w/Primelight® Indicator Light  | 12        | 14.1        |
| 44  | CW511625     | 25ft. 16/3 SJTW -50°C Blue w/Primelight® Indicator Light  | 12        | 21.8        |
| 45  | CW511630     | 50ft. 16/3 SJTW -50°C Blue w/Primelight® Indicator Light  | 10        | 34.7        |
| 46  | CW511635     | 100ft. 16/3 SJTW -50°C Blue w/Primelight® Indicator Light   | 6         | 39.9        |
| 47  | CW511725     | 25ft. 14/3 SJTW -50°C Blue w/Primelight® Indicator Light  | 8         | 22.7        |
| 48  | CW511730     | 50ft. 14/3 SJTW -50°C Blue w/Primelight® Indicator Light  | 8         | 42.6        |
| 49  | CW511735     | 100ft. 14/3 SJTW -50°C Blue w/Primelight® Indicator Light   | 4         | 41.4        |
| 50  | CW511825     | 25ft. 12/3 SJTW -50°C Blue w/Primelight® Indicator Light  | 8         | 31.0        |
| 51  | CW511830     | 50ft. 12/3 SJTW -50°C Blue w/Primelight® Indicator Light  | 5         | 37.4        |
| 52  | CW511835     | 100ft. 12/3 SJTW -50°C Blue w/Primelight® Indicator Light   | 3         | 43.8        |
| 53  | LTF890615    | 15ft. 16/3 SJTW -50°C Blue 3-Outlet Engine Block Heater Cord w/Primelight® Flashing Indicator Light | 12        | 17.7        |
| <div style="display: flex; justify-content: space-between; align-items: center;">  <div style="text-align: right;"> <p><b>NEON FLEX® High Visibility Extension Cords</b>   </p> </div> </div> |              |   |           |             |
| 54  | NS512715     | 15ft. 14/3 SJTW -50°C HI-VIS Green w/Primelight® Indicator Light                                    | 24        | 35.9 ♦      |
| 55  | NS512825     | 25ft. 12/3 SJTW -50°C HI-VIS Green w/Primelight® Indicator Light                                    | 8         | 31.0 ♦      |
| 56  | NS512830     | 50ft. 12/3 SJTW -50°C HI-VIS Green w/Primelight® Indicator Light                                    | 5         | 37.4        |
| 57  | NS512835     | 100ft. 12/3 SJTW -50°C HI-VIS Green w/Primelight® Indicator Light                                   | 3         | 43.5        |
| 58  | NS513830     | 50ft. 12/3 SJTW -50°C HI-VIS Pink w/Primelight® Indicator Light                                     | 5         | 37.4        |
| 59  | NS513835     | 100ft. 12/3 SJTW -50°C HI-VIS Pink w/Primelight® Indicator Light                                    | 3         | 43.5        |
| 60  | NS515830     | 50ft. 12/3 SJTW -50°C HI-VIS Red w/Primelight® Indicator Light                                      | 5         | 37.4        |
| 61  | NS515835     | 100ft. 12/3 SJTW -50°C HI-VIS Red w/Primelight® Indicator Light                                     | 3         | 43.5        |
| 62  | NS516830     | 50ft. 12/3 SJTW -50°C HI-VIS Purple w/Primelight® Indicator Light                                   | 5         | 37.5 ♦      |
| 63  | NS516835     | 100ft. 12/3 SJTW -50°C HI-VIS Purple w/Primelight® Indicator Light                                  | 3         | 43.5 ♦      |
| 64  | NS610730     | 50ft. 14/3 SJTW -50°C HI-VIS Yellow Triple-Tap w/Primelight® Indicator Light                        | 8         | 42.1 ♦      |
| 65  | NS613825     | 25ft. 12/3 SJTW -50°C HI-VIS Pink Triple-Tap w/Primelight® Indicator Light                          | 8         | 28.7        |
| 66  | NS613830     | 50ft. 12/3 SJTW -50°C HI-VIS Pink Triple-Tap w/Primelight® Indicator Light                          | 5         | 37.0        |

**NEW** New Item

♦ Purchase-to-Order Item

◇ Christmas Item

# 2023-2024 Stock Products Catalog














| Cat #  | PRIME Item #  | Description  | Case Pack   | Case Weight |      |
|--|---|--|---|-------------|------|
| <b>JOBSITE® Locking Connector Cords</b>    |   |  |   |             |      |
|   | 67  | ECPL502628   | 40ft. 16/3 SJTW Black Outdoor Cord w/Primelok® & Primelight®              | 8           | 24.9 |
|  | 68  | ECPL502633   | 80ft. 16/3 SJTW Black Outdoor Cord w/Primelok® & Primelight®              | 6           | 34.0 |
|  | 69  | ECPL511725   | 25ft. 14/3 SJTW Yellow Outdoor Cord w/Primelok® & Primelight®             | 8           | 21.6 |
|  | 70  | ECPL511730   | 50ft. 14/3 SJTW Yellow Outdoor Cord w/Primelok® & Primelight®             | 8           | 37.9 |
|  | 71  | ECPL511735   | 100ft. 14/3 SJTW Yellow Outdoor Cord w/Primelok® & Primelight®            | 4           | 40.8 |
|  | 72  | KCPL507825   | 25ft. 12/3 SJTW Red/Blue Outdoor Cord w/Primelok® & Primelight®           | 8           | 31.0 |
|  | 73  | KCPL507830   | 50ft. 12/3 SJTW Red/Blue Outdoor Cord w/Primelok® & Primelight®           | 5           | 37.4 |
| 74   | KCPL507835  | 100ft. 12/3 SJTW Red/Blue Outdoor Cord w/Primelok® & Primelight® | 3   | 43.5        |      |
|   | 75  | ECPL511930   | 50ft. 10/3 SJTW Yellow Outdoor Cord w/Primelok® & Primelight®             | 4           | 50.6 |
|  | <b>NO OVERLOAD® Circuit Breaker Cords</b>    |  |   |             |      |
|   | 76  | CB614725   | 25ft. 14/3 SJTW Red Triple-Tap w/Circuit Breaker Plug                     | 8           | 25.6 |
|  | 77  | CB614730   | 50ft. 14/3 SJTW Red Triple-Tap w/Circuit Breaker Plug                     | 6           | 34.1 |
|  | 78  | CB614735   | 100ft. 14/3 SJTW Red Triple-Tap w/Circuit Breaker Plug                    | 4           | 41.5 |
| <b>FARM &amp; SHOP Extension Cords</b>     |   |  |   |             |      |
|    | 79  | EC532725   | 25ft. 14/3 SJTOW Black  | 6           | 16.2 |
|  | 80  | EC532730   | 50ft. 14/3 SJTOW Black  | 6           | 29.2 |
| <b>RUBBER Extension Cords</b>          |   |  |   |             |      |
|   | 81  | SEEC732725   | 25ft. 14/3 SJ00W Black w/Green LED Primelight® Indicator Light            | 8           | 22.0 |
|  | 82  | SEEC732730   | 50ft. 14/3 SJ00W Black w/Green LED Primelight® Indicator Light            | 8           | 40.2 |
|  | 83  | SEEC732735   | 100ft. 14/3 SJ00W Black w/Green LED Primelight® Indicator Light           | 4           | 42.2 |
|  | 84  | SEEC732815   | 15ft. 12/3 SJ00W Black w/Green LED Primelight® Indicator Light            | 10          | 10.6 |
|  | 85  | SEEC732825   | 25ft. 12/3 SJ00W Black w/Green LED Primelight® Indicator Light            | 8           | 31.2 |
|  | 86  | SEEC732830   | 50ft. 12/3 SJ00W Black w/Green LED Primelight® Indicator Light            | 5           | 39.3 |
|  | 87  | SEEC732835   | 100ft. 12/3 SJ00W Black w/Green LED Primelight® Indicator Light           | 3           | 46.3 |
|  | 88  | SEEC632830   | 50ft. 12/3 SJ00W Black Triple-Tap w/Green LED Primelight® Indicator Light | 5           | 39.3 |
| <b>LANDSCAPE Extension Cords</b>     |   |  |   |             |      |
|   | 89  | EC880606   | 6ft. 16/3 SJTW Green  | 12          | 7.6  |
|  | 90  | EC880612   | 12ft. 16/3 SJTW Green   | 12          | 13.5 |
|  | 91  | EC880615   | 15ft. 16/3 SJTW Green   | 12          | 26.7 |
|  | 92  | EC880625   | 25ft. 16/3 SJTW Green   | 12          | 24.9 |
|  | 93  | EC880627   | 35ft. 16/3 SJTW Green   | 8           | 19.6 |
|  | 94  | EC880628   | 40ft. 16/3 SJTW Green   | 8           | 23.1 |
|  | 95  | EC880633   | 80ft. 16/3 SJTW Green   | 6           | 30.0 |
|  | 96  | ECY605608  | 8ft. 16/3 SJTW Green EZ-Pull Grip Triple-Tap                              | 12          | 14.3 |
|  | 97  | EC605627   | 35ft. 16/3 SJTW Green Triple-Tap  | 4           | 12.0 |

**NEW** New Item

◆ Purchase-to-Order Item

◇ Christmas Item

# 2023-2024 Stock Products Catalog

| Cat #   | PRIME Item #  | Description  | Case Pack  | Case Weight            |        |      |
|---|---|--|--|------------------------|--------|------|
|   |   | <b>LANDSCAPE Extension Cords (continued)</b>            |  |                        |        |      |
|    | 98  | EC883606   | 6ft. 16/3 SJTW White   | 12                     | 7.6    |      |
|   | 99  | EC883612   | 12ft. 16/3 SJTW White  | 12                     | 13.5   |      |
|   | 100   | EC883615   | 15ft. 16/3 SJTW White  | 12                     | 16.0   |      |
|   | 101   | EC883627   | 35ft. 16/3 SJTW White  | 8                      | 19.6   |      |
|   | 102   | EC884627   | 35ft. 16/3 SJTW Beige  | 8                      | 22.8   |      |
|   |   | <b>OUTDOOR Extension Cords</b>                             |  |                        |        |      |
|    | 103   | EC502608   | 8ft. 16/3 SJTW Black   | 24                     | 19.2   |      |
|   | 104   | EC502615   | 15ft. 16/3 SJTW Black  | 12                     | 16.0   |      |
|   | 105   | EC481625   | 25ft. 16/2 SJTW Orange                                       | 12                     | 19.2   |      |
|   | 106   | EC481630   | 50ft. 16/2 SJTW Orange                                       | 8                      | 24.3   |      |
|   | 107   | EC481635   | 100ft. 16/2 SJTW Orange                                      | 6                      | 35.3   |      |
|   | 108   | EC501610   | 10ft. 16/3 SJTW Orange                                       | 14                     | 15.3   |      |
|   | 109   | EC501615   | 15ft. 16/3 SJTW Orange                                       | 12                     | 13.2 ◆ |      |
|   | 110   | EC501625   | 25ft. 16/3 SJTW Orange                                       | 12                     | 21.8   |      |
|   | 111   | EC501630   | 50ft. 16/3 SJTW Orange                                       | 10                     | 34.0   |      |
|   | 112   | EC501635   | 100ft. 16/3 SJTW Orange                                      | 6                      | 39.7   |      |
|   | 113   | EC501725   | 25ft. 14/3 SJTW Orange                                       | 8                      | 18.7   |      |
|   | 114   | EC501730   | 50ft. 14/3 SJTW Orange                                       | 8                      | 41.7   |      |
|   | 115   | EC501735   | 100ft. 14/3 SJTW Orange                                      | 4                      | 38.9   |      |
|   |  | 116  | EC500825   | 25ft. 12/3 SJTW Yellow | 8      | 31.0 |
|   |   | 117  | EC500830   | 50ft. 12/3 SJTW Yellow | 5      | 37.4 |
| 118   |   | EC500835   | 100ft. 12/3 SJTW Yellow                                      | 3                      | 43.8   |      |
| 119   |   | EC511825   | 25ft. 12/3 SJTW Yellow w/Primelight® Indicator Light         | 8                      | 31.0   |      |
| 120   |   | EC511830   | 50ft. 12/3 SJTW Yellow w/Primelight® Indicator Light         | 5                      | 37.4   |      |
| 121   |   | EC511835   | 100ft. 12/3 SJTW Yellow w/Primelight® Indicator Light        | 3                      | 43.8   |      |
| 122   |   | EC511930   | 50ft. 10/3 SJTW Yellow w/Primelight® Indicator Light         | 4                      | 50.6   |      |
| 123   |   | EC511935   | 100ft. 10/3 SJTW Yellow w/Primelight® Indicator Light        | 2                      | 49.9   |      |
|   |   | <b>KALEIDOSCOPE of COLORS® Extension Cords</b>    |  |                        |        |      |
|  | 124   | KC506725   | 25ft. 14/3 SJTW Blue/Yellow                                  | 8                      | 22.0   |      |
|   | 125   | KC506730   | 50ft. 14/3 SJTW Blue/Yellow                                  | 8                      | 38.6   |      |
|   | 126   | KC506735   | 100ft. 14/3 SJTW Blue/Yellow                                 | 4                      | 41.4   |      |
|   | 127   | KC606730   | 50ft. 14/3 SJTW Blue/Yellow Triple-Tap                       | 4                      | 22.7   |      |
|   | 128   | KC500328   | 50ft. 12/3 SJTW Red/White w/Primelight® Indicator Light      | 5                      | 37.4   |      |
|   | 129   | KC500541   | 50ft. 12/3 SJTW Lime Green/Red w/Primelight® Indicator Light | 5                      | 37.4   |      |






















**NEW** New Item

◆ Purchase-to-Order Item

◇ Christmas Item



# 2023-2024 Stock Products Catalog

| Cat #   | PRIME Item # | Description   | Case Pack | Case Weight |
|---|--------------|---|-----------|-------------|
| <b>HEAVY DUTY &amp; EXTRA HEAVY DUTY Extension Cords</b>                            |              |   |           |             |
|    | 130          | ECS03825 25ft. Heavy Duty, SJTW 3-Conductor Blue Cord w/Primelight®   | 12        | 34.7        |
|   | 131          | ECS03830 50ft. Heavy Duty, SJTW 3-Conductor Blue Cord w/Primelight®   | 6         | 34.4        |
|   | 132          | ECS03835 100ft. Heavy Duty, SJTW 3-Conductor Blue Cord w/Primelight®  | 4         | 46.1        |
|   | 133          | ECS03930 50ft. Extra Heavy Duty, SJTW 3-Conductor Blue Cord w/Primelight®   | 4         | 44.1 ♦      |
|   | 134          | ECS03935 100ft. Extra Heavy Duty, SJTW 3-Conductor Blue Cord w/Primelight®  | 2         | 43.8 ♦      |
|    | 135          | ECB611830 <b>SL3™ OUTDOOR Slim Line Triple-Tap Cords</b>    50ft. 12/3 SJTW Yellow Slim Triple-Tap w/Primelight® Indicator Light | 4         | 32.0        |
|   | 136          | EC600725K <b>OUTDOOR Triple-Tap Cords</b>    25ft. 14/3 SJTW Yellow Triple-Tap   | 10        | 31.8        |
|   | 137          | EC600825 25ft. 12/3 SJTW Yellow Triple-Tap  | 8         | 31.3        |
|   | 138          | EC600830 50ft. 12/3 SJTW Yellow Triple-Tap  | 5         | 38.5        |
|   | 139          | EC600835 100ft. 12/3 SJTW Yellow Triple-Tap   | 3         | 43.8        |
|    | 140          | EC611825 25ft. 12/3 SJTW Yellow Triple-Tap w/Primelight® Indicator Light  | 8         | 31.3        |
|   | 141          | EC611830 50ft. 12/3 SJTW Yellow Triple-Tap w/Primelight® Indicator Light  | 5         | 28.5        |
|   | 142          | EC611835 100ft. 12/3 SJTW Yellow Triple-Tap w/Primelight® Indicator Light   | 3         | 43.8        |
|   | 143          | EC730830 <b>OUTDOOR Twist-to-Lock Cords</b>    50ft. 12/3 SJTW Yellow Twist-to-Lock w/Primelight® Indicator Light                 | 5         | 38.1        |
|   | 144          | EC730835 100ft. 12/3 SJTW Yellow Twist-to-Lock w/Primelight® Indicator Light  | 3         | 43.8        |
|  | 145          | FZ512725 <b>FLEXZILLA® Outdoor Extension Cords*</b>   25ft. 14/3 SJTW Flexzilla Green w/Green Power Indicator Light   | 8         | 22.0        |
|   | 146          | FZ512730 50ft. 14/3 SJTW Flexzilla Green w/Green Power Indicator Light  | 6         | 30.0        |
|   | 147          | FZ512735 100ft. 14/3 SJTW Flexzilla Green w/Green Power Indicator Light   | 3         | 28.8        |
|   | 148          | FZ512825 25ft. 12/3 SJTW Flexzilla Green w/Green Power Indicator Light  | 8         | 31.0        |
|   | 149          | FZ512830 50ft. 12/3 SJTW Flexzilla Green w/Green Power Indicator Light  | 5         | 38.0        |
|   | 150          | FZ512835 100ft. 12/3 SJTW Flexzilla Green w/Green Power Indicator Light   | 3         | 44.0        |
|   | 151          | FZ512930 50ft. 10/3 SJTW Flexzilla Green w/Green Power Indicator Light  | 2         | 22.0        |
|   | 152          | FZ512935 100ft. 10/3 SJTW Flexzilla Green w/Green Power Indicator Light   | 2         | 51.0        |
| *Flexzilla is a registered trademark of Weems Industries, Inc.                      |              |   |           |             |
|  | 153          | GF420802 <b>SHOCK SAFE® GFCI PRODUCTS</b>   2ft. 12/3 SJTW Yellow Triple-Tap Adapter w/GFCI Plug  | 12        | 14.5        |
|   | 154          | GF320803 3ft. 12/3 SJTW Yellow In-Line GFCI Triple-Tap Adapter  | 8         | 11.5        |
|  | 155          | WDA5266B <b>WIRING DEVICES</b>   NEMA 5-15P, 15A-125V "Autogrip" Black Nylon Plug   | 10        | 1.7         |
|   | 156          | WDA5269B NEMA 5-15R, 15A-125V "Autogrip" Black Nylon Connector  | 10        | 2.0         |
|   | 157          | WDE0222B NEMA 5-15R, 15A-125V U-Ground Black Rubber Connector   | 10        | 1.9         |
|   | 158          | WDE1709B NEMA 5-15P, 15A-125V U-Ground Black Rubber Plug  | 10        | 1.4         |
|   | 159          | WDA515CVB NEMA 5-15R, 15A-125V Yellow PVC Straight Blade Connector  | 10        | 1.7         |
|   | 160          | WDA515PVB NEMA 5-15P, 15A-125V Yellow PVC Straight Blade Plug   | 10        | 1.5         |

**NEW** New Item

♦ Purchase-to-Order Item

◇ Christmas Item

# 2023-2024 Stock Products Catalog

| Cat # | PRIME Item # | Description | Case Pack | Case Weight |
|-------|--------------|-------------|-----------|-------------|
|-------|--------------|-------------|-----------|-------------|

## APPLIANCE & POWER SUPPLY CORDS



|     |           |  |    |     |
|-----|-----------|--|----|-----|
| 161 | DW010606J | <b>Dishwasher/Garbage Disposal</b>  <br>6ft. 16/3 SJT 105°C Black Power Supply Cord Kit | 10 | 7.5 |
|-----|-----------|--|----|-----|

### Range & Dryer Cords

|     |           |  |    |      |
|-----|-----------|--|----|------|
| 162 | RD100304  | 4ft. 10/3 SRDT Gray 30 Amp Dryer Cord *      | 10 | 12.5 |
| 163 | RD100305  | 5ft. 10/3 SRDT Gray 30 Amp Dryer Cord *      | 10 | 15.6 |
| 164 | RD100306L | 6ft. 10/3 SRDT Gray 30 Amp Dryer Cord *      | 10 | 15.6 |
| 165 | RD100404L | 4ft. 10/4 SRDT Black 30 Amp Dryer Cord       | 10 | 17.8 |
| 166 | RD100405  | 5ft. 10/4 SRDT Black 30 Amp Dryer Cord       | 8  | 16.5 |
| 167 | RD100406L | 6ft. 10/4 SRDT Black 30 Amp Dryer Cord       | 6  | 14.9 |
| 168 | RD628104  | 4ft. 6/2 & 8/1 SRDT Gray 50 Amp Range Cord * | 10 | 19.6 |
| 169 | RD628106L | 6ft. 6/2 & 8/1 SRDT Gray 50 Amp Range Cord * | 8  | 21.8 |
| 170 | RD628204L | 4ft. 6/2 & 8/2 SRDT Black 50 Amp Range Cord  | 8  | 20.8 |
| 171 | RD628205  | 5ft. 6/2 & 8/2 SRDT Black 50 Amp Range Cord  | 6  | 18.9 |
| 172 | RD628206  | 6ft. 6/2 & 8/2 SRDT Black 50 Amp Range Cord  | 5  | 17.4 |
| 173 | RD821024  | 4ft. 8/2 & 10/2 SRDT Black 40 Amp Range Cord | 6  | 11.6 |

\*No Canadian standard for 3-conductor range and dryer cords



### Air Conditioner/Major Appliance Cords

|     |           |   |    |      |
|-----|-----------|---|----|------|
| 174 | EC680503L | 3ft. 14/3 SPT-3 Gray Air Conditioner Cord | 36 | 17.7 |
| 175 | EC680506L | 6ft. 14/3 SPT-3 Gray Air Conditioner Cord | 10 | 8.4  |
| 176 | EC680509L | 9ft. 14/3 SPT-3 Gray Air Conditioner Cord | 12 | 13.7 |



### Power Supply Cords

|     |          |   |    |      |
|-----|----------|---|----|------|
| 177 | PS200603 | 3ft. 16/3 SPT-3 Gray Garbage Disposal Cord w/Straight Plug    | 30 | 9.1  |
| 178 | PS200606 | 6ft. 16/3 SPT-3 Gray Power Supply Cord w/Straight Plug        | 20 | 10.2 |
| 179 | PS210603 | 3ft. 16/3 SPT-3 Gray Garbage Disposal Cord w/Right Angle Plug | 30 | 9.1  |
| 180 | PS210606 | 6ft. 16/3 SPT-3 Gray Power Supply Cord w/Right Angle Plug     | 20 | 10.2 |
| 181 | PS005608 | 8ft. 16/2 SJT Black Replacement Power Supply Cord (Plug)      | 18 | 8.3  |
| 182 | PS020603 | 3ft. 16/3 SJT Black Replacement Power Supply Cord (Plug)      | 24 | 7.7  |
| 183 | PS010608 | 8ft. 16/3 SJT Black Replacement Power Supply Cord (Plug)      | 18 | 13.3 |
| 184 | PS010710 | 10ft. 14/3 SJT Black Replacement Power Supply Cord (Plug)     | 10 | 11.5 |
| 185 | PS010709 | 9ft. 14/3 SJE0 Black Replacement Power Supply Cord (Plug)     | 15 | 14.3 |



## INDOOR HOUSEHOLD & UTILITY CORDS

### Household Extension Cords

|     |          |                                      |    |      |
|-----|----------|--------------------------------------|----|------|
| 186 | EC660606 | 6ft. 16/2 SPT-2 White 3-Outlet Cord  | 24 | 8.3  |
| 187 | EC660609 | 9ft. 16/2 SPT-2 White 3-Outlet Cord  | 18 | 8.8  |
| 188 | EC660612 | 12ft. 16/2 SPT-2 White 3-Outlet Cord | 18 | 10.9 |
| 189 | EC660615 | 15ft. 16/2 SPT-2 White 3-Outlet Cord | 18 | 12.8 |


















**NEW** New Item

◆ Purchase-to-Order Item

◇ Christmas Item

# 2023-2024 Stock Products Catalog

|   | Cat #  | PRIME Item #                                   | Description  | Case Pack | Case Weight |
|---|--|--|--|-----------|-------------|
|    | <b>Household Extension Cords (continued)</b>   |  |  |           |             |
|   | 190  | EC670606                                       | 6ft. 16/2 SPT-2 Brown 3-Outlet Cord                                  | 24        | 8.3         |
|   | 191  | EC670609                                       | 9ft. 16/2 SPT-2 Brown 3-Outlet Cord                                  | 18        | 8.8         |
|   | 192  | EC670612                                       | 12ft. 16/2 SPT-2 Brown 3-Outlet Cord                                 | 18        | 10.9        |
|   | 193  | EC670615                                       | 15ft. 16/2 SPT-2 Brown 3-Outlet Cord                                 | 18        | 12.8        |
|   | 194  | EC810606                                       | 6ft. 16/2 SPT-2 White 6-Outlet Cord                                  | 12        | 8.5 ◆       |
|   | <b>SnugPlug® Low-Profile Extension Cords</b>   |  |  |           |             |
|   | 195  | EC920607                                       | 7ft. 16/2 SPT-2 White SnugPlug® 3-Outlet Cord                        | 18        | 7.2         |
|   | 196  | EC920613                                       | 13ft. 16/2 SPT-2 White SnugPlug® 3-Outlet Cord                       | 16        | 10.3        |
|   | 197  | EC930606                                       | 6ft. 16/3 SPT-2 White SnugPlug® 3-Outlet Cord                        | 14        | 8.2         |
| 198   | EC930610   | 10ft. 16/3 SPT-2 White SnugPlug® 3-Outlet Cord | 14   | 11.7      |             |
|    | 199  | EC930706K                                      | 6ft. 14/3 SJT White SnugPlug® 3-Outlet Office Cord                   | 14        | 13.5        |
|   | 200  | EC940606                                       | 6ft. 16/3 SPT-2 Almond SnugPlug® 3-Outlet Cord                       | 14        | 9.0         |
|   | 201  | EC940610                                       | 10ft. 16/3 SPT-2 Almond SnugPlug® 3-Outlet Cord                      | 14        | 10.9        |
|   | 202  | EC932606                                       | 6ft. 16/3 SPT-2 Black SnugPlug® 3-Outlet Cord                        | 14        | 8.2         |
|   | 203  | EC932610                                       | 10ft. 16/3 SPT-2 Black SnugPlug® 3-Outlet Cord                       | 14        | 11.7        |
|   | <b>Office Extension Cords</b>                 |  |  |           |             |
|   | 204  | EC870615                                       | 15ft. 16/2 SPT-2 White Remote Switch Cord                            | 12        | 8.8         |
|   | 205  | EC621608K                                      | 8ft. 16/3 SJT Beige 90° Triple-Tap Office Cord *                     | 8         | 8.2         |
|   | 206  | EC890609                                       | 9ft. 16/3 SJT White 3-Outlet Indoor Cord                             | 10        | 10.5        |
|   | *UL listed only  |  |  |           |             |
|  | <b>Shop &amp; Utility Extension Cords</b>   |  |  |           |             |
|   | 207  | AD010610                                       | 10ft. 16/3 SJT Orange Coiled Power Tool Cord                         | 5         | 8.6         |
|   | 208  | EC890708                                       | 8ft. 14/3 SJT Black/Orange 3-Outlet Shop Cord                        | 14        | 16.3        |
|   | 209  | EC890715                                       | 15ft. 14/3 SJT Black/Orange 3-Outlet Shop Cord                       | 8         | 12.5        |
|   | 210  | EC840603                                       | 3ft. 16/3 SPT-2 Yellow 3-Outlet Utility Cord                         | 18        | 6.7         |
|   | 211  | EC820608                                       | 8ft. 16/3 SPT-2 White 3-Outlet Utility Cord                          | 20        | 14.6        |
|   | 212  | EC850608                                       | 8ft. 16/3 SPT-2 Brown 3-Outlet Utility Cord                          | 20        | 14.6        |
|   | 213  | EC102825                                       | 25ft. Style 12, SPT-3, 3-Conductor, Black w/Blue Ends *              | 24        | 57.6        |
|   | *Not UL listed, but manufactured to accepted industry standards  |  |  |           |             |
|  | <b>Accent Fabric Extension Cords</b>        |  |  |           |             |
|   | 214  | FC922609                                       | 9ft. 16/2 SPT-2 Midnight Black Fabric Cord w/Right Angle Plug        | 9         | 5.0         |
|   | 215  | FC926609                                       | 9ft. 16/2 SPT-2 Cool Gray Fabric Cord w/Right Angle Plug             | 9         | 5.0         |
|   | 216  | PBUF0001                                       | 2-Outlet 2 USB 2.1A Black Power Strip w/6ft. Black/White Fabric Cord | 12        | 9.3         |
|   | 217  | PBUF0002                                       | 2-Outlet 2 USB 2.1A White Power Strip w/6ft. Gray/White Fabric Cord  | 12        | 9.3         |

**NEW** New Item

◆ Purchase-to-Order Item

◇ Christmas Item

# 2023-2024 Stock Products Catalog

| Cat # | PRIME Item # | Description | Case Pack | Case Weight |
|-------|--------------|-------------|-----------|-------------|
|-------|--------------|-------------|-----------|-------------|

## POWER TAPS & ELECTRICAL ADAPTERS



|     |          |  |    |     |
|-----|----------|--|----|-----|
| 218 | PBAD0100 | 3-Outlet Yellow Power Tap                                | 16 | 5.6 |
| 219 | PBAD0200 | 90° 3-Outlet Yellow Power Tap                            | 16 | 4.7 |
| 220 | PBAD3200 | 2-Pack, 3-to-2 Gray Grounding Adapter *                  | 12 | 2.1 |
| 221 | PBADP320 | 3-to-2 Grounding Adapter w/Primelight® Indicator Light * | 10 | 1.7 |

\*US listed only

## MULTI-OUTLET STRIPS & SURGE PROTECTORS

### Multiple Outlet Taps



|     |          |   |   |     |
|-----|----------|---|---|-----|
| 222 | PBES001  | 1-Outlet White Energy Saver Tap w/Switch                            | 8 | 2.3 |
| 223 | PBUSB242 | 2-Outlet 2-USB 2.4A White Power Tap                                 | 8 | 3.4 |
| 224 | PBUC013  | 2-Outlet 1 USB-C 15W & 1 USB-A 3.1A White Power Tap                 | 6 | 3.1 |
| 225 | PBUWC01  | 2-Outlet 2 USB-A 2.4A White Power Tap w/ 10A Wireless Qi Charger    | 8 | 6.7 |
| 226 | PBUSB340 | 2-USB 3.4A White Charger w/Folding Plug                             | 8 | 1.3 |
| 227 | PBADL101 | 3-Outlet White Power Tap w/Photocell Nightlight                     | 8 | 6.6 |
| 228 | PB101100 | 3-Outlet White Swivel Power Tap                                     | 8 | 4.4 |
| 229 | PBPHU345 | 5-Outlet Black/Yellow Power Hub 2 USB 3.4A *                        | 6 | 8.3 |
| 230 | PBWTU345 | 5-Outlet Black/Yellow Workshop Tap 2 USB 3.4A w/Stabilizing Screw * | 6 | 4.6 |
| 231 | PBFSTAP  | 4-Outlet White Power Tap w/Remote Foot Switch *                     | 6 | 6.9 |
| 232 | PB801011 | 6-Outlet White Power Tap *  | 8 | 2.5 |
| 233 | PB801020 | 6-Outlet White Space Saver Power Tap *                              | 8 | 3.0 |
| 234 | PB801105 | 6-Outlet White Power Tap w/Photocell Nightlight *                   | 8 | 4.0 |

\*US listed only

### Multiple Outlet Strips



|     |          |  |    |      |
|-----|----------|--|----|------|
| 235 | PB801118 | 6-Outlet White Power Strip w/18in. Cord & Straight Plug    | 12 | 8.2  |
| 236 | PB801124 | 6-Outlet White Power Strip w/3ft. Cord & Flat Plug         | 12 | 10.0 |
| 237 | PB8100X2 | 2-Pack, 6-Outlet White Power Strip w/3ft. Cord & Flat Plug | 12 | 19.6 |
| 238 | PB922009 | 6-Outlet Black Power Strip w/3ft. Cord & Flat Plug         | 12 | 10.0 |
| 239 | PB801115 | 6-Outlet White Power Strip w/8ft. Cord & Flat Plug         | 8  | 11.5 |

### Workshop Power



|     |          |  |   |      |
|-----|----------|--|---|------|
| 240 | PB801120 | 6-Outlet Black Metal Power Strip w/10ft. Cord & Flat Plug                | 8 | 20.2 |
| 241 | PB801123 | 6-Outlet Black Metal Strip w/3ft. Cord & Flat Plug                       | 8 | 13.2 |
| 242 | PB801130 | 8-Outlet Black/Yellow Power Block w/6ft. Cord, Straight Plug & Cord Wrap | 6 | 16.0 |
| 243 | PB800012 | 12-Outlet Black 4ft. Power Strip w/6ft. Cord & Straight Plug             | 6 | 25.9 |
| 244 | PB802135 | 6-Outlet 1150J Metal Black Surge Protector w/15ft. Cord & Flat Plug      | 4 | 13.4 |

### General Purpose Surge Taps

|     |          |   |   |     |
|-----|----------|---|---|-----|
| 245 | PB802105 | 1-Outlet 900J White Surge Tap w/Audible Alarm | 8 | 3.2 |
| 246 | PB802155 | 5-Outlet 900J White Surge Tap                 | 8 | 4.6 |

### General Purpose Surge Protectors



















|     |          |  |    |      |
|-----|----------|--|----|------|
| 247 | PB802013 | 6-Outlet 400J White/Gray Surge Protector w/18in. Cord & Straight Plug    | 12 | 9.8  |
| 248 | PB2013X2 | 2-Pack, 6-Outlet 400J White Surge Protector w/18in. Cord & Straight Plug | 12 | 18.2 |
| 249 | PB802124 | 6-Outlet 750J White/Gray Surge Protector w/3ft. Cord & Straight Plug     | 12 | 9.8  |
| 250 | PB802225 | 6-Outlet 1000J Black Surge Protector w/4ft. Cord & Flat Plug             | 12 | 13.0 |
| 251 | PB802126 | 6-Outlet 1000J White/Gray Surge Protector w/8ft. Cord & Flat Plug        | 8  | 12.6 |

**NEW** New Item

◆ Purchase-to-Order Item

◇ Christmas Item

# 2023-2024 Stock Products Catalog




















| Cat #  | PRIME Item #   | Description   | Case Pack  | Case Weight |      |
|--|--|---|--|-------------|------|
| <b>Multimedia Surge Protectors</b>   |  |   |  |             |      |
|   | 252  | PBUSB241S 1-Outlet 1 USB-A 2.4A 150J White Surge Protector  | 8  | 2.4         |      |
|  | 253  | PBUSB342S 2-Outlet 2 USB-A 3.4A 450J White Surge Protector  | 8  | 3.4         |      |
|  | 254  | PBSU061 3-Outlet 2 USB-A 2.4A 300J White Surge Protector w/ 2.5ft Cord  | 8  | 5.4         |      |
|  | 255  | PBUSB343S 3-Outlet 2 USB-A 3.4A 950J White Surge Protector  | 8  | 4.1         |      |
|  | 256  | PBUSB346S 6-Outlet 2 USB-A 3.4A 1200J White Surge Protector   | 8  | 3.6         |      |
|  | 257  | PBRUSB346S 6-Outlet 2 USB-A 3.4A 1200J White Surge Protector w/3 Rotating Outlets                                 | 8  | 7.7         |      |
|  | 258  | PB505104 4-Outlet 2 USB-A 2.1A 1200J White/Gray Surge Protector w/4ft. Cord                                       | 4  | 5.7         |      |
|  | 259  | PB525106 6-Outlet 2 USB-A 2.4A 1800J White/Gray Surge Protector w/4ft. Cord                                       | 4  | 6.1         |      |
|  | 260  | PB523120 8-Outlet 2 USB-A 2.1A 2400J White/Gray Surge Protector w/6ft. Cord                                       | 2  | 3.9         |      |
|  | 261  | PB523118 8-Outlet 2 USB-A 2.1A 3600J Black Surge Protector w/Coax, Modem & 6ft. Cord                              | 2  | 5.4         |      |
|  | 262  | PB504142 12-Outlet 2 USB-A 2.1A 4200J Black Surge Protector w/Coax, Modem & 6ft. Cord                             | 2  | 6.4         |      |
|   | <b>TIMERS &amp; REMOTE CONTROLS</b>  |   |  |             |      |
| <b>Indoor Timers</b>                   |  |   |  |             |      |
|  | 263  | TNI24111 1-Outlet White 24-Hour 2-Conductor Timer w/EZ Access Plug  | 12   | 5.3         |      |
|  | 264  | TNI2412 1-Outlet White 24-Hour 2-Conductor Timer  | 6  | 5.5         |      |
|  | 265  | TNINL2412 1-Outlet White 24-Hour 3-Conductor Timer w/Photocell Nightlight   | 6  | 4.3         |      |
|  | 266  | TNI2423 2-Outlet White 24-Hour 3-Conductor Timer  | 6  | 4.3         |      |
|  | 267  | TNIDEZ1 1-Outlet White Indoor Digital 24-Hour Timer   | 8  | 3.2         |      |
|  | 268  | TNIDP12 1-Outlet White EZ-Set 24-Hour Digital Indoor Timer  | 6  | 3.4         |      |
|  | 269  | TND002 1-Outlet White 7-Day Digital Timer, 2-Conductor w/8 Settings   | 4  | 2.2         |      |
|  | 270  | TNDHD002 2-Outlet White 7-Day Digital 3-Conductor Timer w/16 Settings   | 4  | 3.3         |      |
|  | 271  | TNIW060WSA In-Wall Manual Countdown Timer, 3 Faceplates (White, Metal & Almond) & 3 Knobs (White, Black & Almond) | 4  | 2.6         |      |
|  | 272  | TNDIWA7D2W In-Wall Astronomic Timer   | 4  | 2.1         |      |
|    | <b>Outdoor Timers</b>    |   |  |             |      |
|  | 273  | TNO24111 2-Outlet Black 24-Hour Timer   | 4  | 4.9         |      |
|  | 274  | TNOC002 2-Outlet Black Manual Countdown Timer   | 4  | 4.1         |      |
|  | 275  | TNODP23 2-Outlet Black EZ-Set 24-Hour Digital Outdoor Timer   | 6  | 5.2         |      |
|  | 276  | TNOLED02 2-Outlet Black LED Countdown Timer w/Photocell   | 4  | 4.0         |      |
|  | 277  | TNRCOCD2 2-Outlet Black Remote Controlled Countdown Timer w/Touch-Sensor Control & Photocell                      | 8  | 7.0         |      |
|   |  | 278   | TNCDTSTK6 6-Outlet Green Power Stake w/Touch-Sensor Countdown Timer, Photocell & 6ft. Cord | 6           | 11.4 |
|   | <b>Remote Controls</b>   |   |  |             |      |
|  | 279  | TNRC21 2-Outlet White Indoor Wireless Remote Control  | 4  | 3.2         |      |
|  | 280  | TNOREM02 2-Outlet Black Outdoor Wireless Remote Control   | 4  | 3.1         |      |
|   | <b>WI-FI CONTROLS</b>    |   |  |             |      |
|  | 281  | RCWFII11 1-Outlet White Mini Wi-Fi Control  | 4  | 1.5         |      |
|  | 282  | RCWFIO 2-Outlet Black Outdoor Wi-Fi Control   | 4  | 2.3         |      |
|  | 283  | RCWFIRC01 Wi-Fi Controlled White In-Wall Receptacle (1 Always On, 1 Wi-Fi Controlled)                             | 4  | 1.8         |      |
|  | 284  | RCWFCDTSTK6 6-Outlet Green Outdoor Wi-Fi Smart Power Stake w/6ft. 14/3 SJTW Cord                                  | 4  | 7.0         |      |

**NEW** New Item

◆ Purchase-to-Order Item

◇ Christmas Item

# 2023-2024 Stock Products Catalog








| Cat #  | PRIME Item #   | Description   | Case Pack | Case Weight |
|--|--|---|-----------|-------------|
|   | <b>LIGHT SOCKET CONTROLS</b>                         |   |           |             |
| 285  | PCAC311  | 3-Pack Candelabra Base Photocell Adapter Dusk to Dawn Light Control (White)           | 6         | 1.3         |
|   | <b>NIGHT LIGHTS</b>  |   |           |             |
| 286  | NLAE33   | Photocell Activated LED Night Light   | 6         | 1.7         |
| 287  | NLAE332P   | 2-Pack Photocell Activated LED Night Light  | 6         | 2.4         |
| 288  | NLAE334P   | 4-Pack Photocell Activated LED Night Light  | 6         | 4.1         |
| 289  | NLAR2P   | 2-Pack Photocell Activated LED Rotating Night Light                                   | 6         | 2.0         |
| 290  | NLAT1  | Photocell Activated LED Pathway Night Light   | 6         | 1.8         |
| 291  | NFL2P  | 2-Pack Flat Panel LED Night Light   | 6         | 2.3         |
| 292  | NLFS2P   | 2-Pack Flat Panel EL Night Light  | 6         | 1.3         |
| 293  | NLPS   | Decorative LED Prism Night Light  | 6         | 1.4         |
|   | <b>Utility</b>                                       |   |           |             |
| 294  | NPLES2P  | 2-Pack Battery Operated LED Push Light *  | 6         | 3.5         |
| 295  | NLUTL1   | Battery Operated LED Utility Light *  | 6         | 2.7         |
| *Not UL listed, but manufactured to accepted industry standards  |  |   |           |             |
|    | <b>LIGHTING PRODUCTS</b>   |   |           |             |
| <b>Clamp Lamps</b>   |  |   |           |             |
| 296  | CL060506   | 6ft. 18/2 SPT-2 60 Watt 5½ in. Clamp Lamp   | 6         | 7.8         |
| 297  | CL060506B  | 6ft. 18/2 SPT-2 60 Watt 5½ in. Clamp Lamp (bulk pack)                                 | 6         | 7.6         |
| 298  | CL050506   | 6ft. 18/2 SPT-2 100 Watt 8½ in. Clamp Lamp  | 6         | 9.2         |
| 299  | CL050506B  | 6ft. 18/2 SPT-2 100 Watt 8½ in. Clamp Lamp (bulk pack)                                | 6         | 7.6         |
| 300  | BL081506   | 6ft. 18/2 SPT 250 Watt 10in. Brooder/Heat Lamp w/Clamp                                | 4         | 8.2         |
|   | <b>Work Lights</b>                               |   |           |             |
| 301  | TL098506   | 6ft. 18/2 SPT Yellow w/Plastic Guard  | 6         | 7.0         |
| 302  | TL010606   | 6ft. 16/3 SPT Yellow w/ Metal Guard   | 6         | 8.7         |
| 303  | TL010625   | 25ft. 16/3 SPT Yellow w/Metal Guard & Convenience Outlet                              | 6         | 16.1        |
| 304  | TL010630   | 50ft. 16/3 SPT Yellow w/Metal Guard & Convenience Outlet                              | 6         | 28.6        |
|   | <b>LED Work Lights</b>                           |   |           |             |
| 305  | TLLED48606   | 48 LED Yellow Work Light w/6ft. 16/3 SPT Cord   | 6         | 12.1        |
| 306  | LEDRS01  | 1000 Lumen Rechargeable LED Red Work Light w/Adjustable Stand & AC/DC Charging Cables | 6         | 28.6        |
| 307  | LEDWLS03   | 3600 Lumen Red LED Work Light w/H-base and 5ft. 18/3 Cord                             | 4         | 15.5        |
| 308  | LEDWLS06   | 6000 Lumen Red LED Work Light w/H-base and 5ft. 18/3 Cord                             | 4         | 21.4        |
|   | <b>FLEXZILLA® LED Work Lights*</b>   <b>NEW</b> |   |           |             |
| 309  | FZLEDS02   | 2000 Lumen Flexzilla Green LED Work Light w/Adjustable Stand <b>NEW</b> 18/3 Cord     | 6         | 28.5        |
| 310  | FZLEDS03   | 3000 Lumen Flexzilla Green LED Work Light w/Adjustable Stand & 6ft. 18/3 Cord         | 4         | 22.7        |
| 311  | FZLSLED03  | 50ft. 8000 Lumen Flexzilla Green LED String Light                                     | 4         | 23.7        |
| *Flexzilla is a registered trademark of Weems Industries, Inc.   |  |   |           |             |

**NEW** New Item

◆ Purchase-to-Order Item

◇ Christmas Item

# 2023-2024 Stock Products Catalog











| Cat #   | PRIME Item # | Description  | Case Pack | Case Weight |
|---|--------------|--|-----------|-------------|
| <b>LED Specialty Lights</b>   |              |  |           |             |
| 312   | LEDRFHH01    | 600 Lumen Yellow/Black Folding Rechargeable LED Hand Held Work Light, 4 Magnets, Swiveling Hang Hook * | 12        | 15.1        |
| 313   | LEDHL01      | 8 LED Silver Head Lamp w/3 Settings *  | 6         | 4.2         |
| *Not UL listed, but manufactured to accepted industry standards   |              |  |           |             |
| <b>Temporary Light Strings w/Plastic Cages</b>        |              |  |           |             |
| 314   | LSUG2830     | 50ft. 12/3 SJTW Yellow 5-Light U-Ground Light String *   | 1         | 9.4         |
| 315   | LSUG2835     | 100ft. 12/3 SJTW Yellow 5-Light U-Ground Light String *  | 1         | 17.4        |
| 316   | LSTL7830     | 50ft. 12/3 SJTW Yellow 10-Light Twist-to-Lock String Light *   | 1         | 9.4 ♦       |
| 317   | LSTL7835     | 100ft. 12/3 SJTW Yellow 10-Light Twist-to-Lock String Light *  | 1         | 17.9 ♦      |
| 318   | LSUG1830     | 50ft. 12/3 STW Yellow 5-Light U-Ground Light String **   | 1         | 13.0 ♦      |
| 319   | LSUG1835     | 100ft. 12/3 STW Yellow 5-Light U-Ground Light String **  | 1         | 26.5 ♦      |
| 320   | LSTL5835     | 100ft. 12/3 STW Yellow 10-Light Twist-to-Lock String Light **  | 1         | 23.3 ♦      |
| 321   | LSCP1400     | Plastic Yellow Replacement Guard w/Screws  | 20        | 3.9         |
| <b>Temporary Light Strings w/Dipped Metal Cages</b>   |              |  |           |             |
| 322   | LSUGM835     | 100ft. 12/3 SJTW Yellow 5-Light U-Ground Light String *  | 1         | 20.5        |
| 323   | LSUGM1835    | 100ft. 12/3 STW Yellow 5-Light U-Ground Light String **  | 1         | 27.9        |
| 324   | LSCD1500     | Dipped Metal Replacement Guard w/Screws  | 10        | 3.4         |
| *No Canadian standard for SJTW Light Strings<br>**Ships from Canadian warehouse   |              |  |           |             |
| <b>Outdoor Floodlight Holder</b>    |              |  |           |             |
| 325   | FLH10506     | 6ft. 18/2 SJTW Green 150 Watt Floodlight Holder  | 8         | 6.7         |
| <b>CORD REELS &amp; CORD STORAGE ACCESSORIES</b>   |              |  |           |             |
| 326   | CA002000     | Plastic Orange Cord Winder *   | 12        | 5.0         |
| 327   | CR002002     | Plastic Orange Cord Storage Reel *   | 6         | 8.5         |
| 328   | CR003002     | Plastic Orange Cord Storage Reel w/Stand *   | 6         | 13.9        |
| 329   | CR003000     | Black Cord Storage Reel w/Metal Stand *  | 4         | 11.0        |
| 330   | CR220625     | 25ft. 16/3 SJT Yellow Cord Caddy w/4-Outlets   | 6         | 24.4        |
| 331   | CR211625     | 25ft. 16/3 SJT Yellow Metal Cord Reel w/Triple-Tap & Circuit Breaker                                   | 3         | 25.1        |
| *Not UL listed, but manufactured to accepted industry standards.  |              |  |           |             |
| <b>BATTERY BOOSTER CABLES</b>   |              |  |           |             |
| 332   | BCCB11812    | 12ft. 8/2 TPE Black/Red Battery Booster Cable w/Alligator Clamps *                                     | 10        | 30.0        |
| 333   | BCCB30416    | 16ft. 4 Gauge Black/Red Battery Booster Cable w/Parrot Jaw Clamps                                      | 4         | 24.5        |
| *Not UL listed, but manufactured to accepted industry standards.  |              |  |           |             |

**NEW** New Item

♦ Purchase-to-Order Item

◇ Christmas Item

# 2023-2024 Stock Products Catalog

| Cat #   | PRIME Item #                                   | Description   | Case Pack | Case Weight |
|---|--|---|-----------|-------------|
| <b>HOLIDAY SPECIALTY PRODUCTS</b>   |  |   |           |             |
| <b>Indoor Extension Cords</b>     |  |   |           |             |
|    | 334 FSL780609                                  | 9ft. 16/2 SPT-2 Green 3-Outlet Cord w/Lighted Footswitch                          | 6         | 4.5 ◇       |
|   | 335 FSL782609                                  | 9ft. 16/2 SPT-2 Black 3-Outlet Cord w/Lighted Footswitch                          | 6         | 4.5 ◇       |
|   | 336 EC895609                                   | 9ft. 16/3 SJT Green 3-Outlet Cord   | 10        | 10.7 ◇      |
|   | 337 EC780609                                   | 9ft. 16/2 SPT-2 Green 3-Outlet Cord   | 18        | 8.5 ◇       |
|   | 338 EC780615                                   | 15ft. 16/2 SPT-2 Green 3-Outlet Cord  | 18        | 12.6 ◇      |
|   | *UL listed only                                |   |           |             |
| <b>Outdoor Extension Cords</b>    |  |   |           |             |
|   | 339 AD190723                                   | 23ft. 14/3 STW Green 3-Outlet "W" Cord  | 4         | 24.8 ◇      |
|   | 340 ECI615725                                  | 25ft. 14/3 STW Green 3-Outlet (Two In-Line Outlets)                               | 4         | 21.8 ◇      |
|   | 341 EC485625                                   | 25ft. 16/2 SJTW Green *   | 12        | 22.7 ◇      |
|   | 342 EC485630                                   | 50ft. 16/2 SJTW Green *   | 8         | 24.3 ◇      |
|   | 343 EC880609                                   | 9ft. 16/3 SJTW Green  | 12        | 10.9 ◇      |
|   | 344 EC883609                                   | 9ft. 16/3 SJTW White  | 12        | 10.9 ◇      |
|   | 345 ECY930620                                  | 20ft. 16/3 SJTW White "Y" 2-Outlet  | 4         | 8.2 ◇       |
|   | 346 ECY970620                                  | 20ft. 16/3 SJTW Brown "Y" 2-Outlet  | 4         | 8.2 ◇       |
|   | 347 ECY980620                                  | 20ft. 16/3 SJTW Green "Y" 2-Outlet  | 4         | 8.2 ◇       |
|   | 348 ECY605625                                  | 25ft. 16/3 SJTW Green EZ-Pull Triple-Tap  | 6         | 12.8 ◇      |
|   | 349 ECY605627                                  | 35ft. 16/3 SJTW Green EZ-Pull Triple-Tap  | 4         | 13.3 ◇      |
|   | 350 ECY603627                                  | 35ft. 16/3 SJTW White EZ-Pull Triple-Tap  | 4         | 13.3 ◇      |
|    | 351 EC605608                                   | 8ft. 16/3 SJTW Green Triple-Tap   | 12        | 14.7 ◇      |
|   | 352 EC603627                                   | 35ft. 16/3 SJTW White Triple-Tap  | 4         | 13.3 ◇      |
|   | *Only 3-conductor cords meet OSHA requirements |   |           |             |
| <b>Power Adapters</b>   |  |   |           |             |
|   | 353 AD025000B                                  | 3-Outlet Green Indoor/Outdoor 90° Power Block Adapter (bulk)                      | 24        | 5.3 ◇       |
| <b>Power Stakes</b>   |  |   |           |             |
|    | 354 PB801116                                   | 3-Outlet Green Power Stake w/6ft. 14/3 SJTW Cord & Outlet Covers                  | 6         | 8.1 ◇       |
|   | 355 PB8CB003                                   | 3-Outlet Green Power Stake w/6ft. 14/3 SJTW Cord, Circuit Breaker & Outlet Covers | 4         | 4.9 ◇       |

**NEW** New Item

◆ Purchase-to-Order Item

◇ Christmas Item



# PRIME® UPC Code Index

| ITEM NUMBER | UPC CODE        | PAGE # | CAT # | Master Carton Dims |      |      |
|-------------|-----------------|--------|-------|--------------------|------|------|
|             |                 |        |       | D                  | W    | H    |
| AD010610    | 0 54732 50025 3 | 11     | 207   | 15.3               | 8.3  | 11.8 |
| AD025000B   | 0 54732 10973 9 | 17     | 353   | 6.0                | 10.3 | 6.6  |
| AD050802    | 0 54732 20097 9 | 5      | 20    | 14.4               | 5.5  | 8.3  |
| AD050802AD  | 0 54732 83336 8 | 5      | 11    | 5.6                | 14.5 | 8.3  |
| AD060802    | 0 54732 20098 6 | 5      | 17    | 14.4               | 5.5  | 8.3  |
| AD100801L   | 0 54732 20099 3 | 5      | 15    | 14.4               | 5.3  | 9.7  |
| AD110801L   | 0 54732 20100 6 | 5      | 16    | 14.4               | 5.3  | 9.7  |
| AD150802    | 0 54732 20101 3 | 5      | 21    | 18.6               | 7.6  | 7.2  |
| AD160802L   | 0 54732 20102 0 | 5      | 22    | 19.3               | 7.2  | 9.8  |
| AD180802    | 0 54732 20092 4 | 5      | 18    | 18.6               | 7.6  | 7.2  |
| AD190723    | 0 54732 81534 0 | 17     | 339   | 12.5               | 13.4 | 13.3 |
| AD190802L   | 0 54732 20093 1 | 5      | 19    | 19.5               | 8.0  | 6.1  |
| BCCB11812   | 0 54732 81504 3 | 16     | 332   | 21.5               | 11.0 | 14.9 |
| BCCB30416   | 0 54732 82297 3 | 16     | 333   | 13.2               | 12.7 | 13.2 |
| BL081506    | 0 54732 82723 7 | 14     | 300   | 22.3               | 13.7 | 11.2 |
| CA002000    | 0 54732 40225 0 | 15     | 326   | 19.7               | 5.3  | 9.7  |
| CB614725    | 0 54732 19029 4 | 7      | 76    | 15.1               | 12.0 | 7.5  |
| CB614730    | 0 54732 19030 0 | 7      | 77    | 15.4               | 14.6 | 7.6  |
| CB614735    | 0 54732 19031 7 | 7      | 78    | 16.4               | 13.0 | 9.7  |
| CL050506    | 0 54732 30104 1 | 14     | 298   | 11.5               | 18.8 | 10.3 |
| CL050506B   | 0 54732 82555 4 | 14     | 299   | 18.4               | 18.0 | 8.7  |
| CL060506    | 0 54732 30065 5 | 14     | 296   | 11.8               | 15.8 | 8.8  |
| CL060506B   | 0 54732 10866 4 | 14     | 297   | 15.5               | 14.1 | 10.8 |
| CR002002    | 0 54732 10851 0 | 15     | 327   | 22.7               | 15.0 | 12.3 |
| CR003000    | 0 54732 40226 7 | 15     | 329   | 15.0               | 20.3 | 14.4 |
| CR003002    | 0 54732 82312 3 | 15     | 328   | 22.5               | 25.7 | 14.7 |
| CR211625    | 0 54732 82578 3 | 15     | 331   | 14.9               | 11.5 | 13.0 |
| CR220625    | 0 54732 50134 2 | 15     | 330   | 18.5               | 12.0 | 11.7 |
| CW511615    | 0 54732 40043 0 | 6      | 43    | 13.9               | 7.5  | 9.7  |
| CW511625    | 0 54732 40044 7 | 6      | 44    | 12.7               | 11.0 | 9.7  |
| CW511630    | 0 54732 40045 4 | 6      | 45    | 14.9               | 13.0 | 10.7 |
| CW511635    | 0 54732 40046 1 | 6      | 46    | 16.4               | 15.5 | 8.9  |
| CW511725    | 0 54732 40040 9 | 6      | 47    | 14.4               | 12.5 | 7.2  |
| CW511730    | 0 54732 40041 6 | 6      | 48    | 15.2               | 15.3 | 9.7  |
| CW511735    | 0 54732 40042 3 | 6      | 49    | 16.2               | 12.3 | 9.2  |
| CW511825    | 0 54732 40037 9 | 6      | 50    | 14.4               | 13.5 | 8.7  |
| CW511830    | 0 54732 40038 6 | 6      | 51    | 16.4               | 13.5 | 8.2  |
| CW511835    | 0 54732 40039 3 | 6      | 52    | 16.9               | 10.0 | 9.8  |
| DW010606J   | 0 54732 82254 6 | 10     | 161   | 11.8               | 11.1 | 5.6  |
| EC102825    | 0 54732 80481 8 | 11     | 213   | 19.5               | 13.5 | 9.8  |
| EC481625    | 0 54732 20039 9 | 8      | 105   | 12.9               | 11.0 | 9.7  |
| EC481630    | 0 54732 20040 5 | 8      | 106   | 14.4               | 12.6 | 8.7  |
| EC481635    | 0 54732 20041 2 | 8      | 107   | 15.9               | 12.8 | 10.3 |
| EC485625    | 0 54732 20053 5 | 17     | 341   | 12.9               | 11.0 | 9.7  |
| EC485630    | 0 54732 20054 2 | 17     | 342   | 14.4               | 12.6 | 8.7  |

| ITEM NUMBER | UPC CODE        | PAGE # | CAT # | Master Carton Dims |      |      |
|-------------|-----------------|--------|-------|--------------------|------|------|
|             |                 |        |       | D                  | W    | H    |
| EC500825    | 0 54732 10018 7 | 8      | 116   | 14.4               | 13.5 | 8.7  |
| EC500830    | 0 54732 10019 4 | 8      | 117   | 16.4               | 13.5 | 8.2  |
| EC500835    | 0 54732 10020 0 | 8      | 118   | 16.9               | 10.0 | 9.8  |
| EC501610    | 0 54732 10000 2 | 8      | 108   | 12.4               | 7.0  | 8.4  |
| EC501615    | 0 54732 81632 3 | 8      | 109   | 12.5               | 7.3  | 9.4  |
| EC501625    | 0 54732 10006 4 | 8      | 110   | 12.7               | 11.0 | 9.7  |
| EC501630    | 0 54732 10007 1 | 8      | 111   | 14.9               | 13.0 | 10.7 |
| EC501635    | 0 54732 10008 8 | 8      | 112   | 16.4               | 15.5 | 8.9  |
| EC501725    | 0 54732 10012 5 | 8      | 113   | 14.4               | 11.5 | 7.2  |
| EC501730    | 0 54732 10013 2 | 8      | 114   | 15.9               | 14.5 | 8.7  |
| EC501735    | 0 54732 10014 9 | 8      | 115   | 15.6               | 13.0 | 9.9  |
| EC502608    | 0 54732 10090 3 | 8      | 103   | 15.4               | 6.0  | 11.7 |
| EC502615    | 0 54732 10091 0 | 8      | 104   | 13.4               | 7.8  | 9.1  |
| EC511825    | 0 54732 80599 0 | 8      | 119   | 14.4               | 13.5 | 8.7  |
| EC511830    | 0 54732 10849 7 | 8      | 120   | 16.4               | 13.5 | 8.2  |
| EC511835    | 0 54732 10850 3 | 8      | 121   | 16.9               | 10.0 | 9.8  |
| EC511930    | 0 54732 82932 3 | 8      | 122   | 18.6               | 12.9 | 14.1 |
| EC511935    | 0 54732 82933 0 | 8      | 123   | 17.1               | 11.5 | 15.0 |
| EC532725    | 0 54732 10830 5 | 7      | 79    | 13.4               | 6.5  | 10.9 |
| EC532730    | 0 54732 10831 2 | 7      | 80    | 15.4               | 14.2 | 7.0  |
| EC600725K   | 0 54732 60092 2 | 9      | 136   | 15.1               | 12.0 | 9.2  |
| EC600825    | 0 54732 10077 4 | 9      | 137   | 15.7               | 14.0 | 8.7  |
| EC600830    | 0 54732 10078 1 | 9      | 138   | 16.4               | 13.5 | 8.2  |
| EC600835    | 0 54732 10079 8 | 9      | 139   | 16.9               | 10.0 | 9.8  |
| EC603627    | 0 54732 10923 4 | 17     | 352   | 14.2               | 6.8  | 8.7  |
| EC605608    | 0 54732 81210 3 | 17     | 351   | 12.4               | 10.0 | 9.7  |
| EC605627    | 0 54732 10924 1 | 7      | 97    | 14.2               | 6.8  | 8.7  |
| EC611825    | 0 54732 81986 7 | 9      | 140   | 15.7               | 14.0 | 8.7  |
| EC611825AD  | 0 54732 83458 7 | 5      | 12    | 13.6               | 13.8 | 9.3  |
| EC611830    | 0 54732 10950 0 | 9      | 141   | 16.4               | 13.5 | 8.2  |
| EC611830AD  | 0 54732 83388 7 | 5      | 13    | 16.6               | 13.6 | 8.3  |
| EC611835    | 0 54732 10951 7 | 9      | 142   | 16.9               | 10.0 | 9.8  |
| EC611835AD  | 0 54732 83389 4 | 5      | 14    | 17.3               | 10.1 | 9.9  |
| EC621608K   | 0 54732 60034 2 | 11     | 205   | 14.1               | 6.9  | 5.9  |
| EC660606    | 0 54732 10181 8 | 10     | 186   | 11.6               | 6.6  | 7.7  |
| EC660609    | 0 54732 10182 5 | 10     | 187   | 9.5                | 7.0  | 7.7  |
| EC660612    | 0 54732 10036 1 | 10     | 188   | 10.8               | 6.9  | 8.7  |
| EC660615    | 0 54732 10037 8 | 10     | 189   | 10.8               | 7.6  | 8.7  |
| EC670606    | 0 54732 10038 5 | 11     | 190   | 11.6               | 6.6  | 7.7  |
| EC670609    | 0 54732 10039 2 | 11     | 191   | 9.5                | 7.0  | 7.7  |
| EC670612    | 0 54732 10040 8 | 11     | 192   | 10.8               | 6.9  | 8.7  |
| EC670615    | 0 54732 10041 5 | 11     | 193   | 10.8               | 7.6  | 8.7  |
| EC680503L   | 0 54732 20036 8 | 10     | 174   | 14.1               | 8.5  | 10.3 |
| EC680506L   | 0 54732 10092 7 | 10     | 175   | 9.4                | 6.2  | 8.7  |
| EC680509L   | 0 54732 10093 4 | 10     | 176   | 14.1               | 8.3  | 7.5  |

# PRIME® UPC Code Index

| ITEM NUMBER | UPC CODE        | PAGE # | CAT # | Master Carton Dims |      |      |
|-------------|-----------------|--------|-------|--------------------|------|------|
|             |                 |        |       | D                  | W    | H    |
| EC730830    | 0 54732 10914 2 | 9      | 143   | 15.4               | 13.4 | 8.2  |
| EC730835    | 0 54732 10915 9 | 9      | 144   | 16.9               | 10.0 | 9.8  |
| EC780609    | 0 54732 10829 9 | 17     | 337   | 12.1               | 6.0  | 7.6  |
| EC780615    | 0 54732 10278 5 | 17     | 338   | 12.4               | 6.5  | 8.7  |
| EC810606    | 0 54732 10292 1 | 11     | 194   | 10.8               | 6.5  | 7.5  |
| EC820608    | 0 54732 10283 9 | 11     | 211   | 15.1               | 6.2  | 9.1  |
| EC840603    | 0 54732 10282 2 | 11     | 210   | 9.9                | 7.4  | 7.4  |
| EC850608    | 0 54732 10285 3 | 11     | 212   | 15.1               | 6.2  | 9.1  |
| EC870615    | 0 54732 10284 6 | 11     | 204   | 10.4               | 6.7  | 7.9  |
| EC880606    | 0 54732 10835 0 | 7      | 89    | 10.4               | 7.2  | 6.7  |
| EC880609    | 0 54732 10837 4 | 17     | 343   | 12.4               | 9.0  | 8.5  |
| EC880612    | 0 54732 10839 8 | 7      | 90    | 13.4               | 9.0  | 8.5  |
| EC880615    | 0 54732 10964 7 | 7      | 91    | 13.5               | 7.5  | 8.9  |
| EC880625    | 0 54732 10287 7 | 7      | 92    | 13.4               | 11.0 | 9.7  |
| EC880627    | 0 54732 10295 2 | 7      | 93    | 12.9               | 12.3 | 8.7  |
| EC880628    | 0 54732 10256 3 | 7      | 94    | 13.9               | 13.0 | 8.7  |
| EC880633    | 0 54732 10257 0 | 7      | 95    | 14.4               | 14.6 | 8.2  |
| EC883606    | 0 54732 10836 7 | 8      | 98    | 10.4               | 7.2  | 6.7  |
| EC883609    | 0 54732 10838 1 | 17     | 344   | 12.4               | 9.0  | 8.5  |
| EC883612    | 0 54732 10840 4 | 8      | 99    | 13.4               | 9.0  | 8.5  |
| EC883615    | 0 54732 81004 8 | 8      | 100   | 13.4               | 7.7  | 8.8  |
| EC883627    | 0 54732 10300 3 | 8      | 101   | 12.9               | 12.3 | 8.7  |
| EC884627    | 0 54732 10301 0 | 8      | 102   | 14.6               | 12.6 | 8.7  |
| EC890609    | 0 54732 30034 1 | 11     | 206   | 10.9               | 7.6  | 7.2  |
| EC890708    | 0 54732 10289 1 | 11     | 208   | 11.6               | 7.6  | 9.8  |
| EC890715    | 0 54732 10290 7 | 11     | 209   | 11.4               | 6.8  | 9.7  |
| EC895609    | 0 54732 30011 2 | 17     | 336   | 10.8               | 7.6  | 7.7  |
| EC920607    | 0 54732 10492 5 | 11     | 195   | 9.6                | 5.6  | 10.1 |
| EC920613    | 0 54732 10494 9 | 11     | 196   | 10.1               | 6.2  | 11.0 |
| EC930606    | 0 54732 10495 6 | 11     | 197   | 10.6               | 5.8  | 8.5  |
| EC930610    | 0 54732 10497 0 | 11     | 198   | 11.4               | 6.2  | 8.9  |
| EC930706K   | 0 54732 60035 9 | 11     | 199   | 10.6               | 8.2  | 7.9  |
| EC932606    | 0 54732 81385 8 | 11     | 202   | 10.6               | 5.8  | 8.5  |
| EC932610    | 0 54732 81386 5 | 11     | 203   | 11.4               | 6.2  | 8.9  |
| EC940606    | 0 54732 10496 3 | 11     | 200   | 10.6               | 5.8  | 9.4  |
| EC940610    | 0 54732 10498 7 | 11     | 201   | 11.4               | 6.2  | 8.5  |
| ECB611830   | 0 54732 83318 4 | 9      | 135   | 16.5               | 12.9 | 12.3 |
| ECI615725   | 0 54732 82051 1 | 17     | 340   | 12.5               | 13.4 | 11.5 |
| ECPL502628  | 0 54732 82621 6 | 7      | 67    | 13.9               | 13.0 | 8.7  |
| ECPL502633  | 0 54732 82622 3 | 7      | 68    | 14.6               | 14.8 | 8.2  |
| ECPL511725  | 0 54732 80386 6 | 7      | 69    | 14.9               | 12.0 | 7.2  |
| ECPL511730  | 0 54732 80106 0 | 7      | 70    | 15.4               | 14.2 | 9.1  |
| ECPL511735  | 0 54732 80107 7 | 7      | 71    | 16.2               | 12.3 | 9.2  |
| ECPL511930  | 0 54732 83008 4 | 7      | 75    | 14.1               | 18.6 | 12.9 |
| ECS03825    | 0 54732 80548 8 | 9      | 130   | 21.5               | 11.0 | 9.4  |

| ITEM NUMBER | UPC CODE        | PAGE # | CAT # | Master Carton Dims |      |      |
|-------------|-----------------|--------|-------|--------------------|------|------|
|             |                 |        |       | D                  | W    | H    |
| ECS03830    | 0 54732 80529 7 | 9      | 131   | 13.0               | 12.5 | 13.0 |
| ECS03835    | 0 54732 80530 3 | 9      | 132   | 14.7               | 14.7 | 12.4 |
| ECS03930    | 0 54732 80531 0 | 9      | 133   | 12.6               | 12.6 | 14.2 |
| ECS03935    | 0 54732 80532 7 | 9      | 134   | 14.3               | 14.3 | 6.9  |
| ECY603627   | 0 54732 81602 6 | 17     | 350   | 14.2               | 6.8  | 8.7  |
| ECY605608   | 0 54732 81600 2 | 7      | 96    | 12.4               | 9.0  | 8.0  |
| ECY605625   | 0 54732 81838 9 | 17     | 348   | 14.3               | 6.8  | 8.6  |
| ECY605627   | 0 54732 81601 9 | 17     | 349   | 14.2               | 6.8  | 8.7  |
| ECY930620   | 0 54732 82735 0 | 17     | 345   | 14.5               | 5.8  | 6.3  |
| ECY970620   | 0 54732 82736 7 | 17     | 346   | 14.5               | 5.8  | 6.3  |
| ECY980620   | 0 54732 82734 3 | 17     | 347   | 14.5               | 5.8  | 6.3  |
| FC922609    | 0 54732 82972 9 | 11     | 214   | 7.3                | 6.4  | 9.6  |
| FC926609    | 0 54732 82973 6 | 11     | 215   | 7.3                | 6.4  | 9.6  |
| FLH10506    | 0 54732 30069 3 | 15     | 325   | 13.4               | 7.5  | 9.0  |
| FSL780609   | 0 54732 10994 4 | 17     | 334   | 13.1               | 6.0  | 10.0 |
| FSL782609   | 0 54732 83023 7 | 17     | 335   | 13.1               | 6.0  | 10.0 |
| FZ512725    | 0 54732 83030 5 | 9      | 145   | 9.3                | 13.3 | 13.3 |
| FZ512730    | 0 54732 83031 2 | 9      | 146   | 7.4                | 13.0 | 14.3 |
| FZ512735    | 0 54732 83032 9 | 9      | 147   | 9.5                | 13.9 | 10.5 |
| FZ512825    | 0 54732 83027 5 | 9      | 148   | 9.5                | 12.9 | 13.1 |
| FZ512830    | 0 54732 83028 2 | 9      | 149   | 9.3                | 14.4 | 16.1 |
| FZ512835    | 0 54732 83029 9 | 9      | 150   | 9.3                | 11.8 | 15.5 |
| FZ512930    | 0 54732 83025 1 | 9      | 151   | 12.5               | 13.8 | 10.3 |
| FZ512935    | 0 54732 83026 8 | 9      | 152   | 14.4               | 16.9 | 11.4 |
| FZLEDS02    | 0 54732 83146 3 | 14     | 309   | 14.9               | 16.8 | 9.5  |
| FZLEDS03    | 0 54732 83147 0 | 14     | 310   | 10.5               | 19.4 | 11.1 |
| FZLSLED03   | 0 54732 83268 2 | 14     | 311   | 18.9               | 15.4 | 15.9 |
| GC130802    | 0 54732 80283 8 | 5      | 24    | 18.2               | 7.3  | 6.5  |
| GC143925    | 0 54732 80518 1 | 5      | 28    | 13.6               | 13.3 | 12.9 |
| GCT12802    | 0 54732 81380 3 | 5      | 23    | 14.4               | 5.7  | 9.3  |
| GCT20802    | 0 54732 80457 3 | 5      | 25    | 18.2               | 7.3  | 6.5  |
| GCT20825    | 0 54732 80460 3 | 5      | 27    | 16.8               | 13.3 | 12.9 |
| GCT20903    | 0 54732 81381 0 | 5      | 26    | 19.9               | 6.0  | 8.9  |
| GF320803    | 0 54732 20119 8 | 9      | 154   | 15.8               | 7.5  | 9.5  |
| GF420802    | 0 54732 20105 1 | 9      | 153   | 19.3               | 7.3  | 9.7  |
| KC500328    | 0 54732 10117 7 | 8      | 128   | 16.4               | 13.5 | 8.2  |
| KC500541    | 0 54732 10103 0 | 8      | 129   | 16.4               | 13.5 | 8.2  |
| KC506725    | 0 54732 40280 9 | 8      | 124   | 14.4               | 12.5 | 7.2  |
| KC506730    | 0 54732 40281 6 | 8      | 125   | 15.4               | 14.2 | 9.1  |
| KC506735    | 0 54732 40282 3 | 8      | 126   | 16.2               | 12.3 | 9.2  |
| KC606730    | 0 54732 40283 0 | 8      | 127   | 15.4               | 8.0  | 9.9  |
| KCPL507825  | 0 54732 80391 0 | 7      | 72    | 14.4               | 13.5 | 8.7  |
| KCPL507830  | 0 54732 80392 7 | 7      | 73    | 16.4               | 13.5 | 8.2  |
| KCPL507835  | 0 54732 80393 4 | 7      | 74    | 16.9               | 10.0 | 9.8  |
| LEDHL01     | 0 54732 82523 3 | 15     | 313   | 22.9               | 7.3  | 8.9  |

# PRIME® UPC Code Index

| ITEM NUMBER | UPC CODE        | PAGE # | CAT # | Master Carton Dims |      |      |
|-------------|-----------------|--------|-------|--------------------|------|------|
|             |                 |        |       | D                  | W    | H    |
| LEDRFHH01   | 0 54732 83125 8 | 15     | 312   | 14.3               | 13.1 | 17.9 |
| LEDRS01     | 0 54732 82881 4 | 14     | 306   | 14.9               | 16.8 | 9.5  |
| LEDWLS03    | 0 54732 83461 7 | 14     | 307   | 11.5               | 14.6 | 7.3  |
| LEDWLS06    | 0 54732 83462 4 | 14     | 308   | 9.4                | 17.3 | 9.8  |
| LSCD1500    | 0 54732 30130 0 | 15     | 324   | 14.5               | 11.3 | 9.5  |
| LSCP1400    | 0 54732 30131 7 | 15     | 321   | 14.0               | 10.8 | 8.0  |
| LSTL5835    | 0 54732 30126 3 | 15     | 320   | 6.8                | 16.6 | 17.6 |
| LSTL7830    | 0 54732 30132 4 | 15     | 316   | 5.7                | 14.5 | 16.4 |
| LSTL7835    | 0 54732 30133 1 | 15     | 317   | 6.8                | 16.6 | 17.4 |
| LSUG1830    | 0 54732 30127 0 | 15     | 318   | 5.7                | 14.5 | 16.4 |
| LSUG1835    | 0 54732 30128 7 | 15     | 319   | 5.8                | 19.5 | 18.5 |
| LSUG2830    | 0 54732 30134 8 | 15     | 314   | 5.5                | 14.5 | 14.8 |
| LSUG2835    | 0 54732 30135 5 | 15     | 315   | 6.8                | 16.5 | 17.6 |
| LSUGM1835   | 0 54732 82011 5 | 15     | 323   | 5.8                | 21.0 | 20.0 |
| LSUGM835    | 0 54732 80486 3 | 15     | 322   | 5.8                | 19.6 | 19.6 |
| LT511725    | 0 54732 91011 3 | 5      | 1     | 14.4               | 11.5 | 7.2  |
| LT511730    | 0 54732 91000 7 | 5      | 2     | 15.9               | 14.5 | 8.7  |
| LT511735    | 0 54732 91001 4 | 5      | 3     | 16.2               | 12.3 | 9.2  |
| LT511825    | 0 54732 91002 1 | 5      | 4     | 14.4               | 13.5 | 8.7  |
| LT511830    | 0 54732 91003 8 | 5      | 5     | 16.4               | 13.5 | 8.2  |
| LT511835    | 0 54732 91004 5 | 5      | 6     | 16.9               | 10.0 | 9.8  |
| LT511930    | 0 54732 91012 0 | 5      | 7     | 18.5               | 13.0 | 13.5 |
| LT511935    | 0 54732 91013 7 | 5      | 8     | 11.5               | 17.0 | 15.0 |
| LT530725    | 0 54732 30191 1 | 5      | 29    | 14.4               | 11.3 | 7.2  |
| LT530730    | 0 54732 30192 8 | 5      | 30    | 15.9               | 14.5 | 8.7  |
| LT530735    | 0 54732 30193 5 | 5      | 31    | 16.2               | 13.0 | 9.7  |
| LT530815    | 0 54732 82280 5 | 5      | 32    | 12.4               | 11.0 | 9.4  |
| LT530825    | 0 54732 10200 6 | 5      | 33    | 14.4               | 13.5 | 8.7  |
| LT530830    | 0 54732 10201 3 | 5      | 34    | 16.4               | 13.5 | 8.2  |
| LT530835    | 0 54732 10202 0 | 5      | 35    | 16.9               | 10.0 | 9.8  |
| LT530930    | 0 54732 30189 8 | 5      | 36    | 18.5               | 13.0 | 13.5 |
| LT530935    | 0 54732 30190 4 | 5      | 37    | 17.5               | 12.0 | 14.9 |
| LT611830    | 0 54732 91009 0 | 5      | 9     | 16.4               | 13.5 | 8.2  |
| LT611835    | 0 54732 91010 6 | 5      | 10    | 16.9               | 10.0 | 9.8  |
| LT630825    | 0 54732 30197 3 | 6      | 38    | 15.7               | 14.0 | 8.7  |
| LT630830    | 0 54732 30198 0 | 6      | 39    | 16.4               | 13.5 | 8.2  |
| LT630835    | 0 54732 30199 7 | 6      | 40    | 16.9               | 10.0 | 9.8  |
| LTF890615   | 0 54732 80802 1 | 6      | 53    | 13.4               | 7.8  | 9.1  |
| NLAE33      | 0 54732 81792 4 | 14     | 286   | 14.3               | 5.1  | 7.4  |
| NLAE332P    | 0 54732 81793 1 | 14     | 287   | 14.2               | 5.8  | 7.4  |
| NLAE334P    | 0 54732 81794 8 | 14     | 288   | 14.5               | 6.7  | 10.3 |
| NLAR2P      | 0 54732 81796 2 | 14     | 289   | 16.6               | 4.8  | 7.4  |
| NLAT1       | 0 54732 81806 8 | 14     | 290   | 12.3               | 5.8  | 7.4  |
| NLFL2P      | 0 54732 81798 6 | 14     | 291   | 10.2               | 5.8  | 7.4  |
| NLFS2P      | 0 54732 81799 3 | 14     | 292   | 8.6                | 4.8  | 7.4  |

| ITEM NUMBER | UPC CODE        | PAGE # | CAT # | Master Carton Dims |      |      |
|-------------|-----------------|--------|-------|--------------------|------|------|
|             |                 |        |       | D                  | W    | H    |
| NLPLES2P    | 0 54732 81811 2 | 14     | 294   | 13.1               | 6.7  | 11.3 |
| NLPS        | 0 54732 81802 0 | 14     | 293   | 11.4               | 4.8  | 7.4  |
| NLUTL1      | 0 54732 81812 9 | 14     | 295   | 11.3               | 5.8  | 10.3 |
| NS512715    | 0 54732 82257 7 | 6      | 54    | 21.5               | 11.3 | 11.0 |
| NS512825    | 0 54732 82712 1 | 6      | 55    | 14.4               | 13.5 | 8.7  |
| NS512830    | 0 54732 10566 3 | 6      | 56    | 16.4               | 13.5 | 8.2  |
| NS512835    | 0 54732 10567 0 | 6      | 57    | 16.9               | 10.0 | 9.8  |
| NS513830    | 0 54732 10638 7 | 6      | 58    | 16.4               | 13.5 | 8.2  |
| NS513835    | 0 54732 10639 4 | 6      | 59    | 16.9               | 10.0 | 9.8  |
| NS515830    | 0 54732 10852 7 | 6      | 60    | 16.4               | 13.5 | 8.2  |
| NS515835    | 0 54732 10853 4 | 6      | 61    | 16.9               | 10.0 | 9.8  |
| NS516830    | 0 54732 80085 8 | 6      | 62    | 16.4               | 13.5 | 8.2  |
| NS516835    | 0 54732 80086 5 | 6      | 63    | 16.9               | 10.0 | 9.8  |
| NS610730    | 0 54732 80789 5 | 6      | 64    | 14.5               | 14.1 | 10.2 |
| NS613825    | 0 54732 82617 9 | 6      | 65    | 14.8               | 13.5 | 9.0  |
| NS613830    | 0 54732 82618 6 | 6      | 66    | 15.5               | 13.0 | 8.5  |
| PB101100    | 0 54732 81359 9 | 12     | 228   | 13.0               | 11.3 | 8.9  |
| PB2013X2    | 0 54732 80774 1 | 12     | 248   | 13.1               | 14.0 | 8.9  |
| PB504142    | 0 54732 82130 3 | 13     | 262   | 14.8               | 7.7  | 5.3  |
| PB505104    | 0 54732 82128 0 | 13     | 258   | 15.3               | 5.9  | 7.6  |
| PB523118    | 0 54732 82137 2 | 13     | 261   | 14.8               | 7.7  | 4.7  |
| PB523120    | 0 54732 82138 9 | 13     | 260   | 14.9               | 7.8  | 4.0  |
| PB525106    | 0 54732 82129 7 | 13     | 259   | 15.3               | 5.9  | 7.6  |
| PB800012    | 0 54732 80720 8 | 12     | 243   | 49.4               | 6.2  | 6.7  |
| PB801011    | 0 54732 80723 9 | 12     | 232   | 11.7               | 8.8  | 9.0  |
| PB801020    | 0 54732 80724 6 | 12     | 233   | 12.0               | 7.1  | 9.4  |
| PB801105    | 0 54732 80726 0 | 12     | 234   | 11.7               | 9.3  | 9.0  |
| PB801115    | 0 54732 80728 4 | 12     | 239   | 12.4               | 10.8 | 6.9  |
| PB801116    | 0 54732 81767 2 | 17     | 354   | 11.0               | 8.4  | 9.3  |
| PB801118    | 0 54732 80729 1 | 12     | 235   | 11.4               | 11.5 | 6.9  |
| PB801120    | 0 54732 80730 7 | 12     | 240   | 9.8                | 11.5 | 14.9 |
| PB801123    | 0 54732 81055 0 | 12     | 241   | 14.4               | 8.8  | 6.7  |
| PB801124    | 0 54732 80732 1 | 12     | 236   | 11.4               | 11.5 | 6.9  |
| PB801130    | 0 54732 80735 2 | 12     | 242   | 14.8               | 8.3  | 11.3 |
| PB802013    | 0 54732 80746 8 | 12     | 247   | 12.2               | 12.3 | 6.7  |
| PB802105    | 0 54732 80748 2 | 12     | 245   | 11.7               | 9.8  | 9.1  |
| PB802124    | 0 54732 80752 9 | 12     | 249   | 12.4               | 12.0 | 6.7  |
| PB802126    | 0 54732 80754 3 | 12     | 251   | 13.1               | 10.5 | 6.9  |
| PB802135    | 0 54732 80756 7 | 12     | 244   | 15.3               | 6.7  | 9.6  |
| PB802155    | 0 54732 82127 3 | 12     | 246   | 13.2               | 8.8  | 9.0  |
| PB802225    | 0 54732 80758 1 | 12     | 250   | 13.4               | 8.8  | 9.7  |
| PB8100X2    | 0 54732 80740 6 | 12     | 237   | 13.1               | 13.8 | 10.0 |
| PB8CB003    | 0 54732 81626 2 | 17     | 355   | 12.3               | 6.7  | 9.6  |
| PB922009    | 0 54732 81318 6 | 12     | 238   | 11.4               | 11.5 | 6.7  |
| PBAD0100    | 0 54732 80782 6 | 12     | 218   | 12.4               | 8.9  | 7.8  |

# PRIME® UPC Code Index

| ITEM NUMBER  | UPC CODE        | PAGE # | CAT # | Master Carton Dims |      |      |
|--------------|-----------------|--------|-------|--------------------|------|------|
|              |                 |        |       | D                  | W    | H    |
| PBAD0200     | 0 54732 80783 3 | 12     | 219   | 12.8               | 8.8  | 7.9  |
| PBAD3200     | 0 54732 80784 0 | 12     | 220   | 8.7                | 8.3  | 7.8  |
| PBADL101     | 0 54732 80742 0 | 12     | 227   | 9.0                | 9.0  | 8.0  |
| PBADP320     | 0 54732 80745 1 | 12     | 221   | 8.5                | 6.8  | 7.8  |
| PBES001      | 0 54732 82656 8 | 12     | 222   | 11.1               | 10.2 | 5.9  |
| PBFSTAP      | 0 54732 82258 4 | 12     | 231   | 18.8               | 8.8  | 9.4  |
| PBPHU345     | 0 54732 82992 7 | 12     | 229   | 14.8               | 8.4  | 10.1 |
| PBRUSB346S   | 0 54732 82653 7 | 13     | 257   | 14.6               | 11.9 | 10.5 |
| PBSU061      | 0 54732 83165 4 | 13     | 254   | 10.5               | 7.5  | 6.0  |
| PBUC013      | 0 54732 83306 1 | 12     | 224   | 15.5               | 6.9  | 8.6  |
| PBUF0001     | 0 54732 82977 4 | 11     | 216   | 9.3                | 8.5  | 10.6 |
| PBUF0002     | 0 54732 82978 1 | 11     | 217   | 9.3                | 8.5  | 10.6 |
| PBUSB241S    | 0 54732 82652 0 | 13     | 252   | 10.2               | 9.6  | 5.8  |
| PBUSB242     | 0 54732 82645 2 | 12     | 223   | 11.8               | 11.7 | 9.8  |
| PBUSB340     | 0 54732 82655 1 | 12     | 226   | 6.3                | 8.5  | 5.9  |
| PBUSB342S    | 0 54732 82644 5 | 13     | 253   | 9.6                | 12.1 | 9.8  |
| PBUSB343S    | 0 54732 82647 6 | 13     | 255   | 13.8               | 8.6  | 10.1 |
| PBUSB346S    | 0 54732 82650 6 | 13     | 256   | 9.6                | 14.0 | 10.1 |
| PBUWC01      | 0 54732 83308 5 | 12     | 225   | 14.8               | 12.6 | 10.8 |
| PBWU345      | 0 54732 82993 4 | 12     | 230   | 19.3               | 8.4  | 10.9 |
| PCAC311      | 0 54732 82951 4 | 14     | 285   | 7.2                | 4.9  | 8.0  |
| PS005608     | 0 54732 60132 5 | 10     | 181   | 13.3               | 6.2  | 8.7  |
| PS010608     | 0 54732 60135 6 | 10     | 183   | 13.3               | 7.0  | 8.7  |
| PS010709     | 0 54732 81497 8 | 10     | 185   | 10.0               | 9.5  | 7.1  |
| PS010710     | 0 54732 81980 5 | 10     | 184   | 14.4               | 8.1  | 7.0  |
| PS020603     | 0 54732 81498 5 | 10     | 182   | 9.5                | 4.9  | 7.6  |
| PS200603     | 0 54732 60140 0 | 10     | 177   | 10.4               | 7.6  | 7.7  |
| PS200606     | 0 54732 60141 7 | 10     | 178   | 10.4               | 6.6  | 9.0  |
| PS210603     | 0 54732 60142 4 | 10     | 179   | 10.4               | 7.6  | 7.7  |
| PS210606     | 0 54732 60143 1 | 10     | 180   | 10.4               | 6.6  | 7.7  |
| RCWFICDTSTK6 | 0 54732 83122 7 | 13     | 284   | 10.4               | 6.5  | 10.6 |
| RCWFII11     | 0 54732 83082 4 | 13     | 281   | 10.8               | 5.3  | 7.8  |
| RCWFIO       | 0 54732 83080 0 | 13     | 282   | 10.8               | 5.3  | 7.8  |
| RCWFIRC01    | 0 54732 83118 0 | 13     | 283   | 10.8               | 5.3  | 7.8  |
| RD100304     | 0 54732 10861 9 | 10     | 162   | 14.4               | 7.2  | 7.4  |
| RD100305     | 0 54732 60012 0 | 10     | 163   | 14.4               | 8.0  | 7.4  |
| RD100306L    | 0 54732 60006 9 | 10     | 164   | 14.4               | 8.0  | 7.4  |
| RD100404L    | 0 54732 60013 7 | 10     | 165   | 14.4               | 11.0 | 8.9  |
| RD100405     | 0 54732 60008 3 | 10     | 166   | 14.4               | 8.4  | 10.7 |
| RD100406L    | 0 54732 60014 4 | 10     | 167   | 14.4               | 6.0  | 10.1 |
| RD628104     | 0 54732 10862 6 | 10     | 168   | 14.4               | 8.8  | 7.4  |
| RD628106L    | 0 54732 60004 5 | 10     | 169   | 13.4               | 8.9  | 9.1  |
| RD628204L    | 0 54732 60015 1 | 10     | 170   | 14.4               | 8.4  | 11.3 |
| RD628205     | 0 54732 60007 6 | 10     | 171   | 14.4               | 6.0  | 11.3 |
| RD628206     | 0 54732 60018 2 | 10     | 172   | 14.4               | 6.0  | 10.1 |

| ITEM NUMBER | UPC CODE        | PAGE # | CAT # | Master Carton Dims |      |      |
|-------------|-----------------|--------|-------|--------------------|------|------|
|             |                 |        |       | D                  | W    | H    |
| RD821024    | 0 54732 60017 5 | 10     | 173   | 13.8               | 6.0  | 9.1  |
| SEEC632830  | 0 54732 83052 7 | 7      | 88    | 12.1               | 16.6 | 11.8 |
| SEEC732725  | 0 54732 83045 9 | 7      | 81    | 14.3               | 12.5 | 7.8  |
| SEEC732730  | 0 54732 83046 6 | 7      | 82    | 16.1               | 14.8 | 9.8  |
| SEEC732735  | 0 54732 83047 3 | 7      | 83    | 15.5               | 13.9 | 10.1 |
| SEEC732815  | 0 54732 83143 2 | 7      | 84    | 11.9               | 12.3 | 9.5  |
| SEEC732825  | 0 54732 83042 8 | 7      | 85    | 14.3               | 14.4 | 8.9  |
| SEEC732830  | 0 54732 83043 5 | 7      | 86    | 14.5               | 16.3 | 8.5  |
| SEEC732835  | 0 54732 83044 2 | 7      | 87    | 10.9               | 16.8 | 13.6 |
| TL010606    | 0 54732 82318 5 | 14     | 302   | 17.4               | 10.2 | 11.9 |
| TL010625    | 0 54732 30115 7 | 14     | 303   | 17.3               | 15.3 | 8.3  |
| TL010630    | 0 54732 30116 4 | 14     | 304   | 18.9               | 18.5 | 8.3  |
| TL020625    | 0 54732 30119 5 | 6      | 41    | 17.4               | 17.0 | 8.2  |
| TL020630    | 0 54732 30120 1 | 6      | 42    | 18.9               | 18.5 | 8.3  |
| TL098506    | 0 54732 82317 8 | 14     | 301   | 15.9               | 11.2 | 11.9 |
| TLLED48606  | 0 54732 82306 2 | 14     | 305   | 19.4               | 13.3 | 8.8  |
| TNCDTSTK6   | 0 54732 82542 4 | 13     | 278   | 13.1               | 18.5 | 14.3 |
| TND002      | 0 54732 81650 7 | 13     | 269   | 12.3               | 6.3  | 8.1  |
| TNDHD002    | 0 54732 81655 2 | 13     | 270   | 13.1               | 6.0  | 9.3  |
| TNDIWA7D2W  | 0 54732 83375 7 | 13     | 272   | 13.8               | 5.1  | 9.8  |
| TNI24111    | 0 54732 81528 9 | 13     | 263   | 18.6               | 10.5 | 7.1  |
| TNI2412     | 0 54732 81638 5 | 13     | 264   | 18.7               | 6.1  | 8.0  |
| TNI2423     | 0 54732 81587 6 | 13     | 266   | 22.6               | 6.6  | 9.3  |
| TNIDEZ1     | 0 54732 82914 9 | 13     | 267   | 11.4               | 10.9 | 8.4  |
| TNIDP12     | 0 54732 82873 9 | 13     | 268   | 18.7               | 6.2  | 8.1  |
| TNINL2412   | 0 54732 81654 5 | 13     | 265   | 22.2               | 6.6  | 9.3  |
| TNIW06OWSA  | 0 54732 83374 0 | 13     | 271   | 13.3               | 6.3  | 9.8  |
| TNO24111    | 0 54732 81627 9 | 13     | 273   | 14.8               | 7.6  | 10.5 |
| TNOC002     | 0 54732 81576 0 | 13     | 274   | 15.9               | 7.6  | 10.5 |
| TNODP23     | 0 54732 82872 2 | 13     | 275   | 19.3               | 7.6  | 10.6 |
| TNOLED02    | 0 54732 81535 7 | 13     | 276   | 14.4               | 7.6  | 10.5 |
| TNOREM02    | 0 54732 81531 9 | 13     | 280   | 15.8               | 8.5  | 9.2  |
| TNRC21      | 0 54732 81612 5 | 13     | 279   | 14.9               | 7.8  | 9.2  |
| TNRC0GD2    | 0 54732 82540 0 | 13     | 277   | 14.5               | 16.5 | 9.1  |
| WDA515CVB   | 0 54732 82535 6 | 9      | 159   | 8.0                | 3.2  | 3.0  |
| WDA515PVB   | 0 54732 82536 3 | 9      | 160   | 8.0                | 3.2  | 3.0  |
| WDA5266B    | 0 54732 02345 5 | 9      | 155   | 5.5                | 4.3  | 4.5  |
| WDA5269B    | 0 54732 82628 5 | 9      | 156   | 5.5                | 4.3  | 4.5  |
| WDE0222B    | 0 54732 20160 0 | 9      | 157   | 8.0                | 3.3  | 3.0  |
| WDE1709B    | 0 54732 20161 0 | 9      | 158   | 7.8                | 3.3  | 2.8  |

# NEMA Configurations

| GENERAL PURPOSE, NON-LOCKING PLUGS AND RECEPTACLES |          |            |      |            |      |            |      |            |      |            |      |
|--|----------|------------|------|------------|------|------------|------|------------|------|------------|------|
| Voltage  | Line No. | 15 Ampere  |      | 20 Ampere  |      | 30 Ampere  |      | 50 Ampere  |      | 60 Ampere  |      |
|  |          | RECEPTACLE | PLUG | RECEPTACLE | PLUG | RECEPTACLE | PLUG | RECEPTACLE | PLUG | RECEPTACLE | PLUG |
| 125V   | 1        |            |      |            |      |            |      |            |      |            |      |
| 250V   | 2        |            |      |            |      |            |      |            |      |            |      |
| 125V   | 5        |            |      |            |      |            |      |            |      |            |      |
| 250V   | 6        |            |      |            |      |            |      |            |      |            |      |
| 277V   | 7        |            |      |            |      |            |      |            |      |            |      |
| 125/250V   | 10       |            |      |            |      |            |      |            |      |            |      |
| 3 ø 250V   | 11       |            |      |            |      |            |      |            |      |            |      |
| 125/250V   | 14       |            |      |            |      |            |      |            |      |            |      |
| 3 ø 250V   | 15       |            |      |            |      |            |      |            |      |            |      |
| 3 ø Y<br>120/208V                                  | 18       |            |      |            |      |            |      |            |      |            |      |

| LOCKING TYPE PLUGS AND RECEPTACLES |          |            |      |            |      |            |      |            |      |            |      |
|------------------------------------|----------|------------|------|------------|------|------------|------|------------|------|------------|------|
| Voltage                            | Line No. | 15 Ampere  |      | 20 Ampere  |      | 30 Ampere  |      | 50 Ampere  |      | 60 Ampere  |      |
|                                    |          | RECEPTACLE | PLUG | RECEPTACLE | PLUG | RECEPTACLE | PLUG | RECEPTACLE | PLUG | RECEPTACLE | PLUG |
| 125V                               | L1       |            |      |            |      |            |      |            |      |            |      |
| 250V                               | L2       |            |      |            |      |            |      |            |      |            |      |
| 125V                               | L5       |            |      |            |      |            |      |            |      |            |      |
| 250V                               | L6       |            |      |            |      |            |      |            |      |            |      |
| 277V                               | L7       |            |      |            |      |            |      |            |      |            |      |
| 480V                               | L8       |            |      |            |      |            |      |            |      |            |      |
| 600V                               | L9       |            |      |            |      |            |      |            |      |            |      |
| 250V                               | L14      |            |      |            |      |            |      |            |      |            |      |

# Definition of Symbols in this Catalog

**Product Category Description** - General description of the category of product listed in the subsequent chart (such as “Outdoor Extension Cords”).

**Agency Approvals** - Each flag “icon” indicates that a product has passed that country’s safety standards and is approved for use.



The product has been tested and approved for use in the United States by either UL, CSA or ETL.




The product has been tested and approved for use in Canada by either UL, CSA or ETL.



The product meets or exceeds OSHA requirements.

**Product Information** - Alphanumeric product number followed by product specific information such as length of cord, gauge, color, packaging, etc.

Product numbers can be interpreted in the following way: **EC500830**



## Miscellaneous Icon/Symbols Key:



New Item



Purchase-to-Order Item



Christmas Item

## Color Abbreviations:

AL = Almond  
BG = Beige  
BK = Black  
BN = Brown

BU = Blue  
CL = Clear  
GN = Green  
GO = Gold

GY = Gray  
OR = Orange  
PK = Pink  
PR = Purple

RD = Red  
SL = Silver  
WH = White  
YW = Yellow

## Terms & Conditions:

Minimum Order: \$500.00

Net 30 days upon credit approval

Freight prepaid on all orders of \$2,500.00 or more within the continental United States or Canada.





**PRIME WIRE & CABLE, INC.**  
1330 Valley Vista Drive, Diamond Bar, CA 91765

[www.primewirecable.com](http://www.primewirecable.com)

**Industrial Products Division**  
Toll Free (800) 962-2738 Fax (800) 797-2226

**Retail Products Division**  
Toll Free (888) 445-9955 Fax (909) 859-2926