


SPOTNAILS®

Helping Our Customers Succeed...



NPR90 21° FRAMING NAILER




Description:
Tool Weight: 8.6 lbs

- Features:**
- Full Sequential Actuation
 - Adjustable Depth Control
 - Front Exhaust
 - Top Load Aluminum Magazine
 - Ergonomic Rubber Grip
 - Contact Actuation Trigger Kit Included

Applications:
Crate Assembly, Decking, Fencing, Framing, Pallet Assembly, Sheathing, Wall Panel Construction

- Accessories:**
- Air Filter (P-97454)
 - Belt Hook (P-97469)
 - Flush ATT (AS-99076)
 - Long Magazine (NPR90LM)



Model	Diameter	Nail Range	Magazine Capacity
NPR90	.113 - .148	2" - 3-1/2" 50mm - 90mm	50 - 75

NPR90: Uses Spotnails® 20°-22° Plastic Strip Nails

NTD90 30°-34° CLIPPED HEAD FRAMING NAILER




Description:
Tool Weight: 8.6 lbs

- Features:**
- Full Sequential Actuation
 - Adjustable Depth Control
 - Front Exhaust
 - Top Load Aluminum Magazine
 - Ergonomic Rubber Grip
 - Contact Actuation Trigger Kit Included

Applications:
Crate Assembly, Decking, Fencing, Framing, Pallet Assembly, Sheathing, Wall Panel Construction

- Accessories:**
- Air Filter (P-97454)
 - Belt Hook (P-97469)
 - Flush ATT (AS-99076)



Model	Diameter	Nail Range	Magazine Capacity
NTD90	.113 - .148	2" - 3-1/2" 50mm - 90mm	89

NTD90: Uses Spotnails® 30°-34° Clipped Head Paper Tape Strip Nails

QCND65 0° PLASTIC COIL NAILER




Description:
Tool Weight: 5.2 lbs

- Features:**
- Selective Actuation
 - Adjustable Depth Control
 - 360° Adjustable Exhaust
 - Side Load Nylon Magazine
 - No Mar Tip
 - Ergonomic Rubber Grip
 - Air Fitting Included

Applications:
Decking, Exterior Trim, Fencing, Pallet Assembly, Sheathing, Siding

- Accessory:**
- Full Sequential Actuation Trigger (AS-21044)



Model	Diameter	Nail Range	Magazine Capacity
QCND65	.083 - .099	1-1/4" - 2-1/2" 32mm - 64mm	300

QCND65: Uses Spotnails® CPD 0° Plastic Sheet Coil Nails (Duo-Fast® Type)

UCNM65 15° WIRE OR PLASTIC COIL NAILER




Description:
Tool Weight: 4.5 lbs

- Features:**
- Selective Actuation
 - Adjustable Depth Control
 - 360° Adjustable Exhaust
 - Side Load Nylon Magazine
 - No Mar Tip
 - Protective Dust Cover
 - Ergonomic Rubber Grip
 - Air Fitting Included

Applications:
Decking, Exterior Trim, Fencing, Pallet Assembly, Sheathing, Siding

- Accessory:**
- Full Sequential Actuation Trigger (AS-21044)



Model	Diameter	Nail Range	Magazine Capacity
UCNM65	.083 - .099	1-1/4" - 2-1/2" 32mm - 64mm	300

UCNM65: Uses Spotnails® 15° Wire Weld or Plastic Coil Nails

PT-CN55
COIL SIDING & FENCING NAILER




Description:
Tool Weight: 5.95 lbs

- Features:**
- Contact Actuation
 - 360° Adjustable Exhaust
 - Side Load Nylon Magazine
 - Body Protector
 - Narrow Nose for Accurate Nail Placement
 - Protective Dust Cover
 - Ergonomic Rubber Grip
 - Air Fitting Included

Applications:
Crate Assembly, Decking, Fencing, Pallet Assembly, Sheathing, Siding

- Accessory:**
- Remote Valve (RE-MXRCV70)



Model	Diameter	Nail Range	Magazine Capacity
PT-CN55	.083 - .092	1" - 2-1/4" 25mm - 57mm	300

PT-CN55: Uses Spotnails® 15° Wire Weld Coil Nails

PT-CN70
COIL PALLET NAILER




Description:
Tool Weight: 8.2 lbs

- Features:**
- Contact Actuation
 - Front Exhaust
 - Side Load Nylon Magazine
 - Body Protector
 - Narrow Nose for Accurate Nail Placement
 - Protective Dust Cover
 - Ergonomic Rubber Grip
 - Air Fitting Included

Applications:
Crate Assembly, Pallet Assembly, Wall Panel Construction

- Accessory:**
- Remote Valve (RE-MXRCV70)



Model	Diameter	Nail Range	Magazine Capacity
PT-CN70	.090 - .113	1-3/4" - 2-3/4" 45mm - 70mm	300

PT-CN70: Uses Spotnails® 15° Wire Weld Coil Pallet Nails


PT-CRN45
COIL ROOFING NAILER



Description:
Tool Weight: 5.7 lbs

- Features:**
- Contact Actuation
 - Front Exhaust
 - Side Load Nylon Magazine
 - Body Protector
 - Adjustable Shingle Guide for Accurate & Quick Shingle Spacing
 - Carbide Nose Insert to Protect the Nose from Wear
 - Tool-Free Depth Adjustment for Precise Control in Flush Nailing Shingles
 - Ergonomic Rubber Grip
 - Air Fitting Included

Applications:
Installation of Asphalt and Fiberglass Roofing Shingles, Insulation Boards



Model	Diameter	Nail Range	Magazine Capacity
PT-CRN45	.120	7/8" - 1-3/4" 22mm - 45mm	120

PT-CRN45: Uses Spotnails® 15° Wire Weld Coil Roofing Nails

T-NAILERS / 15GA FINISH NAILERS

M1T9764 T-NAILER




Description:
Tool Weight: 5.95 lbs

- Features:**
- Full Sequential Actuation
 - Adjustable Depth Control
 - 360° Adjustable Exhaust
 - Side & Top Load Steel Magazine
 - Ergonomic Rubber Grip
 - Tool Case
 - Contact Actuation Trigger Included

Application:
Wood to Concrete

- Accessory:**
- Air Filter (P-97454)



Model	Diameter	Nail Range	Magazine Capacity
M1T9764	.097	5/8" – 2-1/2" 16mm – 64mm	80

M1T9764: Uses Spotnails® T09710HG T-Nails

X1T8664 T-NAILER




Description:
Tool Weight: 4.55 lbs

- Features:**
- Full Sequential Actuation
 - Adjustable Depth Control
 - 360° Adjustable Exhaust
 - Side & Top Load Steel Magazine
 - Easy Maneuverability
 - Ergonomic Rubber Grip
 - Tool Case
 - Contact Actuation Trigger Included

Application:
Fastening Tack Strips to Concrete

- Accessories:**
- Air Filter (P-97454)
 - Walking Stick ATT (AS-99105)



Model	Diameter	Nail Range	Magazine Capacity
X1T8664	.086	5/8" – 2-1/2" 16mm – 64mm	100

X1T8664: Uses Spotnails® T08611H T-Nails

XBA1564 15GA DA ANGLE FINISH NAILER




Description:
Tool Weight: 4.65 lbs

- Features:**
- Full Sequential Actuation
 - Adjustable Depth Control
 - 360° Adjustable Exhaust
 - Rear Load Aluminum Magazine
 - Quick Clear Nose
 - Ergonomic Rubber Grip
 - Tool Case
 - Contact Actuation Trigger Included

Applications:
Cabinet Assembly, Door & Window Manufacturing, Drawer Assembly, Exterior Trim, Finish Carpentry, Trim Molding

- Accessory:**
- Air Filter (P-97454)
 - Walking Stick ATT (AS-99105)



Model	GA	Nail Range	Magazine Capacity
XBA1564	15	1" – 2-1/2" 25mm – 64mm	100

XBA1564: Uses Spotnails® 15GA DA Angle Brads (Similar to Senco® DA)

XB1564 15GA FINISH NAILER




Description:
Tool Weight: 4.4 lbs

- Features:**
- Full Sequential Actuation
 - Adjustable Depth Control
 - 360° Adjustable Exhaust
 - Rear Load Aluminum Magazine
 - Quick Clear Nose
 - No Mar Tip
 - Ergonomic Rubber Grip
 - Tool Case
 - Contact Actuation Trigger Included

Applications:
Cabinet Assembly, Door & Window Manufacturing, Drawer Assembly, Finish Carpentry, Trim Molding

- Accessory:**
- Air Filter (P-97454)
 - Walking Stick ATT (AS-99105)



Model	GA	Nail Range	Magazine Capacity
XB1564	15	1" – 2-1/2" 25mm – 64mm	100

XB1564: Uses Spotnails® 15GA Brads

W1B1664
16GA BRAD NAILER




Description:
Tool Weight: 3.75 lbs

- Features:**
- Selective Actuation
 - Adjustable Depth Control
 - 360° Adjustable Exhaust
 - Rear Load Aluminum Magazine
 - Quick Clear Nose
 - No Mar Tip
 - Ergonomic Rubber Grip
 - Tool Case

Applications:
Cabinet Assembly, Door & Window Manufacturing, Drawer Assembly, Finish Carpentry, Hardwood Flooring, Trim Molding

- Accessory:**
- Full Sequential Actuation Trigger (AS-21040)



Model	GA	Brad Range	Magazine Capacity
W1B1664	16	3/4" – 2-1/2" 19mm – 64mm	150

W1B1664: Uses Spotnails® 16GA Brads


CB1650
16GA BRAD NAILER



Description:
Tool Weight: 3.05 lbs

- Features:**
- Full Sequential Actuation
 - Adjustable Depth Control
 - Fastener Supply Window
 - 360° Adjustable Exhaust
 - Side Load Aluminum Magazine
 - Quick Clear Nose
 - Ergonomic Rubber Grip
 - Tool Case
 - Contact Actuation Trigger Included

Applications:
Cabinet Assembly, Door & Window Manufacturing, Drawer Assembly, Finish Carpentry, Hardwood Flooring, Trim Molding



Model	GA	Brad Range	Magazine Capacity
CB1650	16	3/4" – 2" 19mm – 50mm	115

CB1650: Uses Spotnails® 16GA Brads

W1B1850
18GA BRAD NAILER




Description:
Tool Weight: 3.55 lbs

- Features:**
- Selective Actuation
 - Adjustable Depth Control
 - 360° Adjustable Exhaust
 - Rear Load Steel Magazine
 - Quick Clear Nose
 - No Mar Tip
 - Ergonomic Rubber Grip
 - Tool Case

Applications:
Cabinet Assembly, Drawer Assembly, Finish Carpentry, Furniture Assembly, Hardwood Flooring, Trim Molding

- Accessories:**
- Full Sequential Actuation Trigger (AS-21040)
 - Long Magazine (W1B1850LM)



Model	GA	Brad Range	Magazine Capacity
W1B1850	18	5/8" – 2" 16mm – 50mm	100

W1B1850: Uses Spotnails® 18GA AX Brads

**Does not accept 7/8", 1-1/8", 1-3/8" & 1-1/2" lengths*

18GA BRAD NAILERS


CB1850 18GA BRAD NAILER



Description:
Tool Weight: 2.95 lbs

- Features:**
- Full Sequential Actuation
 - Fastener Supply Window
 - 360° Adjustable Exhaust
 - Side Load Aluminum Magazine
 - Quick Clear Nose
 - Ergonomic Rubber Grip
 - Tool Case
 - Contact Actuation Trigger Included

Applications:
Cabinet Assembly, Drawer Assembly, Finish Carpentry, Furniture Assembly, Hardwood Flooring, Trim Molding



Model	GA	Brad Range	Magazine Capacity
CB1850	18	5/8" – 2" 16mm – 50mm	100

CB1850: Uses Spotnails® 18GA AX Brads

**Does not accept 7/8" & 1-1/8" lengths*

T1B1840 18GA BRAD NAILER




Description:
Tool Weight: 3.0 lbs

- Features:**
- Selective Actuation
 - Adjustable Depth Control
 - 360° Adjustable Exhaust
 - Rear Load Steel Magazine
 - Quick Clear Nose
 - Ergonomic Rubber Grip
 - Tool Case

Applications:
Cabinet Assembly, Door & Window Manufacturing, Drawer Assembly, Finish Carpentry, Furniture Assembly, Hardwood Flooring, Trim Molding

- Accessory:**
- Full Sequential Actuation Trigger (AS-21040)



Model	GA	Brad Range	Magazine Capacity
T1B1840	18	5/8" – 1-9/16" 16mm – 40mm	100

T1B1840: Uses Spotnails® 18GA AX Brads

**Does not accept 7/8", 1-1/8" & 1-1/2" lengths*

CB1832 18GA BRAD NAILER




Description:
Tool Weight: 2.5 lbs

- Features:**
- Full Sequential Actuation
 - Fastener Supply Window
 - 360° Adjustable Exhaust
 - Side Load Aluminum Magazine
 - Quick Clear Nose
 - Ergonomic Rubber Grip
 - Tool Case
 - Contact Actuation Trigger Included

Applications:
Cabinet Assembly, Drawer Assembly, Finish Carpentry, Furniture Assembly, Hardwood Flooring, Trim Molding

- Accessory:**
- No Mar Safety Kit (AS-53078)



Model	GA	Brad Range	Magazine Capacity
CB1832	18	5/8" – 1-1/4" 16mm – 32mm	100

CB1832: Uses Spotnails® 18GA AX Brads

**Does not accept 7/8" & 1-1/8" lengths*


SP2340 23GA PINNER



Description:
Tool Weight: 2.9 lbs

- Features:**
- Contact Actuation
 - Automatic Height Adjuster for Fasteners
 - Front Exhaust
 - Side Load Aluminum Magazine
 - Ergonomic Rubber Grip
 - Tool Case

Applications:
Cabinet Assembly, Drawer Assembly, Furniture Assembly, Trim Molding



Model	GA	Pin Range	Magazine Capacity
SP2340	23	1/2" – 1-9/16" 12mm – 40mm	100

SP2340: Uses Spotnails® 23GA Pins

M1S2440 14GA WIDE CROWN STAPLER



Description:
Tool Weight: 6.15 lbs

- Features:**
- Selective Actuation
 - Adjustable Depth Control
 - 360° Adjustable Exhaust
 - Top Load Aluminum Magazine
 - Quick Clear Nose
 - Heavy Duty
 - Ergonomic Rubber Grip
 - Tool Case

Application:
Truss Manufacturing

- Accessories:**
- Air Filter (P-97454)
 - Full Sequential Actuation Trigger (AS-21037)



Model	GA	Crown	Staple Range	Magazine Capacity
M1S2440	14	15/16"	7/8" – 1-1/2" 22mm – 40mm	130

M1S2440: Uses Spotnails® 2400 Staples (Similar to Paslode® GSW14)

M1S7464 14GA MEDIUM CROWN STAPLER




Description:
Tool Weight: 5.9 lbs

- Features:**
- Selective Actuation
 - Adjustable Depth Control
 - 360° Adjustable Exhaust
 - Top Load Aluminum Magazine
 - Quick Clear Nose
 - Heavy Duty
 - Ergonomic Rubber Grip
 - Tool Case

Applications:
Crate Assembly, Pallet Assembly

- Accessories:**
- Air Filter (P-97454)
 - Full Sequential Actuation Trigger (AS-21037)



Model	GA	Crown	Staple Range	Magazine Capacity
M1S7464	14	1/2"	1-1/2" – 2-1/2" 40mm – 64mm	130

15GA MEDIUM & 16GA WIDE CROWN STAPLERS

M1S6564 15GA MEDIUM CROWN STAPLER




Description:
Tool Weight: 5.8 lbs

- Features:**
- Selective Actuation
 - Adjustable Depth Control
 - 360° Adjustable Exhaust
 - Top Load Aluminum Magazine
 - Quick Clear Nose
 - Heavy Duty
 - Ergonomic Rubber Grip
 - Tool Case

Applications:
Crate Assembly, Pallet Assembly, RV Framing

- Accessories:**
- Air Filter (P-97454)
 - Full Sequential Actuation Trigger (AS-21037)



Model	GA	Crown	Staple Range	Magazine Capacity
M1S6564	15	7/16"	1-1/4" – 2-1/2" 32mm – 64mm	138

M1S6564: Uses Spotnails® 6500 Staples (Similar to Senco® Q)

M1S7564 15GA MEDIUM CROWN STAPLER




Description:
Tool Weight: 5.9 lbs

- Features:**
- Selective Actuation
 - Adjustable Depth Control
 - 360° Adjustable Exhaust
 - Top Load Aluminum Magazine
 - Quick Clear Nose
 - Heavy Duty
 - Ergonomic Rubber Grip
 - Tool Case

Applications:
Crate Assembly, Pallet Assembly, RV Framing

- Accessories:**
- Air Filter (P-97454)
 - Full Sequential Actuation Trigger (AS-21037)
 - Long Magazine (M1S7564LM)



Model	GA	Crown	Staple Range	Magazine Capacity
M1S7564	15	1/2"	1-1/2" – 2-1/2" 40mm – 64mm	138

M1S7564: Spotnails® 7500 Staples (Similar to Bostitch® BCS1554)

X1S3640 16GA WIDE CROWN STAPLER




Description:
Tool Weight: 4.8 lbs

- Features:**
- Selective Actuation
 - Adjustable Depth Control
 - 360° Adjustable Exhaust
 - Top Load Aluminum Magazine
 - Quick Clear Nose
 - Ergonomic Rubber Grip
 - Tool Case
 - Wear Plate Filler Kit Included

Applications:
Crate Assembly, Fastening Corrugated Packaging, Lathing, Packaging, Pallet Repair, Roofing, Shingle Installation, Wall Panel Construction

- Accessories:**
- Air Filter (P-97454)
 - Full Sequential Actuation Trigger (AS-21037)
 - Lathing Safety ADPTR (AS-53085)
 - Long Magazine (X1S3640LM)
 - Roofing Safety ADPTR (AS-53086)
 - Shingle Guide ADPTR (AS-97296)
 - Walking Stick ATT (AS-99105)



Model	GA	Crown	Staple Range	Magazine Capacity
X1S3640	16	1"	1/2" – 1-1/2" 12mm – 40mm	150

X1S3640: Uses Spotnails® 3600 Staples (Similar to Senco® P & Duo-Fast® 1700)

X1S3650 16GA WIDE CROWN STAPLER




Description:
Tool Weight: 5.2 lbs

- Features:**
- Selective Actuation
 - Adjustable Depth Control
 - 360° Adjustable Exhaust
 - Top Load Aluminum Magazine
 - Quick Clear Nose
 - Ergonomic Rubber Grip
 - Tool Case

Applications:
Lathing, Wall Panel Construction

- Accessories:**
- Air Filter (P-97454)
 - Full Sequential Actuation Trigger (AS-21037)
 - Lathing Safety ADPTR (AS-53085)
 - Long Magazine (X1S3650LM)
 - Walking Stick ATT (AS-99105)



Model	GA	Crown	Staple Range	Magazine Capacity
X1S3650	16	1"	1" – 2" 25mm – 50mm	150

X1S3650: Uses Spotnails® 3600 Staples (Similar to Senco® P & Duo-Fast® 1700)

X1S1640 16GA WIDE CROWN STAPLER




Description:
Tool Weight: 5.1 lbs

- Features:**
- Selective Actuation
 - Adjustable Depth Control
 - 360° Adjustable Exhaust
 - Top Load Aluminum Magazine
 - Quick Clear Nose
 - Ergonomic Rubber Grip
 - Tool Case
 - Wear Plate Filler Kit Included

Applications:
Crate Assembly, Fastening Corrugated Packaging, Insulation Installation, Lathing, Packaging, Roofing, Shingle Installation, Wall Panel Construction

- Accessories:**
- Air Filter (P-97454)
 - Full Sequential Actuation Trigger (AS-21037)
 - Lathing Safety ADPTR (AS-53085)
 - Roofing Safety ADPTR (AS-53086)
 - Shingle Guide ADPTR (AS-97296)
 - Walking Stick ATT (AS-99105)



Model	GA	Crown	Staple Range	Magazine Capacity
X1S1640	16	1"	1/2" – 1-1/2" 12mm – 40mm	150

X1S1640: Uses Spotnails® 1600 Staples (Similar to Bostitch® 16S2)

X1S1650 16GA WIDE CROWN STAPLER




Description:
Tool Weight: 5.2 lbs

- Features:**
- Selective Actuation
 - Adjustable Depth Control
 - 360° Adjustable Exhaust
 - Top Load Aluminum Magazine
 - Quick Clear Nose
 - Ergonomic Rubber Grip
 - Tool Case

Applications:
Lathing, Wall Panel Construction

- Accessories:**
- Air Filter (P-97454)
 - Full Sequential Actuation Trigger (AS-21037)
 - Lathing Safety ADPTR (AS-53085)
 - Walking Stick ATT (AS-99105)



Model	GA	Crown	Staple Range	Magazine Capacity
X1S1650	16	1"	1" – 2" 25mm – 50mm	150

X1S1650: Uses Spotnails® 1600 Staples (Similar to Bostitch® 16S2)

X1S1664 16GA WIDE CROWN STAPLER




Description:
Tool Weight: 5.2 lbs

- Features:**
- Selective Actuation
 - Adjustable Depth Control
 - 360° Adjustable Exhaust
 - Top Load Aluminum Magazine
 - Quick Clear Nose
 - Ergonomic Rubber Grip
 - Tool Case

Application:
Lathing

- Accessories:**
- Air Filter (P-97454)
 - Full Sequential Actuation Trigger (AS-21037)
 - Lathing Safety ADPTR (AS-53085)
 - Walking Stick ATT (AS-99105)



Model	GA	Crown	Staple Range	Magazine Capacity
X1S1664	16	1"	1" – 2-1/2" 25mm – 64mm	150

X1S1664: Uses Spotnails® 1600 Staples (Similar to Bostitch® 16S2)

X1S2640 16GA WIDE CROWN STAPLER




Description:
Tool Weight: 4.8 lbs

- Features:**
- Selective Actuation
 - Adjustable Depth Control
 - 360° Adjustable Exhaust
 - Top Load Aluminum Magazine
 - Quick Clear Nose
 - Ergonomic Rubber Grip
 - Tool Case
 - Wear Plate Filler Kit Included

Applications:
Crate Assembly, Fastening Corrugated Packaging, Insulation Installation, Lathing, Packaging, Roofing, Shingle Installation, Wall Panel Construction

- Accessories:**
- Air Filter (P-97454)
 - Full Sequential Actuation Trigger (AS-21037)
 - Lathing Safety ADPTR (AS-53085)
 - Long Magazine (X1S2640LM)
 - Roofing Safety ADPTR (AS-53086)
 - Shingle Guide ADPTR (AS-97296)
 - Walking Stick ATT (AS-99105)



Model	GA	Crown	Staple Range	Magazine Capacity
X1S2640	16	15/16"	5/8" – 1-1/2" 16mm – 40mm	150

X1S2640: Uses Spotnails® 2600 Staples (Similar to Paslode® GSW16)

16GA WIDE & MEDIUM CROWN STAPLERS

X1S2650 16GA WIDE CROWN STAPLER




Description:
Tool Weight: 4.8 lbs

- Features:**
- Selective Actuation
 - Adjustable Depth Control
 - 360° Adjustable Exhaust
 - Top Load Aluminum Magazine
 - Quick Clear Nose
 - Ergonomic Rubber Grip
 - Tool Case

Applications:
Lathing, Wall Panel Construction

- Accessories:**
- Air Filter (P-97454)
 - Full Sequential Actuation Trigger (AS-21037)
 - Lathing Safety ADPTR (AS-53085)
 - Walking Stick ATT (AS-99105)



Model	GA	Crown	Staple Range	Magazine Capacity
X1S2650	16	15/16"	1" – 2" 25mm – 50mm	150

X1S2650: Uses Spotnails® 2600 Staples
(Similar to Paslode® GSW16)

X1S76-8650 16GA WIDE CROWN STAPLER




Description:
Tool Weight: 4.45 lbs

- Features:**
- Selective Actuation
 - Adjustable Depth Control
 - 360° Adjustable Exhaust
 - Top Load Aluminum Magazine
 - Quick Clear Nose
 - Ergonomic Rubber Grip
 - Tool Case

Applications:
Bedding, Cedar Shingle Installation, Crate Assembly, Door & Window Manufacturing, Furniture Assembly, Millwork - Door Jamb, Siding, Wall Panel Construction, Wall Sheathing

- Accessories:**
- Air Filter (P-97454)
 - Full Sequential Actuation Trigger (AS-21037)
 - Long Magazine (X1S76-8650LM)
 - Vinyl Siding ADPTR (AS-53088)
 - Walking Stick ATT (AS-99105)



Model	GA	Crown	Staple Range	Magazine Capacity
X1S76-8650	16	1/2"	1/2" – 2" 12mm – 50mm	150

X1S76-8650: Uses Spotnails® 7600 & 8600 Staples
(Similar to Bostitch® 16S4 & Paslode® GS16)

M1S76-8650 16GA MEDIUM CROWN INDUSTRIAL STAPLER




Description:
Tool Weight: 5.8 lbs

- Features:**
- Selective Actuation
 - Adjustable Depth Control
 - 360° Adjustable Exhaust
 - Top Load Aluminum Magazine
 - Quick Clear Nose
 - Ergonomic Rubber Grip
 - Tool Case

Applications:
Bedding, Cabinet Assembly, Crate Assembly, Door & Window Manufacturing, Furniture Assembly, Millwork-Door Jamb, Pallet Repair, Wall Panel Construction, Wall Sheathing

- Accessories:**
- Air Filter (P-97454)
 - Full Sequential Actuation Trigger (AS-21037)



Model	GA	Crown	Staple Range	Magazine Capacity
M1S76-8650	16	1/2"	1/2" – 2" 12mm – 50mm	150

M1S76-8650: Uses Spotnails® 7600 & 8600 Staples
(Similar to Bostitch® 16S4 & Paslode® GS16)

X1S6650 16GA MEDIUM CROWN STAPLER




Description:
Tool Weight: 4.35 lbs

- Features:**
- Selective Actuation
 - Adjustable Depth Control
 - 360° Adjustable Exhaust
 - Top Load Aluminum Magazine
 - Quick Clear Nose
 - Ergonomic Rubber Grip
 - Tool Case

Applications:
Bedding, Cedar Shingle Installation, Crate Assembly, Door & Window Manufacturing, Furniture Assembly, Millwork - Door Jambs, Siding, Wall Panel Construction, Wall Sheathing

- Accessories:**
- Air Filter (P-97454)
 - Full Sequential Actuation Trigger (AS-21037)
 - Long Magazine (X1S6650LM)
 - Vinyl Siding ADPTR (AS-53088)
 - Walking Stick ATT (AS-99105)



Model	GA	Crown	Staple Range	Magazine Capacity
X1S6650	16	7/16"	1/2" - 2" 12mm - 50mm	150

X1S6650: Uses Spotnails® 5600, 6600 & 6700 Staples (Similar to Duo-Fast® 7600 & Paslode® GSI16 / Senco® N & Bostitch® 16S5 / Senco® O, Bostitch® 17S5 & BeA® 14)

M1S6650 16GA MEDIUM CROWN STAPLER




Description:
Tool Weight: 5.7 lbs

- Features:**
- Selective Actuation
 - Adjustable Depth Control
 - 360° Adjustable Exhaust
 - Top Load Aluminum Magazine
 - Quick Clear Nose
 - Ergonomic Rubber Grip
 - Tool Case

Applications:
Bedding, Cabinet Assembly, Crate Assembly, Door & Window Manufacturing, Furniture Assembly, Millwork-Door Jambs, Wall Panel Construction, Wall Sheathing

- Accessories:**
- Air Filter (P-97454)
 - Full Sequential Actuation Trigger (AS-21037)



Model	GA	Crown	Staple Range	Magazine Capacity
M1S6650	16	7/16"	1/2" - 2" 12mm - 50mm	150

M1S6650: Uses Spotnails® 5600, 6600 & 6700 Staples (Similar to Duo-Fast® 7600 & Paslode® GSI16 / Senco® N & Bostitch® 16S5 / Senco® O, Bostitch® 17S5 & BeA® 14)

W1S6638 16GA / 17GA MEDIUM CROWN STAPLER




Description:
Tool Weight: 3.2 lbs

- Features:**
- Selective Actuation
 - 360° Adjustable Exhaust
 - Top Load Aluminum Magazine
 - Ergonomic Rubber Grip
 - Tool Case
 - Lightest Sheathing Stapler Available

Applications:
Bedding, Cedar Shingle Installation, Crate Assembly, Door & Window Manufacturing, Millwork - Door Jambs, Siding, Wall Panel Construction, Wall Sheathing

- Accessories:**
- Full Sequential Actuation Trigger (AS-21040)
 - Vinyl Siding ADPTR (AS-53110)
 - Vinyl Siding Hanging Tool (W1S6638V)



Model	GA	Crown	Staple Range	Magazine Capacity
W1S6638	16/17	7/16"	1/2" - 1-1/2" 12mm - 38mm	140

W1S6638: Uses Spotnails® 5600, 6600 & 6700 Staples (Similar to Duo-Fast® 7600 & Paslode® GSI16 / Senco® N & Bostitch® 16S5 / Senco® O, Bostitch® 17S5 & BeA® 14)

W1S6638V 16GA / 17GA MED. CROWN STAPLER w/ VINYL SIDING SAFETY TIP




Description:
Tool Weight: 3.2 lbs

- Features:**
- Selective Actuation
 - 360° Adjustable Exhaust
 - Top Load Aluminum Magazine
 - Ergonomic Rubber Grip
 - Tool Case

Application:
Vinyl Siding Hanging (Installation)

- Accessory:**
- Full Sequential Actuation Trigger (AS-21040)



Model	GA	Crown	Staple Range	Magazine Capacity
W1S6638V	16/17	7/16"	1/2" - 1-1/2" 12mm - 38mm	140

W1S6638V: Uses Spotnails® 5600, 6600 & 6700 Staples (Similar to Duo-Fast® 7600 & Paslode® GSI16 / Senco® N & Bostitch® 16S5 / Senco® O, Bostitch® 17S5 & BeA® 14)

18GA MEDIUM CROWN STAPLERS

T1S6825 18GA MEDIUM CROWN STAPLER




Description:
Tool Weight: 2.7 lbs

- Features:**
- Selective Actuation
 - Adjustable Depth Control
 - 360° Adjustable Exhaust
 - Top Load Aluminum Magazine
 - Quick Clear Nose
 - Ergonomic Rubber Grip
 - Tool Case

Applications:
Cabinet Assembly, Case Backing, Drawer Assembly, Furniture Assembly, Siding

- Accessories:**
- Full Sequential Actuation Trigger (AS-21040)
 - No Mar Safety Kit (AS-53102)
 - Vinyl Siding ADPTR (AS-99112)
 - String Feed Stapler (T1S6825S)



Model	GA	Crown	Staple Range	Magazine Capacity
T1S6825	18	3/8"	3/8" – 1" 10mm – 25mm	168

T1S6825: Uses Spotnails® 6800 Staples (Similar to Senco® M & Duo-Fast® W1800)

T1S6825S 18GA MEDIUM CROWN STRING FEED STAPLER




Description:
Tool Weight: 2.75 lbs

- Features:**
- Selective Actuation
 - Adjustable Depth Control
 - 360° Adjustable Exhaust
 - Top Load Aluminum Magazine
 - Quick Clear Nose
 - Ergonomic Rubber Grip
 - Tool Case

Application:
Insulation Installation

- Accessory:**
- Full Sequential Actuation Trigger (AS-21040)



Model	GA	Crown	Staple Range	Magazine Capacity
T1S6825S	18	3/8"	3/8" – 1" 10mm – 25mm	168

T1S6825S: Uses Spotnails® 6800 Staples (Similar to Senco® M & Duo-Fast® W1800)

T1S6825V 18GA MEDIUM CROWN STAPLER w/ VINYL SIDING SAFETY TIP




Description:
Tool Weight: 2.75 lbs

- Features:**
- Selective Actuation
 - Adjustable Depth Control
 - 360° Adjustable Exhaust
 - Top Load Aluminum Magazine
 - Quick Clear Nose
 - Ergonomic Rubber Grip
 - Tool Case

Application:
Vinyl Siding Hanging (Installation)

- Accessory:**
- Full Sequential Actuation Trigger (AS-21040)



Model	GA	Crown	Staple Range	Magazine Capacity
T1S6825V	18	3/8"	1" 25mm	168

T1S6825V: Uses Spotnails® 6800 Staples (Similar to Senco® M & Duo-Fast® W1800)

T1S5825F 18GA MEDIUM CROWN FLARE STAPLER




Description:
Tool Weight: 2.75 lbs

- Features:**
- Full Sequential Actuation
 - Adjustable Depth Control
 - 360° Adjustable Exhaust
 - Hinged Nose Plate for Easy Access
 - Top Load Aluminum Magazine
 - Ergonomic Rubber Grip
 - Tool Case
 - Contact Actuation Trigger Included

Application:
Bedding

- Accessory:**
- Safety Guard ADPTR (AS-53107)



Model	GA	Crown	Staple Range	Magazine Capacity
T1S5825F	18	5/16"	1" 25mm	168

T1S5825F: Uses Spotnails® 5808PG-50M-L Staples (Similar to Bostitch® SL5035 & BeA® 92)

W1S4840 18GA NARROW CROWN STAPLER




Description:
Tool Weight: 3.9 lbs

- Features:**
- Selective Actuation
 - Adjustable Depth Control
 - 360° Adjustable Exhaust
 - Top Load Steel Magazine
 - Quick Clear Nose
 - Ergonomic Rubber Grip
 - Tool Case

Applications:
Cabinet Assembly, Door & Window Manufacturing, Drawer Assembly, Floor Underlayment, Furniture Assembly

- Accessories:**
- Driver Blade 110.3mm (P-06302)
 - Full Sequential Actuation Trigger (AS-21040)
 - Long Magazine (W1S4840LM)
 - No Mar Safety Kit (AS-53068)
 - Positive Placement ADPTR (AS-99080)



Model	GA	Crown	Staple Range	Magazine Capacity
W1S4840	18	1/4"	3/8" – 1-5/8" 10mm – 40mm	168

W1S4840: Uses Spotnails® 4800 Staples
(Similar to Senco® L, Duo-Fast® 1800 & BeA® 90)

T1S4825 18GA NARROW CROWN STAPLER




Description:
Tool Weight: 2.6 lbs

- Features:**
- Selective Actuation
 - Adjustable Depth Control
 - 360° Adjustable Exhaust
 - Top Load Steel Magazine
 - Quick Clear Nose
 - Ergonomic Rubber Grip
 - Tool Case

Applications:
Cabinet Assembly, Door & Window Manufacturing, Floor Underlayment, Furniture Assembly

- Accessories:**
- Full Sequential Actuation Trigger (AS-21040)
 - No Mar Safety Kit (AS-53100)



Model	GA	Crown	Staple Range	Magazine Capacity
T1S4825	18	1/4"	3/8" – 1" 10mm – 25mm	168

T1S4825: Uses Spotnails® 4800 Staples
(Similar to Senco® L, Duo-Fast® 1800 & BeA® 90)

T1S3832 18GA NARROW CROWN STAPLER




Description:
Tool Weight: 2.65 lbs

- Features:**
- Selective Actuation
 - Adjustable Depth Control
 - 360° Adjustable Exhaust
 - Top Load Steel Magazine
 - Quick Clear Nose
 - Ergonomic Rubber Grip
 - Tool Case

Applications:
Cabinet Assembly, Door & Window Manufacturing, Drawer Assembly, Floor Underlayment, Furniture Assembly

- Accessories:**
- Full Sequential Actuation Trigger (AS-21040)
 - No Mar Safety Kit (AS-53100)



Model	GA	Crown	Staple Range	Magazine Capacity
T1S3832	18	3/16"	1/2" – 1-1/4" 12mm – 32mm	168

T1S3832: Uses Spotnails® 3800 Staples


CS3925 19GA NARROW CROWN STAPLER



Description:
Tool Weight: 2.7 lbs

- Features:**
- Contact Actuation
 - 360° Adjustable Exhaust
 - Bottom Load Steel Magazine
 - Ergonomic Rubber Grip
 - Tool Case

Applications:
Cabinet Assembly, Case Backing, Drawer Assembly, Furniture Assembly, Mobile Home Paneling, Molding & Trim



Model	GA	Crown	Staple Range	Magazine Capacity
CS3925	19	3/16"	1/4" – 1" 6mm – 25mm	125

CS3925: Uses Spotnails® 97 Staples
(Similar to Bostitch® 97 & BeA® 97)

W1S4840W6 18GA NARROW CROWN WOOD FLOORING STAPLER




Description:
Tool Weight: 4.45 lbs

- Features:**
- Selective Actuation
 - Adjustable Depth Control
 - 360° Adjustable Exhaust
 - Top Load Steel Magazine
 - Ergonomic Rubber Grip
 - Tool Case

Applications:
Engineered Hardwood Floor Installation, Hardwood Flooring, Tongue & Groove Flooring

- Accessory:**
- Full Sequential Actuation Trigger (AS-21040)



Model	GA	Crown	Staple Range	Magazine Capacity
W1S4840W6	18	1/4"	1-1/4" – 1-3/8" 32mm – 35mm	168

W1S4840W6: Uses Spotnails® 4811PN Nylon Coated Staples (Similar to Senco® L, Duo-Fast® 1800 & BeA®90)

X1S1640RFH • X1S3640RFH 16GA WIDE CROWN RADIANT FLOOR HEAT STAPLERS




Description:
Tool Weight: 9.1 lbs

- Features:**
- Selective Actuation
 - Adjustable Depth Control
 - 360° Adjustable Exhaust
 - Top Load Aluminum Magazine
 - Quick Clear Nose
 - Two Guide Blocks for Tubing
 - Ergonomic Rubber Grip
 - Walking Stick ATT Included

Application:
Radiant Floor Heating

- Accessories:**
- Air Filter (P-97454)
 - Full Sequential Actuation Trigger (AS-21037)



Model	GA	Crown	Staple Range	Magazine Capacity
X1S1640RFH	16	1"	1" – 1-1/2" 25mm – 40mm	150
X1S3640RFH	16	1"	1" – 1-1/2" 25mm – 40mm	150

X1S1640RFH: Uses Spotnails® 1600 Staples (Similar to Bostitch® 16S2)

X1S3640RFH: Uses Spotnails® 3600 Staples (Similar to Senco® P & Duo-Fast® 1700)



Max Tube Diameter: 3/4"


FS7550 • FCL2650 15GA FLOORING STAPLER 16GA "L" CLEAT FLOORING TOOL



Description:
Tool Weight: 10.0 lbs

- Features:**
- Air Assisted
 - Rear Load Aluminum Magazine
 - Ergonomic Rubber Grip
 - Tool Case
 - Rubber Mallet Included
 - Spacer for 3/4" & 5/8" Flooring Included

Applications:
Hardwood Flooring, Tongue & Groove Flooring



Model	GA	Crown	Staple Range	Magazine Capacity
FS7550	15	1/2"	1-1/2" – 2" 40mm – 50mm	100
FCL2650	16	-	1-1/2" – 2" 40mm – 50mm	100

FS7550: Uses Spotnails® 7500 Staples (Similar to Bostitch® BCS1554)

FCL2650: Uses Spotnails® 26124, 26128 & 26132 'L' Flooring Cleats


PS7116 • PS8016 • PS5016 • PSA1116
22GA / 20GA FINE WIRE STAPLER



Description:
Tool Weight: 2.3 lbs

- Features:**
- Dual Trigger Actuation
 - Front Exhaust
 - Bottom Load Steel Magazine
 - Fastener Supply Window
 - Ergonomic Rubber Grip
 - Tool Case

Applications:
PS7116: Automotive Vinyl & Interior Trim, Bedding, Insulation Installation, Picture Framing, Poly Sheeting, Screening, Upholstery
PS8016, PS5016 & PSA1116: Insulation Installation, Picture Framing, Poly Sheeting, Roofing Felt Installation, Screening, Upholstery



Model	GA	Crown	Staple Range	Magazine Capacity
PS7116	22	3/8"	1/8" - 9/16" 3mm - 14mm	100
PS8016	20	1/2"	1/8" - 9/16" 3mm - 14mm	100
PS5016	20	1/2"	1/4" - 9/16" 6mm - 14mm	84
PSA1116	20	3/8"	1/4" - 9/16" 6mm - 14mm	84

PS7116: Uses Spotnails® 87000 Staples (Similar to Senco® C & BeA® 71)
PS8016: Uses Spotnails® 98000 Staples (Similar to BeA® 80)
PS5016: Uses Spotnails® 35500 Staples (Similar to Duo-Fast® 50)
PSA1116: Uses Spotnails® 85500 Staples (Similar to Rapid® A11 & Arrow® T50)


IS7116
22GA FINE WIRE STAPLER



Description:
Tool Weight: 2.2 lbs

- Features:**
- Dual Trigger Actuation
 - Rear Exhaust
 - Bottom Load Aluminum Magazine
 - Ergonomic Rubber Grip
 - Air Fitting Included

Applications: Automotive Vinyl & Interior Trim, Bedding, Insulation Installation, Picture Framing, Poly Sheeting, Screening, Upholstery



Model	GA	Crown	Staple Range	Magazine Capacity
IS7116	22	3/8"	1/8" - 9/16" 3mm - 14mm	100

IS7116: Uses Spotnails® 87000 Staples (Similar to Senco® C & BeA® 71)


PS7116LN • PS5016LN
22GA / 20GA FINE WIRE LONG NOSE STAPLERS



Description:
Tool Weight: 2.5 lbs

- Features:**
- Dual Trigger Actuation
 - Front Exhaust
 - Bottom Load Steel Magazine
 - Fastener Supply Window
 - Ergonomic Rubber Grip
 - Tool Case
 - Air Fitting Included

Applications: Automotive Vinyl & Interior Trim, Bedding, Insulation Installation, Picture Framing, Poly Sheeting, Screening, Upholstery



Model	GA	Crown	Staple Range	Magazine Capacity
PS7116LN	22	3/8"	1/8" - 9/16" 3mm - 14mm	100
PS5016LN	20	1/2"	1/4" - 9/16" 6mm - 14mm	84

PS7116LN: Uses Spotnails® 87000 Staples (Similar to Senco® C & BeA® 71)
PS5016LN: Uses Spotnails® 35500 Staples (Similar to Duo-Fast® 50)


BS7116AF • BS8016AF • BS5016AF • BSA1116AF
22GA / 20GA FINE WIRE LONG MAGAZINE STAPLERS



Description:
Tool Weight: 2.8 lbs

- Features:**
- Dual Trigger Actuation
 - Single or Auto Fire Mode
 - Adjustable Speed for Auto Fire
 - Rear Exhaust
 - Bottom Load Aluminum Magazine
 - Fast
 - Light-Weight
 - Ergonomic Rubber Grip
 - Air Fitting Included

Applications: Automotive Vinyl & Interior Trim, Bedding, Insulation Installation, Picture Framing, Poly Sheeting, Roofing Felt Installation, Upholstery



Model	GA	Crown	Staple Range	Magazine Capacity
BS7116AF	22	3/8"	1/8" - 9/16" 3mm - 14mm	200
BS8016AF	20	1/2"	1/8" - 9/16" 3mm - 14mm	200
BS5016AF	20	1/2"	1/4" - 9/16" 6mm - 14mm	168
BSA1116AF	20	3/8"	1/4" - 9/16" 6mm - 14mm	168

BS7116AF: Uses Spotnails® 87000 Staples (Similar to Senco® C & BeA® 71)
BS8016AF: Uses Spotnails® 98000 Staples (Similar to BeA® 80)
BS5016AF: Uses Spotnails® 35500 Staples (Similar to Duo-Fast® 50)
BSA1116AF: Uses Spotnails® 85500 Staples (Similar to Rapid® A11 & Arrow® T50)

CARTON CLOSING STAPLERS

HSC3519A • HSC3219C MANUAL CARTON CLOSING STAPLERS




Description:
Tool Weight: 3.75 lbs

- Features:**
- Easy Adjustment for Clinch Control, Staple Depth & Length
 - Top Load Aluminum Magazine
 - Ergonomic Rubber Grip

Applications:
Carton Closing - For Use Where Compressed Air is Not Available, Packaging

HSC3519A: Uses Spotnails® CC58A, CC34A & CCB7437 Staples (Similar to ISM® Type A & Bostitch® SW7437)
HSC3219C: Uses Spotnails® CC58C & CC34C Staples (Similar to ISM® Type C)



Model	Crown	Staple Range	Magazine Capacity
HSC3519A	1-3/8"	5/8" – 3/4" 16mm – 19mm	100
HSC3219C	1-1/4"	5/8" – 3/4" 16mm – 19mm	100

KSC3519A • KSC3219C PNEUMATIC CARTON CLOSING STAPLERS




Description:
Tool Weight: 4.8 lbs

- Features:**
- Trigger Actuation
 - Rear Exhaust
 - Easy Adjustment for Clinch Control, Staple Depth & Length
 - Top Load Aluminum Magazine
 - Air Fitting Included
 - Tool Hanger Included

Applications:
Carton Closing, Packaging

KSC3519A: Uses Spotnails® CC58A, CC34A & CCB7437 Staples (Similar to ISM® Type A & Bostitch® SW7437)
KSC3219C: Uses Spotnails® CC58C & CC34C Staples (Similar to ISM® Type C)



Model	Crown	Staple Range	Magazine Capacity
KSC3519A	1-3/8"	5/8" – 3/4" 16mm – 19mm	100
KSC3219C	1-1/4"	5/8" – 3/4" 16mm – 19mm	100

KRSWC7437 • KSR3219R PNEUMATIC CARTON CLOSING ROLL STAPLERS



Description:
Tool Weight: 5.15 lbs

- Features:**
- Trigger Actuation
 - Rear Exhaust
 - Easy Adjustment for Clinch Control, Staple Depth & Length
 - Top Load Aluminum Magazine
 - Reduce Loading Time
 - Air Fitting Included
 - Tool Hanger Included

Applications:
Carton Closing, Packaging



Model	Crown	Staple Range	Magazine Capacity
KRSWC7437	1-3/8"	1/2" – 3/4" 12mm – 19mm	1000
KSR3219R	1-1/4"	5/8" – 3/4" 16mm – 19mm	1000

KRSWC7437: Uses Spotnails® CCBR1 Staples (Similar to Bostitch® SWC7437)

KSR3219R: Uses Spotnails® CCRR1 Staples (Similar to ISM® Type RR)

DSP103020 • DSP777 • DSP779 • DSP5019 PNEUMATIC CARTON CLOSING PLIER STAPLERS




Description:
Tool Weight: 5 lbs

- Features:**
- Trigger Actuation
 - Side Exhaust
 - Top Load Steel Magazine
 - Heavy Duty
 - Industrial Strength
 - Air Fitting Included
 - Tool Ring Hanger Included

Applications:
Carton Closing, Fastening Corrugated Packaging, Packaging

- Accessories:**
- Additional Anvils- B (AS-99119), CL (AS-99121), CR (AS-99122), DL (AS-99123), DR (AS-99124)
 - Compact Pressure Regulator- 50 PSI (AS-97412)
 - Remote Valve (AS-97420)
 - Remote Valve with Foot Pedal (AS-97419)

*Shown with Anvil B Type



Model	Crown	Staple Range	Magazine Capacity
DSP103020	1/2"	3/8" – 5/8" 10mm – 16mm	102
DSP777	1/2"	3/8" – 5/8" 10mm – 16mm	102
DSP779	1/2"	3/8" – 5/8" 10mm – 16mm	220
DSP5019	1/2"	1/4" – 5/8" 6mm – 16mm	168

DSP103020: Uses Spotnails® 91200 Staples (Similar to Bostitch® SB103020)
DSP777: Uses Spotnails® 94200 Staples (Similar to JK777)
DSP779: Uses Spotnails® 95500 Staples (Similar to JK779)
DSP5019: Uses Spotnails® 67500 Staples (Similar to Bostitch® SB5019, Senco® F & Paslode® PW50)

BOT-3222C-AM • BOT-3222C-PM MANUAL BOTTOMER STAPLERS



BOT-3222C-AM



BOT-3222C-PM

Description:
Tool Weight: 54 lbs / 60 lbs
Anvil Height: 41"
Distance from Post Arm: 12"


BOT-3222C-AM

- Features:**
- Manual Arm Bottomer
 - Foot Operated Bottom Closing of Corrugated Cardboard Boxes Where Compressed Air is Not Available
 - Top Load Steel Magazine

BOT-3222C-PM

- Features:**
- Manual Post Bottomer
 - Foot Operated Bottom Closing of Corrugated Cardboard Boxes Where Compressed Air is Not Available
 - Top Load Steel Magazine

Applications:
Carton Closing, Foot Stapler, Packaging



Model	Crown	Staple Range	Magazine Capacity
BOT-3222C-AM	1-1/4"	5/8" – 3/4" 16mm – 19mm	300
BOT-3222C-PM	1-1/4"	5/8" – 3/4" 16mm – 19mm	300

BOT-3222C-AM: Uses Spotnails® CC58C & CC34C Staples (Similar to ISM® Type C)

BOT-3222C-PM: Uses Spotnails® CC58C & CC34C Staples (Similar to ISM® Type C)

BOT-3222C-AP • BOT-3222C-PP PNEUMATIC BOTTOMER STAPLERS



BOT-3222C-AP



BOT-3222C-PP

Description:
Tool Weight: 60 lbs / 65 lbs
Anvil Height: 41"
Distance from Post Arm: 12"


BOT-3222C-AP

- Features:**
- Foot Valve Actuation
 - Pneumatic Arm Bottomer
 - Air Operated Bottom Closing of Corrugated Cardboard Boxes
 - Top Load Steel Magazine

BOT-3222C-PP

- Features:**
- Foot Valve Actuation
 - Pneumatic Post Bottomer
 - Air Operated Bottom Closing of Corrugated Cardboard Boxes
 - Top Load Steel Magazine

Applications:
Carton Closing, Foot Stapler, Packaging



Model	Crown	Staple Range	Magazine Capacity
BOT-3222C-AP	1-1/4"	5/8" – 3/4" 16mm – 19mm	300
BOT-3222C-PP	1-1/4"	5/8" – 3/4" 16mm – 19mm	300

BOT-3222C-AP: Uses Spotnails® CC58C & CC34C Staples (Similar to ISM® Type C)

BOT-3222C-PP: Uses Spotnails® CC58C & CC34C Staples (Similar to ISM® Type C)

RC1016 • X1C1016 • X1C1008

CORRUGATED FASTENER TOOLS



RC1016 / X1C1016

Description:
Tool Weight: 4.7 lbs / 5.1 lbs

Features:

- Full Sequential Actuation
- Adjustable Depth Control
- 360° Adjustable Exhaust
- Top Load Aluminum Magazine
- Quick Clear Nose
- Ergonomic Rubber Grip
- Tool Case
- Contact Actuation Trigger Included
- Narrow Body to Fit Between Slats (RC1016 Only)

Applications:

Furniture Assembly, Hollow Core Doors, Pallet Repair, Truss Manufacturing, Stringer Repair (RC1016 Only)

Accessories:

- Air Filter (P-97454)
- Walking Stick ATT (AS-99105) (X1C1016 Only)

X1C1008 - Mini Corrugated Tool

Description:
Tool Weight: 4.1 lbs

Features:


- Full Sequential Actuation
- Adjustable Depth Control
- 360° Adjustable Exhaust
- Top Load Aluminum Magazine
- Special Angled Nose for More Precise Placement
- Long Driver Blade for Deep Countersink
- Ergonomic Rubber Grip
- Tool Case
- Contact Actuation Trigger Included
- Short Driver Blade (116mm) Included

Applications:

Cabinet Assembly, Drawer Assembly, Furniture Assembly, Picture Framing

Accessories:

- Air Filter (P-97454)
- Walking Stick ATT (AS-99105)



Model	Width	Fastener Range	Magazine Capacity
RC1016	1"	1/4" – 5/8" 6mm – 16mm	120
X1C1016	1"	1/4" – 5/8" 6mm – 16mm	120
X1C1008	1/2"	1/4" – 5/8" 6mm – 16mm	156

RC1016 / X1C1016: Uses Spotnails® 416, 616, 816, 1016, Short Strip CORR-W9, W12 Fasteners

X1C1008: Uses Spotnails® FFSMICRO6, FFSMICRO8, FFS-MICRO10, FFSMICRO12, FFSMICRO15 Fasteners



X1C1008

HRC34-1/4

15GA PNEUMATIC HOG RING TOOL - C RING TYPE




Description:
Tool Weight: 3.4 lbs

Features:

- Trigger Actuation
- Rear Exhaust
- Side Load Steel Magazine
- Super Heavy Duty
- Ergonomic Rubber Grip
- Air Fitting Included

Applications:

Bag Closure, Boat/Car Upholstery Assembly, Cage/Trap Assembly, Fencing, Mattress Assembly, Wire/Netting Applications




Model	GA	Open Ring	Closure Size	Magazine Capacity
HRC34-1/4	15	3/4" 19mm	5/16" – 3/8" 8mm – 10mm	125

HRC34-1/4: Uses Spotnails® 69020 C-Hog Rings (Similar to Bostitch® RING15100P & RING15100B)

HRD34LM

15GA PNEUMATIC LONG MAGAZINE HOG RING TOOL - D RING TYPE




Description:
Tool Weight: 3.5 lbs

Features:

- Trigger Actuation
- Rear Exhaust
- Bottom Load Steel Magazine
- High Speed Air Return
- Super Heavy Duty
- Ergonomic Rubber Grip
- Air Fitting Included

Applications:

Bag Closure, Fencing, Mattress Assembly, Wire/Netting Applications



Model	GA	Open Ring	Closure Size	Magazine Capacity
HRD34LM	15	3/4" 19mm	1/4" – 3/8" 6mm – 10mm	125

HRD34LM: Uses Spotnails® 69012 D-Hog Rings (Similar to Bostitch® RINGSR15)


CB1538C 15GA FINISH NAILER



Description:
Tool Weight: 3.05 lbs

- Features:**
- Full Sequential Actuation
 - Adjustable Depth Control
 - 360° Adjustable Exhaust
 - Side Load Aluminum Magazine
 - Quick Clear Nose
 - Fastener Supply Window
 - Ergonomic Rubber Grip
 - Tool Case
 - Contact Actuation Trigger Included

Applications:
Cabinets, CNC Fixturing, CNC Spoilboard Nailing, Decorative Trim, Furniture, Molding, PVC Millwork and Trim, Window Casings, Wood Boat Building



Model	GA	Nail Range	Magazine Capacity
CB1538C	15	1/2" – 1-1/2" 12mm – 38mm	83

CB1538C: Uses Spotnails® F15-12, F15-15, F15-19, F15-25, F15-32 & F15-38 Composite Finish Nails (Similar to Raptor® F/15)


CB1819C 18GA BRAD NAILER



Description:
Tool Weight: 2.5 lbs

- Features:**
- Full Sequential Actuation
 - 360° Adjustable Exhaust
 - Side Load Aluminum Magazine
 - Quick Clear Nose
 - Fastener Supply Window
 - Ergonomic Rubber Grip
 - Tool Case
 - Contact Actuation Trigger Included

Applications:
Cabinets, Casket Ornamental Medallions, Decorative Trim, Drawers, Furniture, Molding, Picture Framing, Window Components, Wood Boat Strips & Planks



Model	GA	Brad Range	Magazine Capacity
CB1819C	18	7/16" – 3/4" 11mm – 19mm	110

CB1819C: Uses Spotnails® B18-11, B18-15 & B18-19 Composite Brad (Similar to Raptor® B/18)


PS6614C • PS8614C • PS8914C 16GA / 19GA STAPLERS



Description:
Tool Weight: 2.3 lbs

- Features:**
- Dual Trigger Actuation
 - Front Exhaust
 - Bottom Load Aluminum Magazine (PS6614C)
 - Bottom Load Steel Magazine (PS8614C & PS8914C)
 - Fastener Supply Window
 - Ergonomic Rubber Grip
 - Tool Case

Applications:
Casket Lining, Composite Fabrication, Log/Lumber Tagging, Lumber Wrapping, PVC Millwork, Timber Processing, Wood Boat Building, Wood Working



Model	GA	Crown	Staple Range	Magazine Capacity
PS6614C	16	7/16"	7/16" – 9/16" 11mm – 14mm	74
PS8614C	16	1/2"	3/8" – 9/16" 10mm – 14mm	64
PS8914C	19	1/2"	1/4" – 9/16" 6mm – 14mm	94

PS6614C: Uses Spotnails® S16/11-11 Composite Staples (Similar to Raptor® SH/04)
PS8614C: Uses Spotnails® S16/12-10 Composite Staples (Similar to Raptor® SH/05)
PS8914C: Uses Spotnails® S19/12-06, S19/12-10 & S19/12-14 Composite Staples (Similar to Raptor® S/05)

HT1211 • MT19/12 16GA / 19GA HAMMER TACKER 19GA SQUEEZE TACKER



HT1211 Description:
Tool Weight: 2.2 lbs


- Features:**
- Rear Load Steel Magazine
 - Light-Weight
 - Ergonomic Rubber Grip

Applications:
House Wrapping, Log/Lumber Tagging, Lumber Wrapping, Timber Processing

MT19/12 Description:
Tool Weight: 2.1 lbs

- Features:**
- Rear Load Steel Magazine
 - Light-Weight
 - Ergonomic Rubber Grip

Applications:
House Wrap Installation, Log/Lumber Tagging, Lumber Wrapping, Timber Processing



Model	GA	Crown	Staple Range	Magazine Capacity
HT1211	16	7/16"	7/16" – 11mm	140
	16	1/2"	3/8" – 10mm	120
	19	1/2"	1/4" – 3/8" 6mm – 10mm	140
MT19/12	19	1/2"	1/4" – 3/8" 6mm – 10mm	125

HT1211: Uses Spotnails® S16/11-11, S16/12-10, S19/12-06 & S19/12-10 Composite Staples (Similar to Raptor® SH/04, SH/05, S/05)

MT19/12: Uses Spotnails® S19/12-06 & S19/12-10 Composite Staples (Similar to Raptor® S/05)

CAP STAPLERS & NAILER / CAP HAMMER TACKERS


GCS8116 20GA CAP STAPLER



Description:
Tool Weight: 4.0 lbs

- Features:**
- Contact Actuation
 - Adjustable Depth Control
 - 360° Adjustable Exhaust
 - Side Load Aluminum Magazine
 - Top Load Clear Cap Nail Basket
 - Quick Clear Nose
 - Ergonomic Rubber Grip
 - Tool Case
 - Belt Hook Included

Applications:
Foam Board, House Wrap Installation, Roofing Felt Installation, Synthetic Underlayment, Tar Paper



Model	GA	Crown	Staple Range	Magazine Capacity
GCS8116	20	3/8"	5/8" 16mm	200 Staples/Caps

GCS8116: Uses Spotnails® 136225 Cap Staples


LCS6838 18GA CAP STAPLER



Description:
Tool Weight: 4.55 lbs

- Features:**
- Selective Actuation
 - Adjustable Depth Control
 - 360° Adjustable Exhaust
 - Side Load Aluminum Magazine
 - Top Load Clear Cap Nail Basket
 - Quick Clear Nose
 - Ergonomic Rubber Grip
 - Tool Case
 - Belt Hook Included

Applications:
Foam Board, House Wrap Installation, Roofing Felt Installation, Synthetic Underlayment, Tar Paper



Model	GA	Crown	Staple Range	Magazine Capacity
LCS6838	18	3/8"	5/8" & 7/8" 16mm & 22mm 1-1/4" & 1-1/2" 32mm & 38mm	200 Staples/ Caps

LCS6838: Uses Spotnails® 136025 - 136095 Cap Staples


136252 (CN100B) CAP NAILER



Description:
Tool Weight: 4.5 lbs

- Features:**
- Selective Actuation
 - 360° Adjustable Exhaust
 - Side Load Aluminum Magazine
 - Top Load Clear Cap Nail Basket
 - Ergonomic Rubber Grip
 - Tool Case
 - Belt Hook Included

Applications:
House Wrap Installation, Insulation Installation, Roofing, Roofing Felt Installation



Model	Diameter	Nail Range	Magazine Capacity
136252	.083	1" 25mm	200 Nails/Caps

136252: Uses 136260 1" Nail Pac

136400 (CH38-2) • 136401 (CH38A) 20GA CAP HAMMER TACKERS



136400 Description:
Tool Weight: 3.1 lbs


- Features:**
- Airless Cap System
 - No Cord / No Hose
 - No Outlet
 - Ergonomic Rubber Grip

Applications:
House Wrap Installation, Roofing Felt Installation

136401 Description:
Tool weight: 2.9 lbs

- Features:**
- Auto Feed Cap Hammer
 - No Trigger to Advance Caps
 - Airless Cap System
 - No Cord / No Hose / No Outlet
 - Belt Hook Included

Applications:
House Wrap Installation, Roofing Felt Installation



Model	GA	Crown	Staple Range	Magazine Capacity
136400	20	3/8"	3/8" 10mm	168 Staples/Caps
136401	20	3/8"	3/8" 10mm	168 Staples/Caps

136400 & 136401: Uses 136420 Staples


35001 20GA HAMMER TACKERS



Description:
Tool Weight: 2.2 lbs

- Features:**
- Rear Load Steel Magazine
 - Economical
 - Fast
 - Light-Weight
 - No Cord / No Hose
 - No Outlet
 - Portable

Applications:
Carpet Padding, House Wrap Installation, Insulation Installation, Poly Sheeting, Roofing, Roofing Felt Installation, Tar Paper



Model	GA	Crown	Staple Range	Magazine Capacity
35001	20	1/2"	1/4" – 3/8" 6mm – 10mm	168

35001: Uses Spotnails® 35500 / 36505 Staples
(Similar to Duo-Fast® 50)


84001 23GA HAMMER TACKERS



Description:
Tool Weight: 1.0 lbs

- Features:**
- Rear Load Steel Magazine
 - Economical
 - Fast
 - Light-Weight
 - No Cord / No Hose
 - No Outlet
 - Portable

Applications:
Carpet Padding, House Wrap Installation, Insulation Installation, Poly Sheeting, Roofing, Roofing Felt Installation, Tar Paper



Model	GA	Crown	Staple Range	Magazine Capacity
84001	23	3/8"	1/4" – 3/8" 6mm – 10mm	125

84001: Uses Spotnails® 84504 Staples
(Similar to Rapid® 19 & 13)


85000 20GA HAMMER TACKERS



Description:
Tool Weight: 2.1 lbs

- Features:**
- Rear Load Steel Magazine
 - Economical
 - Fast
 - Light-Weight
 - No Cord / No Hose
 - No Outlet
 - Portable

Applications:
Carpet Padding, House Wrap Installation, Insulation Installation, Poly Sheeting, Roofing, Roofing Felt Installation, Tar Paper



Model	GA	Crown	Staple Range	Magazine Capacity
85000	20	3/8"	1/4" – 3/8" 6mm – 10mm	168

85000: Uses Spotnails® 85500 Staples
(Similar to Rapid® A11 & Arrow® T50)


07020 CLIPPER PLIER STAPLER



Description:
Tool Weight: 0.75 lbs

- Features:**
- Rear Load Steel Magazine
 - All Steel Construction
 - Chrome Finish
 - 2-5/8" Throat Depth
 - Heavy Duty
 - Can Use Standard Office Staples
 - No Cord / No Hose
 - No Outlet
 - Portable

Applications:
Bag Closure, Dry Cleaner Tagging, Laundry Tagging, Office Stapler, Packaging, Restaurants



Model	GA	Crown	Staple Range	Magazine Capacity
07020	26	1/2"	1/4" 6mm	210

07020: Uses Spotnails® 70001 Undulated Staples

LONG MAGAZINE TOOLS

W1S4840LM



X1S6650LM



Model	Diameter / GA	Crown	Fastener Range	Magazine Capacity
NPR90LM*	.113-.148	Nail	2" - 3-1/2" 50mm - 90mm	162
W1B1619LM*	16	Brad	3/4" 19mm	200
W1B1822LM*	18	Brad	7/8" 22mm	200
W1B1650LM*	16	Brad	3/4" - 2" 19mm - 50mm	200
W1B1850LM*	18	Brad	5/8" - 2" 16mm - 50mm	200
M1S7564LM*	15	1/2"	1-1/2" - 2-1/2" 40mm - 64mm	200
X1S1640LM*	16	1"	1/2" - 1-1/2" 12mm - 40mm	350
X1S2640LM*	16	15/16"	5/8" - 1-1/2" 16mm - 40mm	350
X1S3640LM*	16	1"	1/2" - 1-1/2" 12mm - 40mm	350
X1S3650LM*	16	1"	1" - 2" 25mm - 50mm	337
X1S6650LM	16	7/16"	1/2" - 2" 12mm - 50mm	337
X1S76-8650LM*	16	1/2"	1/2" - 2" 12mm - 50mm	337
W1S4840LM	18	1/4"	3/8" - 1-5/8" 10mm - 40mm	300
W1S3832LM*	18	3/16"	1/2" - 1-1/4" 12mm - 32mm	300

* Run to Order

REMOTE VALVES



Air Pilot Normally ON



Air Pilot Normally OFF



24 VDC Normally OFF

Description	X, X1, M, M1 Tools	C, J, P, S, T, T1, W, W1 Tools
Air Pilot N/ON	AS-97290	AS-97269
Air Pilot N/OFF	AS-97401	AS-97404
24 VDC N/OFF	AS-97390	AS-97402
DSP Tools		
Air Pilot N/OFF		AS-97420
Air Pilot W/Foot Pedal		AS-97419
NPR/NTD Tools		
Air Pilot N/OFF		AS-97424
PT-CN50/ PT-CN70 Tools		
Air Pilot W/Foot Pedal		RE-MXRCV70

MOUNTING BRACKETS



CUSTOM MOUNTING BRACKETS AVAILABLE

ACCESSORIES FOR ALL DSP TOOLS

ANVILS - See Parts Diagram for Details



AS-99122 & AS-99126
CR TYPE - C Shaped, Right



AS-99119 & AS-99120
B TYPE - Raised Anvil



AS-99124 & AS-99128
DR TYPE - D Shaped, Right



AS-99121 & AS-99125
CL TYPE - C Shaped, Left



AS-99123 & AS-99127
DL TYPE - D Shaped, Left



AS-97412
Compact Pressure Regulator - 50PSI

GUN HOOKS



RE-SH001
Spring Hook



RE-GH10
Gun Hook

QUICK CONNECT FITTINGS



P-30101
1/4" NPT



P-30119
1/4" NPT



P-30123
3/8" NPT

POSITIVE PLACE ADAPTER



AS-99080 for W1S4840

NO MAR SAFETY KIT



AS-53068 for W1S4840 AS-53071 for TS6825
AS-53078 for CB1832
AS-53100 for T1S3832 & T1S4825
AS-53102 for T1S6825

VINYL SIDING ADAPTER



AS-53088 for X1S6650 & X1S76-8650
AS-53110 for W1S6638
AS-99112 for T1S6825

LATHING SAFETY ADAPTER
ROOFING SAFETY ADAPTER



AS-53085 (Lathing) for X1S Wide Crown Staplers
(40mm & 50mm)
AS-53086 (Roofing) for X1S Wide Crown Staplers
(40mm)

STAPLE REMOVERS



P-97491
Remover for
Carton Closing Staples



P-97482
Remover for
Upholstery Staples

WALKING STICK ATTACHMENT



AS-99105 for X & X1 Tools

CUSTOM MODIFICATION IS AVAILABLE

MALLETS



P-97473
No Mar Face

PNEUMATIC AIR HOSES HYBRID POLYMER



Descriptions:

- Ultra-Lightweight Reinforced Hybrid Polymer Material
- Over 30% Lighter than Traditional Air Hose
- Lays Flat and Will Not Kink
- 1/4" NPT Black Anodized Aluminum Hose Ends
- 300 PSI Maximum Working Pressure (3 to 1 Burst Rated)

Features:

- Maintains Flexibility in Extreme Temperatures (Rated From -40F to +150F)
- Field Repairable Hose Ends for Fast Jobsite Repair
- Bend Restrictor for Increased Hose Life
- Abrasion Resistant Outer Cover

Model	Hose Length	Hose Size	Fitting Size
HH14050C	50 Ft	1/4"	1/4"
HH14100C	100 Ft	1/4"	1/4"

PNEUMATIC AIR HOSES POLYURETHANE



Descriptions:

- Ultra-Lightweight Reinforced Polyurethane Material
- Over 40% Lighter than Traditional Air Hose
- 1/4" NPT Solid Brass Hose Ends
- 200 PSI Maximum Working Pressure (4 to 1 Burst Rated)

Features:

- Maintains Flexibility in Extreme Temperatures (Rated From -40F to +150F)
- Field Repairable Hose Ends for Fast Jobsite Repair
- Bend Restrictor for Increased Hose Life
- Abrasion Resistant Outer Cover

Model	Hose Length	Hose Size	Fitting Size
HP14050C	50 Ft	1/4"	1/4"
HP14100C	100 Ft	1/4"	1/4"
HP38050C	50 Ft	3/8"	1/4"

AIR HOSE ACCESSORIES

COUPLERS, PLUGS, MANIFOLDS & BLOW GUNS



Category	Part Number	Description
Industrial Coupler	CB1414-F	6-Ball Brass Coupler (1/4" Body, 1/4" Female NPT)
Industrial Coupler	CB1414-M	6-Ball Brass Coupler (1/4" Body, 1/4" Male NPT)
Industrial Coupler	CB1414-PB	6-Ball Brass Coupler (1/4" Body, 1/4" Push On Barb)
Industrial Coupler	CB1414-SB	6-Ball Brass Coupler (1/4" Body, 1/4" Standard Barb)
Industrial Coupler	CB1438-PB	6-Ball Brass Coupler (1/4" Body, 3/8" Push On Barb)
Industrial Coupler	CB1438-SB	6-Ball Brass Coupler (1/4" Body, 3/8" Standard Barb)
Industrial Coupler	CS1414-F	6-Ball Steel Coupler (1/4" Body, 1/4" Female NPT)
Industrial Coupler	CS1414-M	6-Ball Steel Coupler (1/4" Body, 1/4" Male NPT)
Universal U-Style Coupler	UC1414-F	Universal U-Style Brass Coupler (1/4" Body, 1/4" Female NPT)
Universal U-Style Coupler	UC1414-M	Universal U-Style Brass Coupler (1/4" Body, 1/4" Male NPT)

Category	Part Number	Description
Industrial Plug	PS1414-F	Industrial Steel Air Plug (1/4" Plug, 1/4" Female NPT)
Industrial Plug	PS1414-M	Industrial Steel Air Plug (1/4" Plug, 1/4" Male NPT)
Industrial Plug	PS1414-M-S	Industrial Steel Swivel Air Plug (1/4" Plug, 1/4" Male NPT)
Industrial Plug	PS1414-PB	Industrial Steel Air Plug (1/4" Plug, 1/4" Push On Barb)
Industrial Plug	PS1414-SB	Industrial Steel Air Plug (1/4" Plug, 1/4" Standard Barb)
Industrial Plug	PS1438-F	Industrial Steel Air Plug (1/4" Plug, 3/8" Female NPT)
Industrial Plug	PS1438-M	Industrial Steel Air Plug (1/4" Plug, 3/8" Male NPT)
Industrial Plug	PS1438-M-S	Industrial Steel Swivel Air Plug (1/4" Plug, 3/8" Male NPT)
Industrial Plug	PS1438-PB	Industrial Steel Air Plug (1/4" Plug, 3/8" Push On Barb)
Industrial Plug	PS1438-SB	Industrial Steel Air Plug (1/4" Plug, 3/8" Standard Barb)



Category	Part Number	Description
Air Hose Repair	CB1414-PR	6-Ball Brass Coupler (1/4" Body, 1/4" Reusable Push On Barb)
Air Hose Repair	CB14516-PR	6-Ball Brass Coupler (1/4" Body, 5/16" Reusable Push On Barb)
Air Hose Repair	HE1414-M	Polyurethane Hose End (1/4" Barb, 1/4" Male NPT)
Air Hose Repair	HE51614-M	Polyurethane Hose End (5/16" Barb, 1/4" Male NPT)
Air Hose Repair	PU1414	Polyurethane Hose Splicer (1/4" Barb, 1/4" Barb)
Air Hose Repair	PU516516	Polyurethane Hose Splicer (5/16" Barb, 5/16" Barb)



Category	Part Number	Description
Industrial Splitters/Manifolds	M14-2	2-Way Manifold (2x 1/4" Couplers, 1/4" Plug)
Industrial Splitters/Manifolds	M14-3H	3-Way Hex Manifold (3x 1/4" Couplers, 1/4" Plug)
Industrial Splitters/Manifolds	M14-3R	3-Way Round Manifold (3x 1/4" Couplers, 1/4" Plug)
Industrial Splitters/Manifolds	M14-4	4-Way Bar Manifold (4x 1/4" Couplers, 1/4" Plug)




Category	Part Number	Description
Blow Guns	BG-01	Safety Blow Gun w/ Rubber Tip
Blow Guns	BG-02-IL	In-line Blow gun


Bulk Pack Option: Plugs, Couplers, and Repair items are also sold in bulk packaging.


KEY CODE

 SPOTNAILS®

 SENCO®

 DUO-FAST®

 BOSTITCH®

 PASLODE®

 JK®/BEA®/RAPID®

SPOTNAILS FASTENERS	Spotnails®	Senco®	Duo-Fast®	Bostitch®	Paslode®	Fasco®	Metabo®	Grip-Rite®	Dewalt®	Makita®	Max®	Other
20" - 22" Plastic Strip Nails (.113 - .131) 2" - 3-1/2" 2-6D113- 2-16D131	NPR90, NPR90LM, YPR90	FramePro 325FRHXP, FramePro 602XP, FramePro 752XP, SN902XP, SN952XP, F-35FRHXP	CN350(B), CN350B-SH, CN137, NSP-350F2, DF350CN, DF350S	BTF83PL, F21PL(2), LPF21PL(N), N95RHN, RN90	F350-21, F350/SRH-20, 5325/SRH, 5350/SRH-20	F5C/F6AC RHN20, RHN 20-83, F6 RHN 20-90, R5C RHN20-90	NR83A5(S), NR83A2, NR83A5Y, NR90AE(S1), NR1890DR(ST)	GRTRFR83(L), GRTRH350	DWF83PL, DW325PL, DCN21PLB, D51845(2), D51850	AN8300, AN922, AN923, AN924	SN883RH3, SN890RH	Porter-Cable®: FR350A/B, Rigid®: R350RHF, R350RHA
30" - 34" Clipped Head Paper Tape Strip Nails (.113 - .131) 2-3/8" - 3-1/4" TD8D113- TD12D131	NTD90, YTD90	FramePro 650, FramePro 651, FramePro 701XP, FramePro 751XP, SN951XP, SN90CXP	CN-325B	BTF83PT, BCF30PTM1, BCF30PTB, F33PT, LPF33PT, N90PT	F325R, PF350S, F400S, CF325XP, FS350S	F5C HHN 31-83, F6 HHN 31-90, F6A HHN 31-100A	NR83AA5, NR90AA, NR90AD(S1), NR1890DCST, NR1890DCSQ7	GRTRFC83, GRTRCH350	D51825, DCN692M1, DWF83PT, DW325PT	AN943, AN942	SN890CH/34, SN883CH/34, SN890CH2/34, SN890CH3/34	Rigid®: R350CHA Porter-Cable®: FC350/A, FM350
34" Joist Hanger Paper Tape Strip Nails (.131 - .148) 1-1/2" - 2-1/2" TRJ4D131- TRJ8D148		HN150, HN250, JoistPro150XP, JoistPro250XP, JoistPro150MXP, JoistPro250MXP		MCN150, MCN250S, MCN250	F250S-PP, PF150S-PP, F150S-PP, 5250/65S-PP	F36 RHN33-38 MTL	NR65AK2S, NR38AK, NR65AK2	GR150, GRSB150, GRSB250	DWMC150		SN38J, HN65J2, SN438J	Pneu®: MC150, RN150, RN250 Everwin®: MCN40, FSN3490, FSN34100
15" Wire Weld Roofing Coil Nails (.120) 3/4" - 1-3/4" CRN06- CRN14	PT-CRN45, YRN45, VRN45	SCN40R, SCN200R, RoofPro 450, RoofPro 445XP	RN-175A, DRN-45	RN45(B), N12(B), RN46-1, RN45B-1	R175C, 3175-C	F42 CN15W-45, F48AC CN15W-45, F3C CN15W-32	NV45AB, NV45AC(S), NV45AB2/M, NV45AE(S)	GRTRN45, GRTRC175	DCN45RNB, D51321, DW45RN	AN454, AN453, AN451	CN445R, CN445R3, CN450R	Porter-Cable®: RN175C, 134R, RN175A Rigid®: R175RNA
15" Wire Weld Coil Nails (.099 & .113 - .131) 2-3/8" - 3-1/4" CW8D099 CW8D113- CW12D131	PT-CN70, YCN83	PalletPro83, SCN655P/60XP, SCN300, SCN33, SCN65XP	CNW-75, DCN-325/85L	BTF83C, N70C, N80C/CB-1, N86C	CF325XP, F-275C, F-325C	F58A CN15W-70, F58AC CN15W-80, F5CN15W-90(A), F5CN15W75	NV83A5, NV90AGS, NV75AN5, NV65AB, NV65AC	GRTCN90, GRTC5250	D51855, DWF83C, DW325C	AN902, AN901	CN70, CN80F, CN100, CN890F2, CN890S, CN890M, CN665, HNG65, HN90F	Porter-Cable®: Coil 350 Bea®: T701, 800DC, 900DC
15" Wire Weld Pallet Coil Nails (.086) 1-3/4" - 2" CW5D086- CW6D086	PT-CN55, UCNM65	PalletPro 57F, PalletPro 57XP, PAL57C	CNW-75, DCN-325/85L	N64099-1, IC60-1, N58C			NV65AN, NV65ANM			AN611	CN55	Everwin®: PN51B, PN57B, PN58 Pneu®: CN57, CN64-084
15" Wire Weld Pallet Coil Nails (.099) 1-3/4" - 2-1/2" CW5D099- CW8D099	PT-CN70, ZCN70	PalletPro 100XP(70)(90), SCN45XP, SCN60XP, SCN65XP	CNW-75, DCN-325/85L	N400C-1, N64099-1, N70C(B-1), N80CB-1, N89C-1P, N100C(PP)	P275C, P350C, F4250/65CP, P350C/ CNW90	F58A CN15W-70, F58AC CN15W-80, F45C CN15W-PS65 SA, F5 CN15W-65, R5 CN15W-65	NV65AN(S), NV75A5, NV75AN(S1), NV83A5, NV90AGS	GRTC5250, GRTCN90P, GRTCN70	D51855	AN902	CN70, CN80F, CN80, CN100, CN89011, CN565(S3), CN890S, CN890F	Pneu®: CN64, CN70, CN83, CN90, CN100 Porter-Cable®: Coil 250, Coil 350
15" Wire Weld Coil Nails (.083) 1-1/4" - 2" CW3D083- CW6D083	UCNM65, PT-CN55, LCN57	PalletPro 57FXP, PalletPro 57F		IC60-1, N64084-1, N58C	3225	F48AC CN15W-57A, F44AC CN15W-PS65	NV65AN, NV65ANM	GRTCN57, GRTCN70	DW66C-1	AN611	CN55, CN565S3	Everwin®: PN51B Pneu®: CN64, CN70, CN83, CN90, CN100
15" Wire Weld CONE Coil Nails (.083) 1-1/4" - 2" CWC3D083- CWC6D083	VCN50	SCN45, SCN50, SCN49XP					NV50A1, NV50AH				CN502, CN550S, CN552S	Everwin®: PN51B
15" Wire Weld Coil Nails (.090 - .092) 1-1/2" - 2-1/2" CW4D090- CW8D092	PT-CN55, UCNM65	SCN45XP, SCN49XP, SCN56, SCN55S, PalletPro 57F		N50C, N55C, N64C(P), N75C-1, N65CP/1, N66C-1	3225/CN-55	F58A CN15W-70	NV65AH(2), NV65AN, NV65AH2M	GRTC5250	DW66C-1	AN613, AN611	CN55, CN550S, CN565S3, CN70	Pneu®: CN64
0" Plastic Sheet Coil Nails CPD (.092 - .099) 1-3/4" - 2-1/4" CPD5D092- CPD7D099 (Similar to Duo-Fast®)	QCND65		DF225C, DCN- 225, KDN-50A, RCN-60/70, CNP-60Y/65Y, RCN-60/225ADJ		P225C	11736F, F44AC CN0-PS65		GRTC5250Z				Everwin®: SCN66, SCN66-B, SCN66B-ST Pneu®: CN65Z
T-Nails (.097) 5/8" T09710HG"	M1T9764, MT9764											
15GA DA Angle Brads 1" - 2-1/2" 1508APB/APG- 1520APB/APG (4M) 15112APB/APG- 15120APB/APG (1M) (Similar to Senco® DA)	XBA1564	SFN40, SFN30, SN1, SFN1+, SFN2B, FinishPro 35, FinishPro 35MG, FinishPro 30/41/42XP	DAFN-6480	BTFP72155, DA1564K		R3C BA-50C, F3C BA-50, F4 BA-65, R4 BA-65, F4BA-65CT	NT65MA3, NT65MA2, NT65AA, NT65MA, NT65GA	GRGTAN1565, GRGTAN250	D51275, D51276K, DC628K	AF633, AF631, AF632	NF550/15-65, NF665A/15	Rigid®: R250AFF Porter-Cable®: CDA250, DA250A, DA250B, DAFN-6480
15GA FN Angle Brads 1-1/4" - 2-1/2" 1510FNG- 1520FNG (3.5M) 15112FNG- 15120FNG (1M) (Similar to Bostitch® FN15)	XBFN64			N59FN, N60FN, N62FN			NT65MA4(S)				NF510/15-50	
15GA Brads 1-1/2" - 2-1/2" 1512- 1520	XB1564										NF550/15-65	
16GA Brads 3/4" - 2-1/2" 16512- 16540 (5M) 16220- 16240 (2.5M) 16124- 16140 (1M)	W1B1619LM, W1B1664, W1B1650/LM, CB1650, WB1650/LM	FinishPro16XP, FinishPro32XP, Fusion F-16S, FinishPro 32	LFN-764A, LFN-748A, SureShot 764, BFN-740	BTFP71917, SB1664-FN, T40-B, T36-50, T35-40, FN16250K-2, FN1664K	3250-F16, IM250S-LI, T250S-F16P, IM250-F16, MU-112, MU-212-F, F162000N	R3T FN-70CT, F3C RN-50A, F26C FN-50, F3P FN-50	NT1865DMSQ7, NT65A5, NT65A2, NT65M2(S), NT65A3, NT65GS	GRTFN250	DC51257K, DC614KN, DWF71917	AF601, XNB02Z	NF352- ST/16- 50, NF565A/16	Porter-Cable®: FN250C, PCC792B Rigid®: R250SFA Omer®: 14.63NS, 14.50
16GA FN Angle Brads 1-1/4" - 2-1/2" 16210FNG- 16220FNG (2M) 16112FNG- 16120FNG (1M) (Similar to Paslode® Angled)		GT65RHA	Floormaster- 250BN	N50FN, N52FN	T250A-F16, T250-F16, 3250-F16				DC614KA, DC618K, DCN660B			

UNIVERSAL FASTENERS

SPOTNAILS FASTENERS	Spotnails®	Senco®	Duo-Fast®	Bostitch®	Paslode®	Fasco®	Metabo®	Grip-Rite®	Dewalt®	Makita®	Max®	Other
18GA Brads (AX) 1/2" - 2" 18508- 18532 (5M) 18116- 18132 (1M)	W1B1822LM, W1B1850/LM, CB1850, T1B1840, CB1832, WB1850, TB1840, EB1832	FinishPro 15XP /18XP /18MG /18BMG /25XP, Fusion F-18, FinishPro2N1, LS4, LS5, SLP20/LS1, SDN18BR	BB-4440, DBN- 40525C, Pro-5, DBN-4440, DBN- 4450, SureShot 4450ST	BTFFP12233, GBT1850K, BT50B, BT35B, BT1255K(2), BT200(K), T29-30, T31-1,SB-1842BN, SB-1850BN, SB- 2IN1, BT1855K	IM200L(2), 2138-F18, 2138-F181, IM200-F18, T125-F18, T200-F18(P), 901000	F21T GN-40AGS, F21P GN-31A, F20A GN-50, F2B GN-50, PGN-31, F20 TGN-40, F25A GN-40, F26C-GN50, R3C GN-50	NT45A, NT32AE, NT50A5, NT50AD, NT50AE(M)	GRTBN200N, GRTBN200	DCN680D1, D51238K, D51236K, DC608K, DWF12233	AF506, XNB01Z, AF505	NF211/18-25, NF211/18-50, NF221/18-55, NF255-ST/18, NF255SF2/18, NF255FA/18, NF235-F/18	Porter-Cable®: BN125A, BN138, BN200A/B, Rigid®: R213BNF3 Omer®: 12.20, 12.40, 12.50
18GA Brads (AY) 1/2" - 1" 18508- 18516 (Similar to Senco® AY)		FinishPro2N1, FinishPro25XP, Fusion F-18, SLP20, LS4/LS5										
18GA Brads (AZ) 1/2" - 5/8" 18508- 185010 (Similar to Senco® AZ)		LS1XP, LS1, SLP20XP	SureShot 2232			F21P GA15/31A						
23GA Headless Pins 5/16" - 2" 23005- 23032 (10M) 23308- 23316 (3M)	SP2340, SP2325	FinishPro 23SXP, FinishPro 23LXP, Finish Pro 10/11, SHP10	SureShot 2336	BTFFP2350K, HP118K		F23 A64-12/35, F23C A64-50PB, F1B A64 12/18	NP50A, NP18DSAL, NP35A	GRTPIN23(A)	DWFP2350K	AF353, XTP02Z, AF201Z	NF235A/23-35	Cadex®: V1/23.35B, V2/23.55 Grex®: GCP650, P650(LXE), P650L Omer®: P5, P7, PR.30, PR.18 Porter-Cable®: Pin 138 Rigid®: R138HPA
14GA 15/16" Wide Crown Staples (High Tensile) 7/8" - 1-1/4" 2407- 2410 (Similar to Paslode® GSW14)	M1S2440, MS2440				4150-W14, MU-112-W14							
15GA 1/2" Med Crown Staples 1-1/2" - 2-1/2" 7512- 7520 (Similar to Bostitch® BCS15S4)	M1S7564/LM, MS7564/LM, MS7520, FS7550		FloorMaster- 200-S	BTFFP12569, MIII-F5			N5010AB, N5009AF	GR200FS	DWMIIIIFS			Primatech®: P260, P220, P24, P220, P145FC
15GA 7/16" Med Crown Staples 1-1/4" - 2-1/2" 6510- 6520 (Similar to Senco® Q)	M1S6564, MS6564	SQS55XP	MS-1580D			F47C SQ-65						
16GA 15/16" Wide Crown Staples 5/8" - 2" 2605- 2616 (Similar to Paslode® GSW16)	X1S2640/LM, X1S2650, XS2640/LM, XS2650				S150-W16R, S200-W16, MU-112-W16R, 3150-W16(R), 3200-W16	F3-PSW-38R, R3C PSW-38CT	N5021A	GRTS2350, GRTS1516				Omer®: WK.38
16GA 1" Wide Crown Staples 1/2" - 2-1/2" 1604- 1620 (Similar to Bostitch® 16S2)	X1S1640/LM, X1S1640RFH, X1S1650/LM, X1S1664, XS1640/LM, XS1650/LM,			T40S2-CT, T50S2-1, T35-8, T35-32, 438S2R, 450S2R		F3C ATW-38		GRTS2550	DW451S2			Omer®: WS.38
16GA 1" Wide Crown Staples 1/2" - 2" 3604- 3616 (Similar to Senco® P/ Duo-Fast® 1700)	X1S3640/LM, X1S3650/LM, X1S3640RFH, XS3640/LM, XS3650/LM,	MW, MWXP-1, PW, PW-2, PW-R, PW200, SPS, SPS-RFR, PW150/R	RS-1748, KW-1748, SW-1748, RNS-1748I			R3C SNW-38TL, F3C SNW-38R	N5024A(2), N3824A	GRTS2650, GRTS1200	DW451S2	AT2550A		Omer®: WP.38
16GA 1/2" Med Crown Staples 1/2" - 2" 7604- 7616 (Similar to Bostitch® 16S4)	M1S76-8650, X1S76-8650/LM, XS76-8650/LM, MS76-8650i			750S4, 850S4, T55S4-1, T40S4- CT, T25-1, T36-50, 650S4, T50S4-1, 438S4, T38								
16GA 1/2" Med Crown Staples 5/8" - 2" 8605- 8616 (Similar to Paslode® GS16)	X1S76-8650/LM, M1S76-8650, XS76-8650/LM, MS76-8650i				SCS200, S200-S16, MA-S16L, 3200-S16(P), 3150-S16, PA-200	R3C HD-40 VIL-SID, F45C GC/16-SS	N5010A		D51431			
16GA 7/16" Med Crown Staples 5/8" - 2" 5620- 5664 (Similar to Duo-Fast® 7600/Paslode® GS16)	X1S6650/LM, M1S6650, W1S6638/V, XS6650/LM, MS6650i		KS-7648, MS7664E, DS-7656P, DS7664P, SM-7648, SM-7664	651S5, 650S5-1	3150/38 116, GSI 3150, 3200-116, MA-GS116							
16GA 7/16" Med Crown Staples 1/2" - 2" 6604- 6616 (Similar to Senco® N/ Bostitch® 16S5)	X1S6650/LM, M1S6650, W1S6638/V, XS6650/LM, MS6650i	NS20BXP, NS20XP, SNS45, SNS41XP, SNS200XP-(BST)		438S5, 538S5, 650S5-1, 651S5, T40S5, 750S5		F47C B7/G-65, F44AC G-50TL, F4 PG-50, F45C G-55, R3 CG-40CT, R4 PG- 50CT, F45C B7-55 SS	N5008AB, N5008AC(2)	GRTSM200, GRTSM2016C	D51430	AT1150A	TA551A/16-11, TA551B/16-11	Porter-Cable®: MS200
17GA 7/16" Med Crown Staples 1-3/8" - 1-1/2" 6711- 6712 (Similar to Senco® O/ Bostitch® 17S5/BeA® 14)	X1S6650/LM, M1S6650, W1S6638/V, XS6650/LM, MS6650i	M1, M2, M2+, SNS45, SNS40, SNS41, SNS44XP, SNS45XP, SNS50, N12-N17, SKSXP-N		438S5, 538S5, 650S5, T40S5, 750S5		F4 PG-50, F45C G-55, R3 CG-40CT, R4 PG-50CT, F45C B7-55 SS	N5008AB, N5008AC	GRTSM200	D51430	AT1150A	TA551A/16-11, TA551B/16-11	Porter-Cable®: MS200
18GA 3/16" Narrow Crown Staples 3/4" - 1-1/2" 2806- 2812 (Similar to Paslode® GSN18)					2125118, MU112-N18, 2118-N18, 2125-N18, 3150-N18, S150-N18	F3 38-30CT						
18GA 3/16" Narrow Crown Staples 1/2" - 1-1/4" 3804- 3810	T1S3832, TS3832, AF3807S											


SPOTNAILS FASTENERS	Spotnails®	Senco®	Duo-Fast®	Bostitch®	Paslode®	Fasco®	Metabo®	Grip-Rite®	Dewalt®	Makita®	Max®	Other
18GA 7/32" Narrow Crown Staples 1/2" – 1-1/2" 1804-1812 <i>(Similar to Bostitch® SX5035)</i>				S325X, SX150, SX1838K								
18GA 1/4" Narrow Crown Staples 3/8" – 1-5/8" 4803-4813 <i>(Similar to Senco® L / Duo-Fast® 1800/BeA® 90)</i>	W1S4840/LM, T1S4825, W1S4840W6, WS4840/LM, TS4825, WS4840W6	SLS150MG, SLS20XP-L, SLS25XP-L, SLSXP-L, SN4450, LN4450, SLS18, FinishPro 2N1	SureShot 48F /1832 /1848 /1848SL, KN1848A, KB1836, BN1832, DNS-1840			F21P 90-25A, F20A 90-40, F20T 90-30 CT, F20T 90-40 CT, R3C 90-40 CT	N3804AB2/3, N3804AB	GRTSN150	DWFP12232, D51420K, D51422K, DWFP1838	AT638A, AT638	TA238/18-6	BeA®: 90/40-621, 90/32-611 Porter-Cable®: NS100A/B, NS150A/B, NSS150 Rigid®: R150FSA
18GA 1/4" Narrow Crown Staples (Nylon) 1-3/8" 4811PN <i>(Similar to Senco® L / Duo-Fast® 1800/BeA® 90)</i>	W1S4840W6, WS4840W6											
18GA 5/16" Medium Crown Staples 3/8" – 1-1/2" 5803-5812 <i>(Similar to Bostitch® SL5035/BeA® 92)</i>	T1S5825F, TS5825F			S325L-1, S325L, SL150, SB150SLBC		F20A 92-32, F21 92-25A, F22A 92-25			DWLS18CAP			BeA®: 92/25-553, 92/40-722
18GA 3/8" Medium Crown Staples 3/8" – 1-1/2" 6803-6812 <i>(Similar to Senco® M / Duo-Fast® W1800)</i>	T1S6825, T1S6825S, TS6825, TS6825S, TS6825V	SLS20XP-M, SLS25XP-M, SKSXP-M, SLS20-M, SLS25-M	DMS-W1832, SS W1848			F20A 5G-40						
1-3/8" Crown Carton Closing Stick Staples (CC-A) 5/8" – 7/8" CC58A-CC78A <i>(Similar to ISM® Type A)</i>	HSC3519A, KSC3519A			BTFP12181, F84-138, D16-2, D16-2AD, DS-3522								BeA®: AT-A22, MT-A22 CCC®: HC-A, AC-A ISM®: HB/HC-100T, AB/AC-100T Josef Kihlberg®: a.560M Klinch-Pak®: KP-APN22, KP-AM
1-3/8" Crown Carton Closing Stick Staples (Galvanized) 5/8" – 3/4" CCB7437 <i>(Similar to Bostitch® SW7437)</i>	HSC3519A, KSC3519A			BTFP12181, F84-138, DS-3522								Klinch-Pak®: KPSWPN
1-1/4" Crown Carton Closing Stick Staples (CC-C) 5/8" – 3/4" CC58C-CC34C <i>(Similar to ISM® Type C)</i>	BOT-3222C-AM, BOT-3222C-AP, BOT-3222C-PM, BOT-3222C-PP, HSC3219C, KSC3219C			BTFP12180, F84-138, D19AD, DS-3219								BeA®: AT-C18 CCC®: HC-C, AC-C ISM®: HB/HC 150T, AB/AC 150T Josef Kihlberg®: 561/56PN Klinch-Pak®: KP-CN KP-CM
1-3/8" Crown Carton Closing Roll Staples (Galvanized) 1/2" – 3/4" CCBR1-CCBR4 <i>(Similar to Bostitch® SWC7437)</i>	KRSWC7437			D60ADC, D61ADC, D62ADC, FC95EC, FC96EC								BeA®: CT-IC-18 ISM®: RA1000T Klinch-Pak®: KP-SWC
1-3/8" Crown Carton Closing Roll Staples 5/8" – 3/4" CCGR1-CCGR5 <i>(Similar to ISM® GR)</i>						FA-GR-15/18						BeA®: CT-IC-1823 ISM®: SRB-GR, RA1000T Klinch-Pak®: KP-GR1
1-1/4" Crown Carton Closing Roll Staples 5/8" – 3/4" CCRR1-CCRR5 <i>(Similar to ISM® RR)</i>	KSR3219R					FA-RR-15/18						BeA®: CT-IC-1819 CCC®: RC1000 ISM®: RC1000T 34, RC1000T 58 Josef Kihlberg®: R557PN Klinch-Pak®: KP-RR1
1" Wide Corrugated Fasteners 1/4", 3/8", 1/2", 5/8" 416, 616, 816, 1016	RC1016, X1C1016, XC1016	SC2	DCF-100A	CF15-2, BA-T38		R4P CF-12CT, F45CF 9-15, F45C CF9015SS (CT)						BeA®: W 15-788C
1" Wide Short Strip Corrugated Fasteners 3/8" & 1/2" CORR-W9 & CORR-W12	RC1016, X1C1016, XC1016	SC2	DCF-100A	CF15-2, BA-T38		R4P CF-12CT, F45CF 9-15, F45C CF9015SS (CT)						BeA®: W 15-788C
1/2" Wide Corrugated Fasteners 1/4" – 5/8" FFSMICRO6-FFSMICRO15	X1C1008, XC1008											
15GA C-Hog Rings 3/4" 69020 (Sharp) <i>(Similar to Bostitch® RING15100P)</i>	HRC34-1/4			SC7B, SC7CB, SC7EB, SC77XEB								BeA®: CL24-HR68
15GA C-Hog Rings 3/4" 69020B (Blunt) <i>(Similar to Bostitch® RING15100B)</i>	HRC34-1/4			SC7B, SC7CB, SC7EB, SC77XEB								BeA®: CL24-HR68


UNIVERSAL FASTENERS


SPOTNAILS FASTENERS	Spotnails®	Senco®	Duo-Fast®	Bostitch®	Paslode®	Fasco®	Metabo®	Grip-Rite®	Dewalt®	Makita®	Max®	Other
16GA C-Hog Rings 1/2" 69026 <i>(Similar to Bostitch® RINGS16G100)</i>				SC760B, SC761B								
15GA D-Hog Rings 3/4" 69012 <i>(Similar to Bostitch® RINGSR15)</i>	HRD34LM, RH22			TR315B, TR201, TR203								BeA®: HR60-22 King Hughes®: KHF-G22"
16GA 3/8" Medium U Crown Mattress Staples 3/4" 58012-2 <i>(Similar to Bostitch® BCS31P)</i>				BCAR-2S, BCAR1B-495-92L								Encore®: 30645, 30650 Vertex®: ProStick Stapler
16GA 'L' Flooring Cleats 1-1/2" - 2" 26124- 26132	FCL2650	SHF200, SHF50/15/10	FloorMaster 200-C, FM245L, FM250ALR	BTFP12569, HFN1, MIIFN, MFN200, MFN-201				GR200LCN				Porter-Cable®: FCN200 Pownail®: 445/445Flex, 45/45R, 445 LS Primatch®: P210, P240
18GA 'L' Flooring Cleats 1-1/4" - 1-3/4" 28220- 28128												Pownail®: 50P FLEX LS Primatch®: Q550, Q500, Q510
18GA 3/8" Medium Crown Cap Staples 5/8" - 1-1/2" 136025- 136095	LCS6838, TCS6832						N3808AP					Stinger®: CS150B, CS150
20GA 3/8" Medium Crown Cap Staples 5/8" 136225	GCS8116											Stinger®: CS58
20GA 3/8" Medium Crown StaplePac 3/8" 136420	136400, 136401											Stinger®: CH38-2, CH38, CH38A
Cap Nails (.083) 1" 136260	136250, 136252											Stinger®: CN100, CN100B
15GA Composite Finish Nails 1/2" - 1-1/2" F15-12- F15-38 <i>(Similar to Raptor® F/15)</i>	CB1538C	SPFN15XP										Omer®: B17P,763, 17P.32
18GA Composite Brads 7/16" - 3/4" B18-11- B18-19 <i>(Similar to Raptor® B/18)</i>	CB1819C	SPBN18XP										Omer®: 12P.25, 12.20P
16GA 1/2" Medium Crown Composite Staples 3/8" S16/12-10 <i>(Similar to Raptor® SH/05)</i>	HT1211, PS8614C	SPS16XP-12, SPHT										Raptor®: G-3PS, CT-H7000P Omer®: 82P
16GA 7/16" Medium Crown Composite Staples 7/16" S16/11-11 <i>(Similar to Raptor® SH/04)</i>	HT1211, PS6614C	SPS16XP-11, SPHT										Raptor®: G-3PS, CT- H7000P Omer®: 83P
19GA 1/2" Medium Crown Composite Staples 1/4" - 9/16" S19/12-06- *S19/12-14 *(Pneumatic Tools) <i>(Similar to Raptor® S/05)</i>	HT1211, MT19/12, *PS8914C	SPS20XP-12, SPCT, SPHT										Raptor®: G-3PS, CT6000P Omer®: 81P
20GA 3/16" Crown Fine Wire Staples 3/8" - 9/16" 32506- 32509/34509 <i>(Similar to Duo-Fast® 54)</i>			ENC-5418, BN-5424, SureShot 5424	CR1000E		F1A 54DF-18, F1B 54DF-18						
22GA 3/16" Crown Fine Wire Staples (High Tensile) 5/8" - 3/4" 34510H- 34512H <i>(Similar to Duo-Fast® 34)</i>			SureShot 3424									
22GA 3/8" Crown Fine Wire Staples 1/8" - 9/16" 31002- 31009 <i>(Similar to Duo-Fast® 31)</i>			SureShot 3118, SureShot 3118 DLAF			F1A 31-16, F1B 31-16						
20GA 1/2" Crown Fine Wire Staples 1/4" - 9/16" 35504- 35509/36505 <i>(Similar to Duo-Fast® 50)</i>	35000, 35001, PS5016/LN, BS5016AF, JS5016/LN		SS5020, SS5020S, SS5020 DLAF, HT550, CT-859, CS-5000			F1A 50-16, F1B 50-16						BeA®: 95/16- 425, 95/14 Josef Kihlberg®: 64 Omer®: 50.16CL Beck®: F1B 50-16A
19GA 3/16" Crown Fine Wire Staples 3/8" - 1" 37506- 37516 <i>(Similar to Duo-Fast® 64)</i>			SS6432			F21P 64DF-25A						
19GA 1/2" Crown Fine Wire Staples (High Tensile) 7/16" - 3/4" 30207H- 30212H <i>(Similar to Duo-Fast® 65)</i>			DWS-6532, SureShot 6524			F21P 65DF-25A						
19GA 15/32" Crown Fine Wire Staples 3/8" - 9/16" 38506- 38509/35706 <i>(Similar to Duo-Fast® 75)</i>	35700		HT-755, HT-755M									

SPOTNAILS FASTENERS	Spotnails®	Senco®	Duo-Fast®	Bostitch®	Paslode®	Fasco®	Metabo®	Grip-Rite®	Dewalt®	Makita®	Max®	Other
20GA 3/16" Crown Fine Wire Staples 1/4" – 1" 97504- 97516 <i>(Similar to Bostitch® 97/BeA® 97)</i>	CS3925			21697B, LHF97125-2, BA-T407, BA-T510, S3297				GR200LCN				BeA®: 97/25-500
26GA 3/8" Crown Fine Wire Staples 1/4" 73004 <i>(Similar to Bostitch® SP19)</i>				P-3, P-3-IND								
26GA 7/16" Crown Fine Wire Staples 1/4" 78504 <i>(Similar to Bostitch® STCR2115)</i>				B-8P								
23GA 7/16" Crown Fine Wire Staples 1/4" – 1/2" 81504- 81508 <i>(Similar to Bostitch® STCR2619)</i>				H30-6, T5-6, P6C-6, PC3000- OC2								
20GA 7/16" Crown Fine Wire Staples 1/4" – 9/16" 82504- 82509 <i>(Similar to Bostitch® STCR5019)</i>				PC2K, H30-8D6, H30-8, T5-8, ET5, T15		F1BSR5-16						
20GA 7/16" Crown Fine Wire Staples 3/8" 83506 <i>(Similar to Bostitch® SHCR5019)</i>				H2B								Josef Kihlberg®: 711
20GA 1/2" Crown Fine Wire Staples 1/4" – 1/2" 67504- 67508 <i>(Similar to Bostitch® SB5019/Senco® F/Paslode® PW50)</i>	DSP5019	DFP, DFPXP, J5, SFW10XP-F, SJS-F, SJ10-F		P51-5B, P51-5B-E, P50-5B		F1A SR5-16, F1B SR5-16						
17GA 1/2" Crown Fine Wire Staples 3/8" – 5/8" 91206- 91210 <i>(Similar to Bostitch® SB103020)</i>	DSP103020			P51-10B								
20GA 3/8" Crown Fine Wire Staples 1/4" – 9/16" 85504- 85509/86506 <i>(Similar to Rapid® A11/Arrow® T50)</i>	85000, PSA1116, BSA1116AF, JSA1116	H Slap Hammer, PC0705	Slapshot	PHT150C, TR200, TR100, TRE500		F1A A11-16/ALM, F1B A11-16/ALM						Arrow®: T-50, HT-55, HT-50, ETG50BN, ETF50PBN, T50PBN Rapid®: 54, A-11, R-11
23GA 3/8" Crown Fine Wire Staples 1/4" 84504 <i>(Similar to Rapid® 19 & 13)</i>	84000, 84001											Rapid®: Pro R19E, R-19
16.75GA 1/2" Crown Fine Wire Staples 3/8" – 5/8" 94206- 94210 <i>(Similar to JK777®)</i>	DSP777					F1B 777-16						Josef Kihlberg®: JK20T-777L Salco®: SP50-777
19.25GA 1/2" Crown Fine Wire Staples 3/8" – 5/8" 95506- 95510 <i>(Similar to JK779®)</i>	DSP779					F1B 779-16						Josef Kihlberg®: JK20T-779L Salco®: SP50-779
24GA 1/2" Crown Fine Wire Undulated Staples 1/4" 70001	07020											
26GA 1/2" Crown Fine Wire Staples 1/4" 74001 <i>(Similar to 26/6 Std. Staples)</i>												Office Staplers
24GA 1/2" Crown Fine Wire Staples 5/16" 77505 <i>(Similar to 24/8 Std. Staples)</i>												Rapid®: R-1 Binding Stapler Zenith®: Plier Stapler
22GA 3/16" Crown Fine Wire Staples 3/8" – 5/8" 45006- 45010 <i>(Similar to Senco® A & D)</i>		SFT10XP A/D, SFT10XP A/D-Auto										
22GA 3/8" Crown Fine Wire Staples 1/8" – 9/16" 87002- 87009 <i>(Similar to Senco® C/BeA® 71)</i>	PS7116/LN, IS7116, BS7116AF, JS7116/LN, DS7116	SFT10XP-C, SFW09-C, SFT10XP, SJ10, C06-C10, SJS, JG, SFTB	BN5424	21671B-LM, 21671B, 21671B-LN, 21671B-A, 21671B-ALM		F1B 7C-16, F23G-16				TA116/22-9		Josef Kihlberg®: JK20-670 Porter-Cable®: US58 BeA®: 71/16- 421
22GA 3/8" Crown Fine Wire Staples 1/4" – 9/16" 99004- 99009 <i>(Similar to Haubold® 1400)</i>												Haubold®: PN1416F, PN1414G
20GA 1/2" Crown Fine Wire Staples 1/4" – 9/16" 98004- 98009 <i>(Similar to BeA® 80)</i>	PS8016, BS8016AF, JS8016, DS8016			21680B, 21680BLN, 21680B-ALM		F1B 80-16/ALM				TA116/21-13		BeA®: 80 Haubold®: PN814 Josef Kihlberg®: JK20-680


Don't See An Item You Want? We Produce Run To Order Items!


20° - 22° PLASTIC STRIP NAILS 304 STAINLESS STEEL		
	Stock #	Length
	2-8D113SSR	2-3/8"
	2-10D120SSR	3"
	2-12D120SSR	3-1/4"


15GA DA ANGLE BRADS 304SS / 1M CLAMSHELL PACK (SIMILAR TO SENCO® DA)		
	Stock #	Length
	15112APS	1-1/2"
	15116APS	2"
	15120APS	2-1/2"


16GA BRADS 316SS / 1M CLAMSHELL PACK		
	Stock #	Length
	16124SS-8M-316	1-1/2"
	16132SS-8M-316	2"
	16140SS-8M-316	2-1/2"


34° JOIST HANGER PAPER TAPE STRIP NAILS 304 STAINLESS STEEL		
	Stock #	Length
	TRJ4D148SS-2M	1-1/2"


15GA DA ANGLE BRADS 316SS / 1M CLAMSHELL PACK (SIMILAR TO SENCO® DA)		
	Stock #	Length
	15112APS-316	1-1/2"
	15116APS-316	2"
	15120APS-316	2-1/2"


16GA FN ANGLE BRADS 304SS / 2M BOXES (SIMILAR TO PASLODE® ANGLED)		
	Stock #	Length
	16212FNS	1-1/2"
	16216FNS	2"
	16220FNS	2-1/2"


15° WIRE WELD ROOFING COIL NAILS 304 STAINLESS STEEL		
	Stock #	Length
	CRN08SSR-3.6M	1"
	CRN10SSR-3.6M	1-1/4"
	CRN12SSR-3.6M	1-1/2"
	CRN14SSR-3.6M	1-3/4"


15GA FN ANGLE BRADS 304SS / 3.5M BOXES (SIMILAR TO BOSTITCH® FN15)		
	Stock #	Length
	1512FNS	1-1/2"
	1516FNS	2"
	1520FNS	2-1/2"


16GA FN ANGLE BRADS 304SS / 1M CLAMSHELL PACK (SIMILAR TO PASLODE® ANGLED)		
	Stock #	Length
	16112FNS	1-1/2"
	16116FNS	2"
	16120FNS	2-1/2"


15° WIRE WELD FENCING / SIDING COIL NAILS 304 STAINLESS STEEL		
	Stock #	Length
	CW4D090SSR-3.6M	1-1/2"
	CW5D090SSR-3.6M	1-3/4"
	CW5.5D090SSR-3.	1-7/8"
	CW6D090SSR-3.6M	2"
	CW7D090SSR-3.6M	2-1/4"
	CW8D090SSR-3.6M	2-1/2"


15GA FN ANGLE BRADS 304SS / 1M CLAMSHELL PACK (SIMILAR TO BOSTITCH® FN15)		
	Stock #	Length
	15112FNS	1-1/2"
	15116FNS	2"
	15120FNS	2-1/2"


18GA AX BRADS 304SS / 5M BOXES		
	Stock #	Length
	18516SS	1"
	18520SS	1-1/4"
	18524SS	1-1/2"
	18532SS	2"


15GA DA ANGLE BRADS 304SS / 4M BOXES (SIMILAR TO SENCO® DA)		
	Stock #	Length
	1516APS	2"
	1520APS	2-1/2"


16GA BRADS 304SS / 2.5M BOXES		
	Stock #	Length
	16224SS	1-1/2"
	16232SS	2"
	16240SS	2-1/2"


18GA AX BRADS 316SS / 5M BOXES		
	Stock #	Length
	18512SS-316	3/4"
	18516SS-316	1"
	18520SS-316	1-1/4"
	18524SS-316	1-1/2"
	18532SS-316	2"


15GA DA ANGLE BRADS 316SS / 4M BOXES (SIMILAR TO SENCO® DA)		
	Stock #	Length
	1512APS-316	1-1/2"
	1516APS-316	2"
	1520APS-316	2-1/2"


16GA BRADS 316SS / 2.5M BOXES		
	Stock #	Length
	16224SS-316	1-1/2"
	16232SS-316	2"
	16240SS-316	2-1/2"


18GA AX BRADS 304SS / 1M CLAMSHELL PACK		
	Stock #	Length
	18110SS-8M	5/8"
	18112SS-8M	3/4"
	18116SS-8M	1"
	18120SS-8M	1-1/4"
	18124SS-8M	1-1/2"
	18132SS-8M	2"


16GA BRADS 304SS / 1M CLAMSHELL PACK		
	Stock #	Length
	16124SS-8M	1-1/2"
	16132SS-8M	2"
	16140SS-8M	2-1/2"


18GA AX BRADS 316SS / 1M CLAMSHELL PACK		
	Stock #	Length
	18112SS-8M-316	3/4"
	18116SS-8M-316	1"
	18120SS-8M-316	1-1/4"
	18124SS-8M-316	1-1/2"
	18132SS-8M-316	2"


23GA HEADLESS PINS 304 STAINLESS STEEL / 3M BOXES		
	Stock #	Length
	23308SS	1/2"
	23312SS	3/4"
	23316SS	1"


15GA 1/2" MEDIUM CROWN STAPLES / 304 STAINLESS STEEL (SIMILAR TO BOSTITCH® BCS15S4)		
	Stock #	Length
	7516PS-4.5M	2"


15GA 7/16" MEDIUM CROWN STAPLES / 304 STAINLESS STEEL (SIMILAR TO SENCO® Q)		
	Stock #	Length
	6520PS-6.2M	2-1/2"


16GA 15/16" WIDE CROWN STAPLES / 304 STAINLESS STEEL (SIMILAR TO PASLODE® GSW16)		
	Stock #	Length
	2608PS-10M	1"


16GA 1" WIDE CROWN STAPLES / 304 STAINLESS STEEL (SIMILAR TO SENCO® P / DUO-FAST® 1700)		
	Stock #	Length
	3608PS-10M	1"


16GA 1/2" MEDIUM CROWN STAPLES / 304 STAINLESS STEEL (SIMILAR TO BOSTITCH® 16S4)		
	Stock #	Length
	7610PS-10M	1-1/4"
	7612PS-10M	1-1/2"
	7614PS-10M	1-3/4"
	7616PS-10M	2"


16GA 1/2" MEDIUM CROWN STAPLES / 304 STAINLESS STEEL (SIMILAR TO PASLODE® GS16)		
	Stock #	Length
	8608PS-10M	1"
	8610PS-10M	1-1/4"
	8612PS-10M	1-1/2"
	8614PS-10M	1-3/4"
	8616PS-10M	2"


16GA 7/16" MEDIUM CROWN STAPLES / 304 STAINLESS STEEL (SIMILAR TO DUO-FAST® 7600 / PASLODE® GS16)		
	Stock #	Length
	5636PS-10M	1-1/8"
	5640PS-10M	1-1/4"
	5648PS-10M	1-1/2"


16GA 7/16" MEDIUM CROWN STAPLES / 304 STAINLESS STEEL (SIMILAR TO SENCO® N / BOSTITCH® 16S5)		
	Stock #	Length
	6608PS-10M	1"
	6610PS-10M	1-1/4"
	6612PS-10M	1-1/2"
	6614PS-10M	1-3/4"
	6616PS-10M	2"


18GA 1/4" NARROW CROWN STAPLES / 304 STAINLESS STEEL (SIMILAR TO SENCO® L / DUO-FAST® 1800)		
	Stock #	Length
	4803PS-50M	3/8"
	4805PS-25M	5/8"
	4806PS-25M	3/4"
	4807PS-25M	7/8"
	4808PS-25M	1"
	4810PS-25M	1-1/4"
4812PS-25M	1-1/2"	


16GA 'L' FLOORING CLEATS 304 STAINLESS STEEL		
	Stock #	Length
	26132SS	2"


.083 CAP NAILS 304 STAINLESS STEEL		
	Stock #	Length
	136264	1"

3/8" CROWN FINE WIRE STAPLES 304 STAINLESS STEEL (SIMILAR TO DUO-FAST® 31)		
	Stock #	Length
	31004SS	1/4"
	31006SS	3/8"

1/2" CROWN FINE WIRE STAPLES 304 STAINLESS STEEL (SIMILAR TO DUO-FAST® 50)		
	Stock #	Length
	35504SS	1/4"
	35506SS	3/8"
	35508SS	1/2"
	36504SS	1/4" DP
	36506SS	3/8" DP
	36508SS	1/2" DP

3/8" CROWN FINE WIRE STAPLES 304 STAINLESS STEEL (SIMILAR TO RAPID® A11 / ARROW® T-50)		
	Stock #	Length
	85506SS	3/8"

3/8" CROWN FINE WIRE STAPLES 304 STAINLESS STEEL (SIMILAR TO SENCO® C / BeA® 71)		
	Stock #	Length
	87003SS	3/16"
	87004SS	1/4"
	87006SS	3/8"
	87008SS	1/2"

1/2" CROWN FINE WIRE STAPLES 304 STAINLESS STEEL (SIMILAR TO BeA® 80)		
	Stock #	Length
	98004SS	1/4"
	98006SS	3/8"
	98008SS	1/2"



Visit Our New Website...

SPOTNAILS.BIZ

“ Our user friendly features make it easy to navigate and provide a faster & accurate check out process.

We encourage you to explore our website for a variety of products and resources that you will find valuable.

”

For Fasteners, Tools, Aftermarket Parts and Accessories,
Please Visit: www.spotnails.biz / www.reliabilityprovin.com

For the Dealer Nearest You
Spotnails.biz/dealer-locator

1100 Hicks Road, Rolling Meadows, IL 60008
Phone: 847-259-1620 / 800-873-2239 | Fax: 888-369-2588
Email: Customerservice@spotnails.com



PUB NO. CAT 08/2024