

- PURE BRONZE 90% COPPER AND 10% TIN
- TRADITIONAL HANDCRAFTED DESIGNS
- WILL NEVER RUST LASTS A LIFETIME
- CUSTOM FABRICATION AND DESIGN

Coastal Bronze was created to provide a reliable and cost effective source for all solid bronze hardware in rustic old world designs for coastal areas and rustic settings. Coastal Bronze products fill a gap that has existed for years in hardware lines for these types of products.

NON-LATCH SIDE

SIDE OF 2,

LATCH SIDE

# Introduction

In 2006, we recognized a niche in the hardware industry where the environmental elements weighed

heavily on the man made structures within it. Necessity lead to discovery, and discovery lead to the creation of **Coastal Bronze**.

We offer a full line of traditional pure bronze hardware solutions for gates, doors, windows, new construction and remodels. We provide a unique solution for any structure that requires a life long product to combat the harsh outdoor elements while maintaining a classic and charming design.

- Cost Effective and Reliable Old World Designs
- Custom Design and Fabrication for Unique and Challenging Hardware Scenarios
- A Vision Driven by Our Partners as well as the End Users of Our Products
- Dedication to Outstanding Customer Service, Striving to Exceed Expectations



# **Commitment To The Environment**

At Coastal Bronze, our recycled bronze products represent our commitment to the environment.

We care about the planet at Coastal Bronze. With future generations in mind, we carefully choose Manufacturing Materials with the intent of a greater contribution to the health of the environment. Our hardware is manufactured from recycled copper as well as tin salvaged from various sources for a purely recycled process. While our hardware is 100% recycled material, our sub-assemblies and screws are non-recycled.







**60-100 Ring Turn Drop Bar Latch**Operable from Both Sides. Drop Bar 7"
Back Plate 2-3/4" x 4-1/2", Ring Diameter 3-1/2"
Handing Required Right Hand Pictured



60-200
Large Ring on Plate
Back Plate 2-3/4" x 4-1/2"
Ring Diameter 4-3/4"
Can be used with Spring Latch



60-110 Ring Turn on Plate Back Plate 2-3/4" x 4-1/2" Ring Diameter 3-1/2" Can be used with Spring Latch

60-310 Lever on Plate Back Plate 2-3/4" x 4-1/2" Lever 6" x 1", 3-1/4" Proj. Can be used with Spring Latch





**60-300 Lever Drop Bar Latch**Operable from Both Sides. Drop Bar 7"
Back Plate 2-3/4" x 4-1/2", Lever 6" x 1"
Handing Required Left Hand Pictured







**90-100 - Surface Slide Bolt** 8" x 1-3/4"



**90-200 - Surface Slide Bolt** 4" x 1-1/2"

**70-300-14 - Surface Slide Bolt**14" x 1-1/2" **70-300-20 - Surface Slide Bolt**20" x 1-1/2"



**70-300 - Shutter Slide Bolt** 6-1/2" x 1-1/2" Catch 2" x 1-1/2" Throw 2"





90-110 - Mortise Plate For 8" Slide Bolt 90-111 - Mortise Plate For 6-1/2" Slide Bolt 90-112- Mortise Plate For 4" Slide Bolt



90-114 - Universal Plate For 4" & 6-1/2" Slide Bolt 90-115 - Universal Plate For 8" Slide Bolt



# Thumb Latches



40-300 Side View Tail Piece 3-3/4"



40-310 **Thumb Latch** 10" Long 2-1/4" Wide



# **Drop Bars**

50-100 Drop Bar with Knob Bar 7-1/2"

Catch Plate 3-3/4" x 1"

50-125 Drop Bar no Knob Bar 7-1/2"

Catch Plate 3-3/4" x 1"



40-300

8" Long

**Thumb Latch** 

1-3/4" Wide

50-510 Reverse Bar Catch 1-7/8" x 2-3/8" 1/2" Thick

50-500





Catch Plate 4" x 3/4"



50-130 Reverse Drop Bar





Latch Side Handle 8-3/4" x 1-3/4"

#### **Double Thumb Latch 10"**

**40-350** (Gate 1-1/2" to 1-7/8" Thick)

**40-355** (Gate 2" to 2-3/8" Thick)


**40-360** (Gate 2-1/2" to 2-7/8" Thick)

**40-365** (Gate 3" to 3-1/2" Thick)

Handle 10" x 2"

Latch Side Handle 10-3/4" x 2"





### 20-120 Non Active Strap Hinge 20" x 2-1/2"



20-115 Non Active Strap Hinge

15" x 2-1/4"

### Also Available

20-112 Non Active Strap Hinge 12" x 2"

20-108 Non Active Strap Hinge 8" x 2"

**20-105** Non Active Strap Hinge 5" x 1-1/2"



### 20-413 Non Active Band Hinge

4" Back Edge 13" x 2" - 1/4" Thick

#### 20-422 Non Active Band Hinge

4" Back Edge 22" x 2" x 1/4" Thick



**20-155 Non Active Band Hinge** 

28" x 2" - 1/4" Thick



### 20-150 Non Active Band Hinge

22" x 2" - 1/4" Thick



### **20-145 Non Active Band Hinge**

15" x 2" - 1/4" Thick




### 20-140 Non Active Band Hinge


10" x 2" - 1/4" Thick





**20-330 Band Hinge** 30" x 2" - 1/4" Thick







**20-312 - Band Hinge** 12" x 2" - 1/4" Thick

One pair (2) Band Hinges will support up to 140 lbs. 3 Band Hinges will support up to 225 lbs.



### **Arch Band Hinge**

**20-312-A** - 12" x 1-1/4" - 1/4" Thick **20-317-A** - 17" x 1-1/4" - 1/4" Thick **20-324-A** - 24" x 1-1/4" - 1/4" Thick **20-330-A** - 30" x 1-1/4" - 1/4" Thick





12" x 1-1/4" - 1/4" Thick 20-260 - Pintle on Plate - Small 1-1/4" x 3-3/4"

One pair (2) Band Hinges will support up to 60 lbs. 3 Band Hinges will support up to 100 lbs.






Lags are for band hinges only



Right and Left Hand Available





One Pair (2) Hinges Will Support Up To 250 lbs.

3 Hinges Will Support Up To 350 lbs.

Handling Required Left Hand Pictured



Mounting Plate 2" x 6-1/4"



20-500 H-Hinge Bolt 4-7/8" x 7" 4-1/2" At Pin Barrel 3/4" Specify Square or Hex Lags

**20-501 H-Hinge Screw** 4-7/8" x 7" 4-1/2" At Pin Barrel 3/4" Countersunk #18 x 2" Screw

**20-305 Edge Mount Hinge** 5" x 2" Works with any Pintle





**20-310 T-Band Hinge** 7-1/2" Tall 1-5/8" Wide Works with any pintle Pintle not included







30-400 Button Tip 4" x 4"

### Heavy Duty Hinges 4" x 4"

• Stainless Screw: #12 x 1-1/2"

• Thickness: .26"

Hinges are casted and may vary slightly.



30-401 Ball Tip 4" x 4"



30-402 Steeple Tip 4" x 4"



### 30-450 Spring Hinge

- 4-1/2" x 4-1/2"
- Stainless Steel
- Stainless Spring



30-410 Template Hinge 4" x 4" 30-420 Template Hinge 4-1/2" x 4-1/2"

- Bronze Screws: #12 x 1-1/4"
- Thickness: .13"
- Smooth Finish



30-405 Button Tip 5" x 4-1/2" 30-406 Ball Tip 5" x 4-1/2" 30-407 Steeple Tip 5" x 4-1/2"

### High Load Hinges 5" x 4-1/2"

- Stainless Screw: #18 x 2"
- Thickness: .27"

Hinges are casted and may vary slightly.







30-100 Deadbolt Square 2-1/2" x 3"







30-110 Deadbolt Arch



2-1/2" x 3"



30-265 Patio Deadbolt Square

30-250 Patio Bolt Square 2" x 3"

30-270 Patio Deadbolt Arch 30-251 Patio Bolt Arch 2" x 3"





30-120 Deadbolt Euro 2-1/2" x 3"



30-275 Patio Deadbolt Euro 30-252 Patio Bolt Euro





30-200 Deadbolt Square 2" x 2-1/2" WARNING: Will Not Fit on Pre Cut Doors, Minimum Thickness 1-3/4"







with three keepers





7-1/2" Tall
Works on Gates up to 2" thick
Must be mounted in concrete







**70-110 - Grill** 14-1/4" x 14-1/4" Bar 1/2" x 1/2" 2 Bars by 2 Bars

**70-100 - Grill** 14-1/4" x 14-1/4" Bar 1/2" x 1/2" 3 Bars by 2 Bars

**50-710** Cabin Hook - 10-1/2" Mount Plates - 1-1/2" x 1-1/4"

### **50-705** Cabin Hook - 7-1/2" Mount Plates - 1-1/2" x 1-1/4"


**50-700** Cabin Hook - 4-1/2" Mount Plates - 1-1/2" x 1-1/4"




### Gate Latches and Locks

50-400 Bar Latch Plate 2" x 2" Drop Bar 4" Long













50-410 **Gate Mortise Lock Plates** 1-3/4" x 1-3/4" Square 1-1/4" x 1-1/4" Ears Set of 2



### Gate Stop and Closer



50-250 Gate Stop 2" x 2", 1-3/4" Tall Comes with Stop Pad



### 50-600 Cannon Ball Gate Closer 3" Diameter

Weighs 5 lbs.

Comes with 5 feet of chain

#### 50-605 Cannon Ball Gate Closer

3" Diameter

Weighs 8 lbs.

Comes with 5 feet of chain



# Cabinet Hardware






**80-800 - Round Knob on Plate** Knob 1" Diameter Back Plate 1-1/4" Diameter





**80-810 - Oval Knob on Plate** Knob 1-3/8" Diameter Back Plate 1-1/4" Diameter







80-820 - Pull Handle Wide 5" Tall 1" Center 4"



**80-830 - Bin Pull** Wide 4" Tall 1-1/2" Center 3-3/8"



# **Pull Handles**



**40-710 - Bar Pull Handle** 8" cc 8-7/8" Over All

**40-700 - Bar Pull Handle** 11-1/2" cc 12-1/2" Over All

**40-725 - Bar Pull Handle** 16-1/2" cc 17-1/2" Over All





Door Stud Square 90-810 - 2" 90-510 - 1-1/4" 90-500 - 1"



Door Stud Round 90-860 - 2" 90-560 - 1"





# Shutter Hardware



**70-600** - 1-1/4" Offset **70-610** - 2-1/4" Offset **New York Style** 4 1/4" Tall x 6" Wide



**70-800 -** 1-1/4" Offset **70-805 -** 2-1/4" Offset **Jam Mount Pintle** Can be substituted for Pintle on Plate



**70-620 -** 1-1/4" Offset **70-625 -** 2-1/4" Offset **T-Hinges** 



**70-700 -** 1-1/4" Offset **70-710 -** 2-1/4" Offset **Shutter Strap** 1-1/4" Wide x 10" Long



70-500 - Shutter Dog 7" x 2-1/2" Lag 4-1/2" Right and left hand available

60-105 - Shutter Ring Back Plate 2" x 2-1/2" Ring Diameter 2"



**70-300 - Shutter Slide Bolt** 6-1/2" x 1-1/2" Catch 2" x 1-1/2" Throw 2"





### Bahama Hardware

**70-650 -** 3/4" Offset **Bahama Shutter Strap** 1-1/4" Wide x 10" Long



**70-655 -** 3/4" Offset **Bahama Shutter Strap Double** 1-1/4" Wide x 10" Long




**70-680 Bahama Shutter Stay**20" Long
Mounting Pad 2" x 5/8"





# Window Hardware



60-350 LH Euro Lever Latch with Flat Catch Operable From Both Sides. Lever - 5-1/2" x 1" - 2-1/2" Proj. Back Plate 4-3/4" x 3-1/4" Handling Required Left Hand Shown



1-3/4" x 3-1/4" Flat Catch

1-3/4" x 3-1/4" Flat Catch

**60-360 LH Arch Lever Latch with Flat Catch** Operable From Both Sides. Lever - 4-3/4" x 3/4" - 2-1/4" Proj. Back Plate 4-3/4" x 3-1/4" Handling Required Left Hand Shown







Please Specify Mortise Strike or Flat Catch







# 400-40 Case Latch **Case Latch** 5-1/4" x 3" Tall 3/4" Thick Drop Bar Projection 1-1/2" Catch 3-1/4" x 3/4" Backset 1-1/2" to 2" Handed Right or Left

Case Latch is one side ONLY.
Case Latch will work with any 1/2 dummy of any door hardware sets.

















**PAS** 



# Passage / Privacy



### Ordering Instructions













**800-50-PAS Ring Turn on Plate**Back Plate 2-3/4" x 4-1/2"
Ring Diam. 3-1/2" - 2-1/4" Proj.










### SQUARE 100, ARCH 200 & EURO 300 SERIES TUBULAR LATCH & BOLT






### SQUARE 100, ARCH 200 & EURO 300 SERIES TUBULAR LATCH & BOLT







### SQUARE 100, ARCH 200 & EURO 300 SERIES







**Ordering Instructions** 


Mushroom Knob

2" x 2-1/2" Proj.

Mushroom Knob

2-1/4" x 2-1/2" Proj.

Schlage C Keyway







**MOR** 

**60** 



60-Oval Knob

2-1/2" x 1-1/2" 2-3/4" Proj.






70-Small

Mushroom Knob

2" x 2-1/2" Proj.

Schlage C Keyway

**50-Ring** 3-1/2" Diameter 2-1/4" Proj.



75-Large

Mushroom Knob

2-1/4" x 2-1/2" Proj.

### SQUARE 100, ARCH 200 & EURO 300 SERIES BAR AND COBRA PULLS



125-90-PUL Bar Pull on Square Plate 12" x 2-3/4"



225-90-PUL Bar Pull on Arch Plate 12" x 2-3/4"



325-95-PUL Cobra Pull on Euro Plate 12" x 2-3/4"



### **Push Plates**

### SQUARE 100, ARCH 200 & EURO 300 SERIES



125-00-PPO Square Push Plate 12" x 2-3/4"




**225-00-PPO Arch Push Plate** 12" x 2-3/4"



**325-00-PPO Euro Push Plate** 12" x 2-3/4"

### **Ordering Instructions**





## Door Accessories



**500-60 Door Knocker** 3-1/2" x 4-1/4" Ring Diameter 3-1/2"



500-65 Arched Door Bell 2" x 3-1/2"



500-68 Square Door Bell 2" x 3-1/2"









# Pocket Pulls



500-57 Square Pocket Pull 4" x 2" x 1/2" Deep



500-55 Arched Pocket Pull 4" x 2" x 1/2" Deep



500-50 Edge Pull 4" x 3/4"



#### **Conditions and Terms of Sale**

FAX ALL ORDERS TO: 1.888.778.7889. All orders must have complete company information along with Purchase Order number, date, shipping instructions, contact name and email address if available. All orders are subject to acceptance by Coastal Bronze.

#### **Minimum Orders**

Minimum order is \$50.00 Net. Orders less than \$50.00 Net are subject to a \$5.00 service charge.

#### **Shipping Policy**

In stock items will be shipped not later than 48 hours from receipt AND acceptance of Purchase Orders. Orders will be confirmed by fax, email or mail stating shipment date.

#### **Prices**

All pricing is List/Retail in US \$ Dollars

Shipping and handling will be added to ALL orders.

Prices are subject to change without notice. No shipment will be made until price change is confirmed to customer.

#### **Special Orders/Rush Orders**

Up-charges exist for special orders or rush orders etc and will be specified on request. Acceptance of these up-charges must be on the PO or in writing before order processing begins.

#### Freight

FOB factory dock. Freight is always added to invoice for carrier of companies choice. If shipment is required via customer's carrier, account number must be supplied in advance and included on PO. Expedited service is at the expense of the customer and will be billed at net cost to Coastal Bronze.

#### **Drop Ship Policy**

Coastal Bronze does not drop ship to private residences, only to businesses. Customers requesting drop shipment take full responsibility for the merchandise. All drop shipments will incur a special drop ship fee of \$5.00.

#### <u>Claims</u>

All shipments become the customers' property when they pass into the hands of the transportation carrier. In the event that merchandise arrives damaged, do not refuse the shipment. Note next to your receiving signature that you have received a damaged box and place a claim with the freight carrier. Hidden damage should be reported to the carrier as soon as discovered. Coastal Bronze will assist in resolving the claim.

#### **Payments**

Payment terms are Net 30 days from invoice date, unless otherwise stated.

All payments to be made to:

Coastal Bronze, 31121 Via Colinas #1002, Westlake Village, CA. 91362, 877-227-6603

Coastal Bronze reserves the right to change terms for any customer at any time.

Finance charges of 1.50% per month will be applied to balances past the due date. Continued late payments may result in loss of credit terms and orders being shipped C.O.D.

Coastal Bronze accepts credit card payments through, AMERICAN EXPRESS, VISA, or MASTER CARD. Customer may choose any of the listed credit cards for payment of product and/or shipping charges, but payment must be made in advance of shipment.

#### **Internet Activities**

Coastal Bronze does not go to market through INTERNET ONLY COMPANIES. The List Pricing for products are on the web site. Showroom dealers who have internet activites may NOT ADVERTISE LESS THAN A LIST PRICE ON THEIR WEB SITE FOR COASTAL BRONZE PRODUCTS. Coastal Bronze will check regularly for compliance with this policy and take appropriate action when non-compliance is found. Our goal is to direct business to displaying showroom dealers.

#### **Limited Warranty**

Coastal Bronze warrants all flat goods (non-locking) to be free of defects in material and craftsmanship for five years from the original invoice date.

Coastal Bronze warrants all locking goods, including locks, latches and deadbolts, to be free of defects in material and craftsmanship for 1 year from the original invoice date. In areas of high humidity or proximity to ocean, warrants is 6 months.

These warranties are extended to the original purchaser and the original installation site. Warranty is non-transferable and proof of purchase is required. In any case, Coastal Bronze is not responsible for removal or installation of the replacement hardware or repaired parts, or for any damage caused by mishandling, improper installation, tampering, abuse or any events outside the control of Coastal Bronze.

This warranty sets forth the exclusive remedy with respect to any and all losses or damages resulting from any cause whatsoever. Coastal Bronze shall in no event be liable for consequential or incidental damages of any kind, whether by negligence or otherwise.

Coastal Bronze makes no other warranty, expressed or implied, including implied warranties of merchantability and fitness for a particular purpose with respect to its products except as set for above. No customer, distributor, sales person, showroom, dealer or other entity has the authority to alter these warranties either orally or in writing.

Coastal Bronze adds a patina to all products to simulate aged bronze. Finishes will develop a wear highlight and may change color based on environment. This is not considered a defect, but part of the natural beauty of aged bronze.

#### **Order Discrepancies**

All orders are carefully packed and inspected prior to shipping. Coastal Bronze will pay all charges associated with packing or shipping errors. Dealers are required to pay all charges associated with their errors. Mistakes and short orders must be reported within five (5) working days of delivery.

#### **Returned Goods**

ALL products to be returned to Coastal Bronze, regardless of reason, must be authorized prior to their return and have a RE-TURNED GOODS AUTHORIZATION number. All returns must be shipped prepaid, as Collect or COD shipments will be refused and returned to sender. Shipments without an RGA number on the outside of the carton will be refused and returned to sender.

Regular goods are returnable up to 90 days from invoice date if un-opened and in original packaging. Goods must be accompanied with a factory issued RETURN GOODS AUTHORIZATION form and number along with a copy of the invoice. All returns will be credited at the net value on the invoice less a 25% restocking fee only after inspection. Defective goods will either be repaired or replaced within a reasonable period. Defective goods must be accompanied with a RGA form, RGA number, invoice and freight prepaid. COD Returns will be refused.

#### **Cancellations**

Orders may be cancelled prior to shipping. If shipping has taken place, then the customer is liable for shipping charges and a restocking fee of 25%. All orders are shipped within 72 hours of receipt and acceptance by the factory. Customers will be notified of any back orders or delays via e-mail to designated contact.

#### **Specifications and Procedures**

Due to the nature of many of the products, in the range, sizes may vary to a small degree. Coastal Bronze reserves the right to discontinue or change any product, design, function, finish or price without prior notice.

#### Strength of Bronze

Most bronze used in casting hardware today is composed of 85% copper and the rest in various other metals. The strength of steel is two to three times stronger then copper. This is important to note when using bronze to support heavy doors or gates.

#### A Note about Finishes

Bronze ages gracefully and may change in appearance due to varying environmental conditions. Bronze patina finishes will develop a wear highlight with frequency of use. When bronze is exposed to air it will tarnish quickly and turn brown. Bronze exposed to exterior elements and conditions will turn green. This discoloration is referred to as patina. This patina process starts immediately upon installation. None of these conditions are considered defects, but part of the natural beauty of aged bronze.

We strive to match finishes within a given order, but parts ordered at a later date may not match the original pieces. They should however, age to match the original pieces.

35

# Arch Lever Latch Set 60-360-00-LH/RH

Thickness: 1/8"
Screw: 1" Oval | #10 Stainless
Dimensions: 4-3/4 W x 3-1/4" H
Passage Dim.: 4-1/8" L x 3-1/4" H
Beaver Tail (30) Lever Shown
Included: Active Bar Latch Side,
Passage Side (Shown Below), &
Surface or Mortise Strike



Right Hand Shown - Handing Required Displayed SKU: 60-360-30-RH



# Mortise Strike **50-501**

May be used instead of surface strike (shown above).

Please specify when ordering.



This is a double sided spindle based set and may be used on both Gates & Doors. Both sides can have different Levers, just specify when you order. The Active Bar Latch side may be ordered as a half-set and used with any spindle passage plate.

Half-Set Active Example: 60-360-30-F-LH



Simply add your desired Lever or Knob Code to the end of the Base SKU.

Base SKU's shown above are: **60-360** 



Right Hand Shown - Handing Required - Displayed SKU: 60-370-10-RH




The Arch Double Gate Lever Latch Set is designed for double doored Gates. Only the Lever Latch Pair is active, strike plate pair is locked. All sides can have different levers, just specify when you order. The Active Lever Latch side can be ordered as a half-set and used with any spindle passage plate.

Just add -HA to the end of any complete SKU for a half set.



Simply add your desired Lever or Knob Code to the end of the Base SKU.

Base SKU's shown above are: **60-361** 





Right Hand Shown - Handing Required Displayed SKU: 60-350-40-RH



## Mortise Strike **50-501**

ordering.

May be used instead of surface strike (shown above). Please specify when



This is a double sided spindle based set and can be used on both Gates & Doors. Both sides can have different Levers, just specify when you order. The Active Bar Latch side be ordered as a half-set and used with any spindle passage plate.

Half-Set Active Example: 60-350-40-F-LH



Simply add your desired Lever or Knob Code to the end of the Base SKU.

Base SKU's shown above are: **60-350** 

This product would be a Right Handed Euro Passage Set with a Octagonal Lever.



4-1/8" Case Latch Set 400-00-SET-RH

Thickness: 3/4"
Screw: 1-1/4" Oval | #10 Stainless
Dimensions: 5-1/4 H x 3-1/4" W
Square Twist (15) Lever Shown
Included: Active Bar Latch Side,
Passage Side (Shown on Right), &
Surface or Mortise Strike



Mortise Strike **50-500** 

May be used instead of surface strike (shown above). Please specify when ordering.

This is a double sided spindle based set and may be used on both Gates & Doors. Both sides can have different Levers, just specify when you order. The Active Bar Latch side may be ordered as a half-set and used with any spindle passage plate.

Example Active Side Only SKU: 400-15-**BAR**-RH Example Passage Set Only SKU: 400-15-**PAS**-RH



Simply add your desired Lever or Knob Code to the end of the (400-).

Base SKU's shown above are: **400-XX-SET-XX** 

## 7" Passage Drop Bar Latch 60-100-00-LH/RH

Thickness: 1/8" Screw: 1" Round | #10 Stainless Dimensions: 4-1/2 H x 2-3/4" W 7" From Center of Plate Knob (75) Shown Included: Active Bar Side, Passage Side, & Surface or Mortise Strike



## 5" Square Plate Latch Set 60-101-00-LH/RH

Thickness: 1/8" Screw: 1" Round | #10 Stainless Dimensions: 4-1/2 H x 2-3/4" W 5" From Center of Plate Round (20) Lever Shown Included: Active Bar Side, Passage Side, & Surface or Mortise Strike

50-500


Strike at no extra charge.



This is a double sided spindle based set and can be used on both Gates & Doors. Both sides can have different Levers, just specify when you order. The Active Bar Latch side can be ordered as a half-set and can



Simply add your desired Lever or Knob Code to the end of the Base SKU with your handing choice. Base SKU's shown above are: 60-100, 60-101





Standard Thumb Latch Tail Piece works on Gates up to **3-1/2"** Thick Extended Tail Piece **(40-315)** - Works on Gates up to **4-3/4"** Thick





7-1/2" Pull Handle - Bean **40-105-B** Dimensions: 7-1/2" L x 2" W Screw: 1" Round | #10 Stainless



8-1/2" Pull Handle - Heart **40-105-H** Dimensions: 8-1/2" L x 2" W Screw: 1" Round | #10 Stainless



8-1/2" Pull Handle - Spear **40-105-S** <u>Dimensions:</u> 8-1/2" L x 2" W <u>Screw:</u> 1" Round | #10 Stainless

Standard Thumb Latch Tail Piece works on Gates up to **3-1/2"** Thick Extended Tail Piece **(40-315)** - Works on Gates up to **4-3/4"** Thick



7-1/2" Thumb Latch - Bean **40-100-B** Dimensions: 7-1/2" L x 2-3/4" W Screw: 1" Round | #10 Stainless

Works with any Drop Bar



8-1/2" Thumb Latch - Heart **40-100-H** Dimensions: 8-1/2" L x 2-3/4" W Screw: 1" Round | #10 Stainless

Works with any Drop Bar



8-1/2" Thumb Latch - Spear **40-100-S** Dimensions: 8-1/2" L x 2-3/4" W Screw: 1" Round | #10 Stainless Works with any Drop Bar



6-1/2" Drop Bar Square with Knob

#### 50-145

Bar Dimensions: 6-1/2" L Catch Dimensions: 3" L x 3/4" W Screw: 1" Round | #10 Stainless



6-1/2" Drop Bar Square without Knob **50-147** 

Bar Dimensions: 6-1/2" L Catch Dimensions: 3" L x 3/4" W Screw: 1" Round | #10 Stainless



6-1/2" Drop Bar Square without Knob - Reverse Bevel

## 50-135

Bar Dimensions: 6-1/2" L

Catch Dimensions: 3" L x 3/4" W Screw: 1" Round | #10 Stainless



2" x 2" Slim Gate Stop

## 50-240

Thickness: 3/8" Screw: 1-1/4" Flat | #10 Stainless

<u>Included</u>: Stopping Pad <u>Use:</u> For Gates up to 50 Lbs



4" x 2" Extended Gate Stop


#### 50-260


Thickness: 5/8"

Screw: 1-1/4" Flat | #10 Stainless Included: Stopping Pad

<u>Use:</u> For Gates up to 100 Lbs







Dimensions: 6-1/2" L x 4" H Thickness: .20" / 5mm Weight Load (Pair): 60 Lbs Screw: 1-1/4" Flat | #10 Stainless



This product would have a Steeple Tip.

Hinge Tip Code

3" Cabin Hook **50-699** <u>Mounting Plates:</u> 1-1/2" W x 1-1/4" Screw: 1" Flat | #10 Stainless

4-1/2"x 4-1/2" Butt Hinge

- Button Tip

#### 30-423

Thickness: .26" / 6.5mm Screw: 1-1/2" Flat | #12 Stainless Weight Load (Pair): 75 Lbs 4-1/2"x 4-1/2" Butt Hinge - Round (Ball) Tip

#### 30-424

Thickness: .26" / 6.5mm Screw: 1-1/2" Flat | #12 Stainless Weight Load (Pair): 75 Lbs 4-1/2"x 4-1/2" Butt Hinge - Steeple Tip

#### 30-425

Thickness: .26" / 6.5mm Screw: 1-1/2" Flat | #12 Stainless Weight Load (Pair): 75 Lbs







Hinge Tip Code

All hinges shown are cast and may vary slightly in height, width, and thickness.

All hinges are available with Button, Round, or Steeple Tips.

## 4-1/2"x 4-1/2" Heavy Duty Hinge

#### 30-423-H

Thickness: .26" / 6.5mm Screw: 2" Flat | #18 Stainless Weight Load (Pair): 150 Lbs



Heavy Duty Hinge (30-423-H) is available in Button, Round, or Steeple Tips. Button is shown.

Choose your preferred hinge tip and add the letter code to the end of the SKU as shown below.

(B) Button Tip (R) Round Tip (S) Steeple Tip



Example SKU: 30-423-H-X

Hing

This product would have a Steeple Tip.



4-1/2"x 4-1/2" Self Closing Hinge w/ Bronze PVD Finish

#### 30-455

Material: 304 Stainless Steel

w/PVD Finish

Thickness: .13" / 6.5mm Screw: 1-1/2" | #12 Stainless Weight Load (Pair): 75 Lbs



4"x 4" Self Closing Hinge w/ Bronze PVD Finish

### 30-456

Material: 304 Stainless Steel

w/PVD FInish

Thickness: .13" / 6.5mm Screw: 1-1/2" | #12 Stainless Weight Load (Pair): 60 Lbs





8"x 8" High Load Butt Hinge 30-430

Thickness: .275" / 7mm Screw: 2" Flat | #18 Stainless Weight Load (Pair): 160 Lbs Longer screws available by request



3-1/2" x 3-1/2" Template Hinge

## 30-409

Thickness: .125" / 3.2mm Screw: 1-1/4" Bronze | #12 Weight Load (Pair): 60 Lbs



8-5/8"x 2" Bi-fold Hinge

#### 30-435

Thickness: .275" / 6mm Screw: 1-1/4" Flat | #10 Stainless Weight Load (Pair): 75 Lbs



Cabinet H-Hinge

#### 30-465

Dimensions: 3" L x 1-1/4" W Thickness: 1/8" / 3.2mm Screw: 1/2" Oval | #6 Stainless Weight Load (Pair): 10 Lbs

(30-435) & (30-430) are cast and may vary slightly in height, width, and thickness. (30-435) & (30-430) are also available with Button, Ball, or Steeple Tips. Button is shown.

Choose your preferred hinge tip and add the letter code to the end of the SKU as shown below.









Example SKU: 30-440-X

Hinge Tip Code

This product would have a Steeple Tip.



## Driveway Gate Hinge - Edge Mount 20-390

Dimensions: 16-1/2" L x 3-1/2" W Pintle: 7" L x 3-3/4" W Thickness: .45" / 11.5mm Includes: (1) Pintle & (1) Active Hinge

Screw: 1/2" Bolts

(Specify Thickness on Order)

Weight Load (Pair): 350 Lbs

### Driveway Gate Hinge - Edge Mount 20-391

Dimensions: 6-1/2" L x 3-1/2" W Pintle: 7" L x 3-3/4" W Thickness: .45" / 11.5mm

Includes: (1) Pintle & (1) Active Hinge Screw: 1/2" Bolts

(Specify Thickness on Order) Weight Load (Pair): 350 Lbs



## Driveway Gate Hinge - Dummy 20-392

Dimensions: 15-1/2" L x 3-1/2" W Thickness: .45" / 11.5mm Includes: (1) Dummy Hinge Screw: 1/2" Bolts



### Driveway Gate Hinge - Dummy 20-393

Dimensions: 5-1/2" L x 3-1/2" W Thickness: .45" / 11.5mm Includes: (1) Dummy Hinge Screw: 1/2" Bolts



Specify screw head type and length when ordering any Loose Pin Band Hinge





# Small Band Hinge & Pintle - Arch **20-350-A**

Included: (1) Small Band Hinge & (1) Pintle Dimensions: 12" L x 1-1/4" H x 1/4" Thick

Pintle: 1-1/4" W x 3-3/4" H

Screw: 1"Round | #10 Stainless

Weight Load (If Paired): 60 Lbs | 3 Hinges: 100 Lbs



## Small Band Hinge & Pintle - Bean **20-350-B**

<u>Included:</u> (1) Small Band Hinge & (1) Pintle

 $\underline{\text{Dimensions:}}\ 12^{\prime\prime}\ \text{L}\ \text{x}\ 1\text{-}1\text{-}4^{\prime\prime}\ \text{H}\ \text{x}\ 1\text{-}4^{\prime\prime}\ \text{Thick}$ 

<u>Pintle:</u> 1-1/4" W x 3-3/4" H <u>Screw:</u> 1" Round | #10 Stainless

Weight Load (If Paired): 60 Lbs | 3 Hinges: 100 Lbs

Pintle In Pipe - Heavy **20-255-H** 

<u>Dimensions:</u> 12" L <u>Diameter:</u> 1-1/4"

Weight Load (Pair): 150 Lbs

Pintle in Pipe may be installed into brick, concrete, or a stone face 10" deep. It is designed for heavy duty long-term installations and should be installed professionally to prevent installation misalignment which can cause breakage.



Screw In Pintle - Heavy

20-251-H

<u>Dimensions:</u> 7-1/2" L x 3-1/2" H <u>Threads:</u> 5-1/2" Long <u>Weight Load (Pair)</u>: 150 Lbs



28" Non-Active Band Hinge - Arch

20-155-A

Band Thickness: 1/4" Screw: See Screw Chart (A)



22" Non-Active Band Hinge - Arch

20-150-A

Band Thickness: 1/4" Screw: See Screw Chart (A)



15" Non-Active Band Hinge - Arch

20-145-A

Band Thickness: 1/4" Screw: See Screw Chart (A)

(A)



10" Non-Active Band Hinge - Arch

20-140-A


Band Thickness: 1/4" Screw: See Screw Chart (A)

All Non-Active Band Hinges are decorative only, they do not support weight. They cannot be through-bolted.

Specify screw head type and length when ordering any Non-Active Band Hinge



All Active Band Hinges work with all Pintles: 20-250, 20-251, 20-251-H, 20-255, 20-255-H, 20-252



24" Active Band Hinge - Bean

20-324-B

Band Thickness: 1/4" Screw: See Screw Chart (A)



17" Active Band Hinge - Bean

20-317-B

Band Thickness: 1/4" Screw: See Screw Chart (A)



12" Active Band Hinge - Bean

20-312-B

Band Thickness: 1/4" Screw: See Screw Chart (A)

Specify screw head type and length when ordering any Band Hinge

(A)





28" Non-Active Band Hinge - Bean

20-155-B

Band Thickness: 1/4" Screw: See Screw Chart (A)



22" Non-Active Band Hinge - Bean

20-150-B

Band Thickness: 1/4" Screw: See Screw Chart (A)



15" Non-Active Band Hinge - Bean

20-145-B

Band Thickness: 1/4" Screw: See Screw Chart (A)



10" Non-Active Band Hinge - Bean

20-140-B

Band Thickness: 1/4" Screw: See Screw Chart (A) Paired with any of the 3 handles to the right. (Not sold invidually) See Below for Details




Dimensions: 8-3/4" x 2-1/4" W

8" C2C Euro Bar Pull

40-730

Dimensions: 11" L x 1" W x 1/2" Diameter Screw: #1/4-20



Dimensions: 8" L x 1" W Dimensions: 8" L x 3/4" W Screw: #1/4-20

8" C2C Cabinet Bar Pull

80-825

Screw: #1/4-20



40-730 with Finger Pull (Above) (40-800)

40-710 with Finger Pull (Above) (40-801)

80-825 with Finger Pull (Above) (40-802)

All Bar Pulls Above are available to be used with the Finger Pull (Above). Just choose your handle and select the appropriate type code.

> Base SKU: 40-80X Type Code

This product would be a Finger Pull w/40-710

8-3/4" Pocket Door Pull - Square

500-58

Dimensions: 8-3/4" L x 2-1/4" W Screw: 1" Flat | #10 Stainless (Cannot be paired with above handles)









1/4" Door Stud/Clavos - Square **90-505** 

<u>Dimensions:</u> 1/4" Projection, 3/4" Stud <u>Diameter:</u> 1/4"

All door studs/clavos are for decorative purpose and should not be used to mount product or support weight. Make sure to pre-drill your desired area before inserting door stud/clavos.

6" Lockable Hasp **50-450** 

Thickness: .20" / 5mm Screw: 1" Flat | #10 Stainless Dimensions: 6" L x 1-1/2" W Padlock Hole Diameter: 3/8"



1" Door Stud/Clavos - Crest **90-520** 

<u>Dimensions:</u> 1/4" Projection, 1" Stud <u>Diameter:</u> 1"



5" Surface Slide Bolt

#### 90-105

<u>Dimensions:</u> 5" L x 3/4" W <u>Screw:</u> 1" Round | #10 Stainless <u>Throw:</u> 1" Total

Included: (1) Slide Bolt, Catch (Shown)




Door Stop - Floor **500-30** Dimensions: 1" Diameter x 1-1/4" L Screw: 1-1/2" Flat | #10 Stainless

By request, Mortise Plates can replace flush catch free of charge.



Mortise Plate **90-110** Used With: 90-105



Displayed SKU: 102-75-PAS



5" Offset Square Series **102-00-PAS/DUM** 

Thickness: 1/8"
Screw: 1" Oval | #10 Stainless
Dimensions: 5" H x 2-3/4" W
Large Mushroom (**75**) Knob Shown



Included with PAS Function: (2) Plates with Levers, Knobs, or Ring & 1 Spring Latch Set

Included with DUM Function:
(2) Plates with Levers, Knobs, or Ring

This is a double sided spindle based set and can be used on both Gates & Doors. Both sides can have different Levers, just specify when you order. One side may be ordered as a half-set dummy.



Simply add your desired Lever or Knob Code to the end of the Base SKU.

Base SKU's shown above are: 102-00-PAS or DUM

This product would be a 5" Offset Square Plate Passage with a Large Mushroom Knob.

Displayed SKU: 105-60-PAS



2-3/4" Square Series 105-00-PAS/DUM Thickness: 1/8" Screw: 1" Oval | #10 Stainless Dimensions: 2-3/4" W x 2-3/4" H

Oval Knob (60) Lever Shown



Included with PAS Function: (2) Plates with Levers, Knob, or Ring, 1 Spring Latch Set

Included with DUM Function: (2) Plates with Levers, Knob, or Ring

This is a double sided spindle based set and can be used on both Gates & Doors. Both sides can have different Levers, just specify when you order. One side may be ordered as a half-set dummy.



Simply add your desired Lever or Knob Code to the end of the Base SKU. Base SKU's shown above are: **105-00-PAS or DUM** 

Example SKU: 105-XX-PAS

Lever/Knob Code

PAS or DUM

105-60-PAS




Large Square Deadbolt - Single Cylinder **30-290** Dimension: 2-3/4" x 2-3/4" Screw: 1" Oval | #10 Stainless



Large Square Deadbolt - Double Cylinder **30-290-D** <u>Dimension:</u> 2-3/4" x 2-3/4" <u>Screw:</u> 1" Oval|#10 Stainless

27

17" C2C Bar Pull **80-827** <u>Dimensions:</u> 17" L x 7/8" W <u>Screw:</u> #1/4-20





Cabinet Utility Pull - 6-1/2" **80-828**<u>Dimensions:</u> 6-1/2" L x 1-3/4" W
<u>Screw:</u> 1" Round Head | Stainless #10



Cabinet Utility Pull - 5-1/2"
80-829
Dimensions: 5-1/2" L x 1-1/4" W
Screw: 1" Round Head | Stainless #10



4" C2C Arch Pull **80-831** Dimensions: 5-1/2" L x 1-1/4" W Screw: 1-1/4" Zinc Plated Pan Head | #8-32





Rat Tail Shutter Dog Dimensions: 6" Long



Sash Lock - LH 70-202-LH

Screw: 3/4" Flat | #10 Stainless