

- PURE BRONZE 90% COPPER AND 10% TIN
- TRADITIONAL HANDCRAFTED DESIGNS
- WILL NEVER RUST LASTS A LIFETIME
- CUSTOM FABRICATION AND DESIGN

Coastal Bronze was created to provide a reliable and cost effective source for all solid bronze hardware in rustic old world designs for coastal areas and rustic settings. Coastal Bronze products fill a gap that has existed for years in hardware lines for these types of products.

Introduction

In 2006, we recognized a niche in the hardware industry where the environmental elements weighed

heavily on the man made structures within it. Necessity lead to discovery, and discovery lead to the creation of **Coastal Bronze**.

We offer a full line of traditional pure bronze hardware solutions for gates, doors, windows, new construction and remodels. We provide a unique solution for any structure that requires a life long product to combat the harsh outdoor elements while maintaining a classic and charming design.

- Cost Effective and Reliable Old World Designs
- Custom Design and Fabrication for Unique and Challenging Hardware Scenarios
- A Vision Driven by Our Partners as well as the End Users of Our Products
- Dedication to Outstanding Customer Service, Striving to Exceed Expectations



Commitment To The Environment

At Coastal Bronze, our recycled bronze products represent our commitment to the environment.

We care about the planet at Coastal Bronze. With future generations in mind, we carefully choose Manufacturing Materials with the intent of a greater contribution to the health of the environment. Our hardware is manufactured from recycled copper as well as tin salvaged from various sources for a purely recycled process. While our hardware is 100% recycled material, our sub-assemblies and screws are non-recycled.



2





60-100 Ring Turn Drop Bar Latch

Operable from Both Sides. Drop Bar 7" Back Plate 2-3/4" x 4-1/2", Ring Diameter 3-1/2" Handing Required Right Hand Pictured




60-200 **Large Ring on Plate**

Back Plate 2-3/4" x 4-1/2" Ring Diameter 4-3/4" Can be used with Spring Latch



60-110 Ring Turn on Plate

Back Plate 2-3/4" x 4-1/2" Ring Diameter 3-1/2" Can be used with Spring Latch



Back Plate 2-3/4" x 4-1/2" Lever 6" x 1", 3-1/4" Proj. Can be used with Spring Latch



Levers

60-300 Lever Drop Bar Latch

Operable from Both Sides. Drop Bar 7" Back Plate 2-3/4" x 4-1/2", Lever 6" x 1"







90-100 - Surface Slide Bolt 8" x 1-3/4"



90-200 - Surface Slide Bolt 4" x 1-1/2"

70-300-14 - Surface Slide Bolt14" x 1-1/2" **70-300-20 - Surface Slide Bolt**20" x 1-1/2"



70-300 - Shutter Slide Bolt 6-1/2" x 1-1/2" Catch 2" x 1-1/2" Throw 2"





90-110 - Mortise Plate For 8" Slide Bolt 90-111 - Mortise Plate For 6-1/2" Slide Bolt 90-112- Mortise Plate For 4" Slide Bolt



90-114 - Universal Plate For 4" & 6-1/2" Slide Bolt 90-115 - Universal Plate For 8" Slide Bolt





40-300 Side View Tail Piece 3-3/4"



40-310 Thumb Latch10" Long
2-1/4" Wide





Bar 7-1/2"

Catch Plate 3-3/4" x 1"

50-125 Drop Bar no Knob

Bar 7-1/2"

Catch Plate 3-3/4" x 1"




40-300

8" Long


Thumb Latch

1-3/4" Wide



50-500

Jam Catch



50-130 Reverse Drop Bar





Double Thumb Latch



Double Thumb Latch 10"


40-350 (Gate 1-1/2" to 1-7/8" Thick) **40-355** (Gate 2" to 2-3/8" Thick) **40-360** (Gate 2-1/2" to 2-7/8" Thick)

40-365 (Gate 3" to 3-1/2" Thick)

Handle 10" x 2"

Latch Side Handle 10-3/4" x 2"





20-120 Non Active Strap Hinge

20" x 2-1/2"



20-115 Non Active Strap Hinge

15" x 2-1/4"

Also Available

20-112 Non Active Strap Hinge 12" x 2"

20-108 Non Active Strap Hinge 8" x 2"

20-105 Non Active Strap Hinge 5" x 1-1/2"



20-413 Non Active Band Hinge

4" Back Edge 13" x 2" - 1/4" Thick

20-422 Non Active Band Hinge

4" Back Edge 22" x 2" x 1/4" Thick



20-155 Non Active Band Hinge

28" x 2" - 1/4" Thick



20-150 Non Active Band Hinge

22" x 2" - 1/4" Thick



20-145 Non Active Band Hinge

15" x 2" - 1/4" Thick




20-140 Non Active Band Hinge


10" x 2" - 1/4" Thick





20-330 Band Hinge 30" x 2" - 1/4" Thick







20-312 - Band Hinge 12" x 2" - 1/4" Thick

One pair (2) Band Hinges will support up to 140 lbs. 3 Band Hinges will support up to 225 lbs.



Arch Band Hinge

20-312-A - 12" x 1-1/4" - 1/4" Thick **20-317-A -** 17" x 1-1/4" - 1/4" Thick **20-324-A -** 24" x 1-1/4" - 1/4" Thick **20-330-A -** 30" x 1-1/4" - 1/4" Thick






12" x 1-1/4" - 1/4" Thick

20-260 - Pintle on Plate - Small
1-1/4" x 3-3/4"


One pair (2) Band Hinges will support up to 60 lbs. 3 Band Hinges will support up to 100 lbs.








Right and Left Hand Available





One Pair (2) Hinges Will Support Up To 250 lbs.
3 Hinges Will Support Up To 350 lbs.
Handling Required Left Hand Pictured



Mounting Plate 2" x 6-1/4"



20-500 H-Hinge Bolt 4-7/8" x 7" 4-1/2" At Pin Barrel 3/4" Specify Square or Hex Lags

20-501 H-Hinge Screw 4-7/8" x 7" 4-1/2" At Pin Barrel 3/4" Countersunk #18 x 2" Screw

20-305 Edge Mount Hinge 5" x 2" Works with any Pintle





20-310 T-Band Hinge 7-1/2" Tall 1-5/8" Wide Works with any pintle Pintle not included







30-400 Button Tip 4" x 4"

Heavy Duty Hinges 4" x 4"

• Stainless Screw: #12 x 1-1/2"

• Thickness: .26"

Hinges are casted and may vary slightly.



30-401 Ball Tip 4" x 4"



30-402 Steeple Tip 4" x 4"



30-450 Spring Hinge

- 4-1/2" x 4-1/2"
- Stainless Steel
- Stainless Spring



30-410 Template Hinge 4" x 4" 30-420 Template Hinge 4-1/2" x 4-1/2"

- Bronze Screws: #12 x 1-1/4"
- Thickness: .13"
- Smooth Finish



30-405 Button Tip 5" x 4-1/2" 30-406 Ball Tip 5" x 4-1/2" 30-407 Steeple Tip 5" x 4-1/2"

High Load Hinges 5" x 4-1/2"

- Stainless Screw: #18 x 2"
- Thickness: .27"

Hinges are casted and may vary slightly.







30-100 Deadbolt Square 2-1/2" x 3"





30-110 Deadbolt Arch 2-1/2" x 3"





30-120 Deadbolt Euro 2-1/2" x 3"





30-200 Deadbolt Square
2" x 2-1/2"
WARNING: Will Not Fit on Pre Cut Doors,
Minimum Thickness 1-3/4"





30-265 Patio Deadbolt Square 30-250 Patio Bolt Square 2" x 3"





30-270 Patio Deadbolt Arch 30-251 Patio Bolt Arch 2" x 3"





30-275 Patio Deadbolt Euro 30-252 Patio Bolt Euro









with three keepers





7-1/2" Tall
Works on Gates up to 2" thick
Must be mounted in concrete







70-110 - Grill 14-1/4" x 14-1/4" Bar 1/2" x 1/2" 2 Bars by 2 Bars

70-100 - Grill 14-1/4" x 14-1/4" Bar 1/2" x 1/2" 3 Bars by 2 Bars

50-710

Cabin Hook - 10-1/2" Mount Plates - 1-1/2" x 1-1/4"

50-705

Cabin Hook - 7-1/2" Mount Plates - 1-1/2" x 1-1/4"

50-700


Cabin Hook - 4-1/2" Mount Plates - 1-1/2" x 1-1/4"



50-400 Bar Latch Plate 2" x 2"

Drop Bar 4" Long





Keepers - 1-3/4" x 3/4"



50-420 Lockable Bar Latch

Surface Mount Bar 6" Long, 1" Wide Plate 2" x 2"







50-410 **Gate Mortise Lock Plates** 1-3/4" x 1-3/4" Square 1-1/4" x 1-1/4" Ears Set of 2



Gate Stop and Closer



50-250 Gate Stop 2" x 2", 1-3/4" Tall Comes with Stop Pad



50-600 Cannon Ball Gate Closer

3" Diameter

Weighs 5 lbs.

Comes with 5 feet of chain

50-605 Cannon Ball Gate Closer

3" Diameter

Weighs 8 lbs.

Comes with 5 feet of chain






80-800 - Round Knob on Plate Knob 1" Diameter Back Plate 1-1/4" Diameter



80-810 - Oval Knob on Plate Knob 1-3/8" Diameter Back Plate 1-1/4" Diameter







80-820 - Pull HandleWide 5" Tall 1"
Center 4"



80-830 - Bin Pull Wide 4" Tall 1-1/2" Center 3-3/8"



Pull Handles



40-710 - Bar Pull Handle 8" cc 8-7/8" Over All

40-700 - Bar Pull Handle 11-1/2" cc 12-1/2" Over All

40-725 - Bar Pull Handle 16-1/2" cc 17-1/2" Over All





Door Stud Square 90-810 - 2" 90-510 - 1-1/4" 90-500 - 1"



Door Stud Round 90-860 - 2" 90-560 - 1"







70-600 - 1-1/4" Offset **70-610 -** 2-1/4" Offset **New York Style** 4 1/4" Tall x 6" Wide



70-800 - 1-1/4" Offset **70-805 -** 2-1/4" Offset **Jam Mount Pintle** Can be substituted for Pintle on Plate




70-620 - 1-1/4" Offset **70-625 -** 2-1/4" Offset **T-Hinges**



70-700 - 1-1/4" Offset **70-710 -** 2-1/4" Offset **Shutter Strap** 1-1/4" Wide x 10" Long



70-500 - Shutter Dog 7" x 2-1/2" Lag 4-1/2" Right and left hand available





70-300 - Shutter Slide Bolt 6-1/2" x 1-1/2" Catch 2" x 1-1/2" Throw 2"





Bahama Hardware

70-650 - 3/4" Offset **Bahama Shutter Strap** 1-1/4" Wide x 10" Long



70-655 - 3/4" Offset **Bahama Shutter Strap Double** 1-1/4" Wide x 10" Long



70-680 Bahama Shutter Stay20" Long
Mounting Pad 2" x 5/8"





Window Hardware



Comes with Two Catches

Comes with both Hook Plate & Mortice Plate

60-350 LH Euro Lever Latch with Flat Catch Operable From Both Sides. Lever - 5-1/2" x 1" - 2-1/2" Proj. Back Plate 4-3/4" x 3-1/4" Handling Required Left Hand Shown



1-3/4" x 3-1/4" Flat Catch

1-3/4" x 3-1/4" Flat Catch

60-360 LH Arch Lever Latch with Flat Catch Operable From Both Sides. Lever - 4-3/4" x 3/4" - 2-1/4" Proj. Back Plate 4-3/4" x 3-1/4" Handling Required Left Hand Shown








Please Specify Mortise Strike or Flat Catch






Case Latch 5-1/4" x 3" Tall 3/4" Thick Drop Bar Projection 1-1/2" Catch 3-1/4" x 3/4" Backset 1-1/2" to 2" Handed Right or Left

Case Latch is one side ONLY.
Case Latch will work with any 1/2 dummy of any door hardware sets.












Passage / Privacy



















800-50-PAS Ring Turn on Plate Back Plate 2-3/4" x 4-1/2" Ring Diam. 3-1/2" - 2-1/4" Proj.










SQUARE 100, ARCH 200 & EURO 300 SERIES TUBULAR LATCH & BOLT






SQUARE 100, ARCH 200 & EURO 300 SERIES TUBULAR LATCH & BOLT







SQUARE 100, ARCH 200 & EURO 300 SERIES



MOR

60


















60-Oval Knob

2-1/2" x 1-1/2" 2-3/4" Proj.

70-Small Mushroom Knob 2" x 2-1/2" Proj.




75-Large Mushroom Knob2-1/4" x 2-1/2" Proj.



50-Ring 3-1/2" Diameter 2-1/4" Proj.

Ordering Instructions

Schlage C Keyway













60-Oval Knob 2-1/2" x 1-1/2" 2-3/4" Proj.



70-Small Mushroom Knob 2" x 2-1/2" Proj.




75-Large Mushroom Knob 2-1/4" x 2-1/2" Proj.



50-Ring 3-1/2" Diameter 2-1/4" Proj.

Ordering Instructions

Schlage C Keyway



SQUARE 100, ARCH 200 & EURO 300 SERIES BAR AND COBRA PULLS



125-90-PUL Bar Pull on Square Plate 12" x 2-3/4"



225-90-PUL Bar Pull on Arch Plate12" x 2-3/4"



325-95-PUL Cobra Pull on Euro Plate 12" x 2-3/4"



Push Plates

SQUARE 100, ARCH 200 & EURO 300 SERIES



125-00-PPO Square Push Plate 12" x 2-3/4"




225-00-PPO Arch Push Plate 12" x 2-3/4"



325-00-PPO Euro Push Plate 12" x 2-3/4"

Ordering Instructions





Door Accessories



500-60 Door Knocker 3-1/2" x 4-1/4" Ring Diameter 3-1/2"



500-65 **Arched Door Bell** 2" x 3-1/2"



Square Door Bell 2" x 3-1/2"





500-25 Door Stop 3-1/2"





Pocket Pulls



500-57 Square Pocket Pull 4" x 2" x 1/2" Deep



500-55 Arched Pocket Pull 4" x 2" x 1/2" Deep



500-50 Edge Pull 4" x 3/4"



Conditions and Terms of Sale

FAX ALL ORDERS TO: 1.888.778.7889. All orders must have complete company information along with Purchase Order number, date, shipping instructions, contact name and email address if available. All orders are subject to acceptance by Coastal Bronze.

Minimum Orders

Minimum order is \$50.00 Net. Orders less than \$50.00 Net are subject to a \$5.00 service charge.

Shipping Policy

In stock items will be shipped not later than 48 hours from receipt AND acceptance of Purchase Orders. Orders will be confirmed by fax, email or mail stating shipment date.

Prices

All pricing is List/Retail in US \$ Dollars

Shipping and handling will be added to ALL orders.

Prices are subject to change without notice. No shipment will be made until price change is confirmed to customer.

Special Orders/Rush Orders

Up-charges exist for special orders or rush orders etc and will be specified on request. Acceptance of these up-charges must be on the PO or in writing before order processing begins.

Freight

FOB factory dock. Freight is always added to invoice for carrier of companies choice. If shipment is required via customer's carrier, account number must be supplied in advance and included on PO. Expedited service is at the expense of the customer and will be billed at net cost to Coastal Bronze.

Drop Ship Policy

Coastal Bronze does not drop ship to private residences, only to businesses. Customers requesting drop shipment take full responsibility for the merchandise. All drop shipments will incur a special drop ship fee of \$5.00.

<u>Claims</u>

All shipments become the customers' property when they pass into the hands of the transportation carrier. In the event that merchandise arrives damaged, do not refuse the shipment. Note next to your receiving signature that you have received a damaged box and place a claim with the freight carrier. Hidden damage should be reported to the carrier as soon as discovered. Coastal Bronze will assist in resolving the claim.

Payments

Payment terms are Net 30 days from invoice date, unless otherwise stated.

All payments to be made to:

Coastal Bronze, 31121 Via Colinas #1002, Westlake Village, CA. 91362, 877-227-6603

Coastal Bronze reserves the right to change terms for any customer at any time.

Finance charges of 1.50% per month will be applied to balances past the due date. Continued late payments may result in loss of credit terms and orders being shipped C.O.D.

Coastal Bronze accepts credit card payments through, AMERICAN EXPRESS, VISA, or MASTER CARD. Customer may choose any of the listed credit cards for payment of product and/or shipping charges, but payment must be made in advance of shipment.

Internet Activities

Coastal Bronze does not go to market through INTERNET ONLY COMPANIES. The List Pricing for products are on the web site. Showroom dealers who have internet activites may NOT ADVERTISE LESS THAN A LIST PRICE ON THEIR WEB SITE FOR COASTAL BRONZE PRODUCTS. Coastal Bronze will check regularly for compliance with this policy and take appropriate action when non-compliance is found. Our goal is to direct business to displaying showroom dealers.

Limited Warranty

Coastal Bronze warrants all flat goods (non-locking) to be free of defects in material and craftsmanship for five years from the original invoice date.

Coastal Bronze warrants all locking goods, including locks, latches and deadbolts, to be free of defects in material and craftsmanship for 1 year from the original invoice date. In areas of high humidity or proximity to ocean, warrants is 6 months.

These warranties are extended to the original purchaser and the original installation site. Warranty is non-transferable and proof of purchase is required. In any case, Coastal Bronze is not responsible for removal or installation of the replacement hardware or repaired parts, or for any damage caused by mishandling, improper installation, tampering, abuse or any events outside the control of Coastal Bronze.

This warranty sets forth the exclusive remedy with respect to any and all losses or damages resulting from any cause whatsoever. Coastal Bronze shall in no event be liable for consequential or incidental damages of any kind, whether by negligence or otherwise.

Coastal Bronze makes no other warranty, expressed or implied, including implied warranties of merchantability and fitness for a particular purpose with respect to its products except as set for above. No customer, distributor, sales person, showroom, dealer or other entity has the authority to alter these warranties either orally or in writing.

Coastal Bronze adds a patina to all products to simulate aged bronze. Finishes will develop a wear highlight and may change color based on environment. This is not considered a defect, but part of the natural beauty of aged bronze.

Order Discrepancies

All orders are carefully packed and inspected prior to shipping. Coastal Bronze will pay all charges associated with packing or shipping errors. Dealers are required to pay all charges associated with their errors. Mistakes and short orders must be reported within five (5) working days of delivery.

Returned Goods

ALL products to be returned to Coastal Bronze, regardless of reason, must be authorized prior to their return and have a RE-TURNED GOODS AUTHORIZATION number. All returns must be shipped prepaid, as Collect or COD shipments will be refused and returned to sender. Shipments without an RGA number on the outside of the carton will be refused and returned to sender.

Regular goods are returnable up to 90 days from invoice date if un-opened and in original packaging. Goods must be accompanied with a factory issued RETURN GOODS AUTHORIZATION form and number along with a copy of the invoice. All returns will be credited at the net value on the invoice less a 25% restocking fee only after inspection. Defective goods will either be repaired or replaced within a reasonable period. Defective goods must be accompanied with a RGA form, RGA number, invoice and freight prepaid. COD Returns will be refused.

Cancellations

Orders may be cancelled prior to shipping. If shipping has taken place, then the customer is liable for shipping charges and a restocking fee of 25%. All orders are shipped within 72 hours of receipt and acceptance by the factory. Customers will be notified of any back orders or delays via e-mail to designated contact.

Specifications and Procedures

Due to the nature of many of the products, in the range, sizes may vary to a small degree. Coastal Bronze reserves the right to discontinue or change any product, design, function, finish or price without prior notice.

Strength of Bronze

Most bronze used in casting hardware today is composed of 85% copper and the rest in various other metals. The strength of steel is two to three times stronger then copper. This is important to note when using bronze to support heavy doors or gates.

A Note about Finishes

Bronze ages gracefully and may change in appearance due to varying environmental conditions. Bronze patina finishes will develop a wear highlight with frequency of use. When bronze is exposed to air it will tarnish quickly and turn brown. Bronze exposed to exterior elements and conditions will turn green. This discoloration is referred to as patina. This patina process starts immediately upon installation. None of these conditions are considered defects, but part of the natural beauty of aged bronze.

We strive to match finishes within a given order, but parts ordered at a later date may not match the original pieces. They should however, age to match the original pieces.

35.

Arch Lever Latch Set 60-360-00-LH/RH

Thickness: 1/8"
Screw: 1" Oval | #10 Stainless
Dimensions: 4-3/4 W x 3-1/4" H
Passage Dim.: 4-1/8" L x 3-1/4" H
Beaver Tail (30) Lever Shown
Included: Active Bar Latch Side,
Passage Side (Shown Below), &
Surface or Mortise Strike



Right Hand Shown - Handing Required <u>Displayed SKU:</u> 60-360-30-RH



Mortise Strike **50-501**

May be used instead of surface strike (shown above).

Please specify when ordering.



This is a double sided spindle based set and may be used on both Gates & Doors. Both sides can have different Levers, just specify when you order. The Active Bar Latch side may be ordered as a half-set and used with any spindle passage plate.

Half-Set Active Example: 60-360-30-F-LH



Simply add your desired Lever or Knob Code to the end of the Base SKU.

Base SKU's shown above are: **60-360**



Right Hand Shown - Handing Required - Displayed SKU: 60-370-10-RH




The Arch Double Gate Lever Latch Set is designed for double doored Gates. Only the Lever Latch Pair is active, strike plate pair is locked. All sides can have different levers, just specify when you order. The Active Lever Latch side can be ordered as a half-set and used with any spindle passage plate.

Just add -HA to the end of any complete SKU for a half set.



Simply add your desired Lever or Knob Code to the end of the Base SKU.

Base SKU's shown above are: **60-361**





Right Hand Shown - Handing Required <u>Displayed SKU:</u> 60-350-40-RH



Mortise Strike **50-501**

ordering.

May be used instead of surface strike (shown above). Please specify when



This is a double sided spindle based set and can be used on both Gates & Doors. Both sides can have different Levers, just specify when you order. The Active Bar Latch side be ordered as a half-set and used with any spindle passage plate.

Half-Set Active Example: 60-350-40-F-LH



Simply add your desired Lever or Knob Code to the end of the Base SKU.

Base SKU's shown above are: **60-350**

This product would be a Right Handed Euro Passage Set with a Octagonal Lever.



4-1/8" Case Latch Set **400-00-SET-RH**

Thickness: 3/4"
Screw: 1-1/4" Oval | #10 Stainless
Dimensions: 5-1/4 H x 3-1/4" W
Square Twist (15) Lever Shown
Included: Active Bar Latch Side,
Passage Side (Shown on Right), &
Surface or Mortise Strike



Mortise Strike **50-500**

May be used instead of surface strike (shown above). Please specify when ordering.

This is a double sided spindle based set and may be used on both Gates & Doors. Both sides can have different Levers, just specify when you order. The Active Bar Latch side may be ordered as a half-set and used with any spindle passage plate.

Example Active Side Only SKU: 400-15-**BAR**-RH Example Passage Set Only SKU: 400-15-**PAS**-RH



Simply add your desired Lever or Knob Code to the end of the (400-).

Base SKU's shown above are: **400-XX-SET-XX**

This product would be a Left Handed Case Latch Lever Set with a Square Twist Lever.

7" Passage Drop Bar Latch **60-100-00-LH/RH**

Thickness: 1/8"
Screw: 1" Round | #10 Stainless
Dimensions: 4-1/2 H x 2-3/4" W
7" From Center of Plate
Knob (75) Shown
Included: Active Bar Side,
Passage Side, & Surface
or Mortise Strike



5" Square Plate Latch Set **60-101-00-LH/RH**


Thickness: 1/8"
Screw: 1" Round | #10 Stainless
Dimensions: 4-1/2 H x 2-3/4" W
5" From Center of Plate
Round (20) Lever Shown
Included: Active Bar Side,
Passage Side, & Surface
or Mortise Strike



Mortise Strike **50-500**

These lever sets can be ordered with the default (Surface) strike, or ordered with the Mortise Strike at no extra charge.

This is a double sided spindle based set and can be used on both Gates & Doors. Both sides can have different Levers, just specify when you order. The Active Bar Latch side can be ordered as a half-set and can be used with any spindle passage plate just specify a half set when ordering.



Simply add your desired Lever or Knob Code to the end of the Base SKU with your handing choice.

Base SKU's shown above are: **60-100, 60-101**





Standard Thumb Latch Tail Piece works on Gates up to **3-1/2"** Thick Extended Tail Piece **(40-315)** - Works on Gates up to **4-3/4"** Thick





7-1/2" Pull Handle - Bean **40-105-B** Dimensions: 7-1/2" L x 2" W Screw: 1" Round | #10 Stainless



8-1/2" Pull Handle - Heart **40-105-H** Dimensions: 8-1/2" L x 2" W Screw: 1" Round | #10 Stainless



8-1/2" Pull Handle - Spear **40-105-S** <u>Dimensions:</u> 8-1/2" L x 2" W <u>Screw:</u> 1" Round | #10 Stainless

Standard Thumb Latch Tail Piece works on Gates up to **3-1/2"** Thick Extended Tail Piece **(40-315)** - Works on Gates up to **4-3/4"** Thick



7-1/2" Thumb Latch - Bean **40-100-B** Dimensions: 7-1/2" L x 2-3/4" W Screw: 1" Round | #10 Stainless

Works with any Drop Bar



8-1/2" Thumb Latch - Heart **40-100-H** Dimensions: 8-1/2" L x 2-3/4" W Screw: 1" Round | #10 Stainless

Works with any Drop Bar



8-1/2" Thumb Latch - Spear 40-100-S
Dimensions: 8-1/2" L x 2-3/4" W
Screw: 1" Round | #10 Stainless
Works with any Drop Bar



6-1/2" Drop Bar Square with Knob

50-145

Bar Dimensions: 6-1/2" L Catch Dimensions: 3" L x 3/4" W Screw: 1" Round | #10 Stainless



6-1/2" Drop Bar Square without Knob **50-147**

Bar Dimensions: 6-1/2" L Catch Dimensions: 3" L x 3/4" W Screw: 1" Round | #10 Stainless



6-1/2" Drop Bar Square without Knob - Reverse Bevel

50-135

Bar Dimensions: 6-1/2" L

Catch Dimensions: 3" L x 3/4" W Screw: 1" Round | #10 Stainless



2" x 2" Slim Gate Stop

50-240

Thickness: 3/8"

Screw: 1-1/4" Flat | #10 Stainless

<u>Included</u>: Stopping Pad <u>Use:</u> For Gates up to 50 Lbs



4" x 2" Extended Gate Stop

50-260

Thickness: 5/8"

Screw: 1-1/4" Flat | #10 Stainless Included: Stopping Pad

Included: Stopping Pad Use: For Gates up to 100 Lbs







Dimensions: 6-1/2" L x 4" H Thickness: .20" / 5mm Weight Load (Pair): 60 Lbs Screw: 1-1/4" Flat | #10 Stainless



This product would have a Steeple Tip.

Hinge Tip Code

3" Cabin Hook **50-699**

Mounting Plates: 1-1/2" W x 1-1/4" Screw: 1" Flat | #10 Stainless

4-1/2"x 4-1/2" Butt Hinge

- Button Tip

30-423

Thickness: .26" / 6.5mm Screw: 1-1/2" Flat | #12 Stainless Weight Load (Pair): 75 Lbs 4-1/2"x 4-1/2" Butt Hinge - Round (Ball) Tip

30-424

Thickness: .26" / 6.5mm Screw: 1-1/2" Flat | #12 Stainless Weight Load (Pair): 75 Lbs 4-1/2" x 4-1/2" Butt Hinge - Steeple Tip

30-425

Thickness: .26" / 6.5mm Screw: 1-1/2" Flat | #12 Stainless Weight Load (Pair): 75 Lbs







All hinges shown are cast and may vary slightly in height, width, and thickness.

All hinges are available with Button, Round, or Steeple Tips.

4-1/2"x 4-1/2" Heavy Duty Hinge

30-423-H

Thickness: .26" / 6.5mm Screw: 2" Flat | #18 Stainless Weight Load (Pair): 150 Lbs



Heavy Duty Hinge (30-423-H) is available in Button, Round, or Steeple Tips. Button is shown.

Choose your preferred hinge tip and add the letter code to the end of the SKU as shown below.

(B) Button Tip (R) Round Tip (S) S







4-1/2"x 4-1/2" Self Closing Hinge w/ Bronze PVD Finish

30-455

Material: 304 Stainless Steel

w/PVD Finish

Thickness: .13" / 6.5mm Screw: 1-1/2" | #12 Stainless Weight Load (Pair): 75 Lbs



4"x 4" Self Closing Hinge w/ Bronze PVD Finish

30-456

Material: 304 Stainless Steel

w/PVD FInish

Thickness: .13" / 6.5mm Screw: 1-1/2" | #12 Stainless Weight Load (Pair): 60 Lbs





8"x 8" High Load Butt Hinge 30-430

Thickness: .275" / 7mm Screw: 2" Flat | #18 Stainless Weight Load (Pair): 160 Lbs Longer screws available by request



3-1/2" x 3-1/2" Template Hinge

30-409

Thickness: .125" / 3.2mm Screw: 1-1/4" Bronze | #12 Weight Load (Pair): 60 Lbs



8-5/8"x 2" Bi-fold Hinge

30-435

Thickness: .275" / 6mm Screw: 1-1/4" Flat | #10 Stainless Weight Load (Pair): 75 Lbs



Cabinet H-Hinge

30-465

Dimensions: 3" L x 1-1/4" W Thickness: 1/8" / 3.2mm Screw: 1/2" Oval | #6 Stainless Weight Load (Pair): 10 Lbs

(30-435) & (30-430) are cast and may vary slightly in height, width, and thickness. (30-435) & (30-430) are also available with Button, Ball, or Steeple Tips. Button is shown.

Choose your preferred hinge tip and add the letter code to the end of the SKU as shown below.



(B) Button Tip





Example SKU: 30-440-X

Hinge Tip Code





Driveway Gate Hinge - Edge Mount 20-390

Dimensions: 16-1/2" L x 3-1/2" W Pintle: 7" L x 3-3/4" W Thickness: .45" / 11.5mm Includes: (1) Pintle & (1) Active Hinge

Screw: 1/2" Bolts

(Specify Thickness on Order) Weight Load (Pair): 350 Lbs

Driveway Gate Hinge - Edge Mount 20-391

Dimensions: 6-1/2" L x 3-1/2" W Pintle: 7" L x 3-3/4" W Thickness: .45" / 11.5mm

Includes: (1) Pintle & (1) Active Hinge Screw: 1/2" Bolts

(Specify Thickness on Order) Weight Load (Pair): 350 Lbs



Driveway Gate Hinge - Dummy 20-392

Dimensions: 15-1/2" L x 3-1/2" W Thickness: .45" / 11.5mm Includes: (1) Dummy Hinge

Screw: 1/2" Bolts



Driveway Gate Hinge - Dummy 20-393

Dimensions: 5-1/2" L x 3-1/2" W Thickness: .45" / 11.5mm Includes: (1) Dummy Hinge Screw: 1/2" Bolts



Specify screw head type and length when ordering any Loose Pin Band Hinge





Small Band Hinge & Pintle - Arch **20-350-A**

Included: (1) Small Band Hinge & (1) Pintle <u>Dimensions:</u> 12" L x 1-1/4" H x 1/4" Thick

Pintle: 1-1/4" W x 3-3/4" H

Screw: 1"Round | #10 Stainless

Weight Load (If Paired): 60 Lbs | 3 Hinges: 100 Lbs



Small Band Hinge & Pintle - Bean **20-350-B**

<u>Included:</u> (1) Small Band Hinge & (1) Pintle

<u>Dimensions:</u> 12" L x 1-1/4" H x 1/4" Thick

Pintle: 1-1/4" W x 3-3/4" H Screw: 1" Round | #10 Stainless

Weight Load (If Paired): 60 Lbs | 3 Hinges: 100 Lbs

Pintle In Pipe - Heavy **20-255-H**

<u>Dimensions:</u> 12" L <u>Diameter:</u> 1-1/4"

Weight Load (Pair): 150 Lbs

Pintle in Pipe may be installed into brick, concrete, or a stone face 10" deep. It is designed for heavy duty long-term installations and should be installed professionally to prevent installation misalignment which can cause breakage.



Screw In Pintle - Heavy

20-251-H

<u>Dimensions:</u> 7-1/2" L x 3-1/2" H <u>Threads:</u> 5-1/2" Long <u>Weight Load (Pair)</u>: 150 Lbs



28" Non-Active Band Hinge - Arch

20-155-A

Band Thickness: 1/4" Screw: See Screw Chart (A)



22" Non-Active Band Hinge - Arch

20-150-A

Band Thickness: 1/4" Screw: See Screw Chart (A)



15" Non-Active Band Hinge - Arch

20-145-A

Band Thickness: 1/4" Screw: See Screw Chart (A)

(A)



10" Non-Active Band Hinge - Arch

20-140-A


Band Thickness: 1/4" Screw: See Screw Chart (A)

All Non-Active Band Hinges are decorative only, they do not support weight. They cannot be through-bolted.

Specify screw head type and length when ordering any Non-Active Band Hinge



All Active Band Hinges work with all Pintles: 20-250, 20-251, 20-251-H, 20-255, 20-255-H, 20-252



24" Active Band Hinge - Bean

20-324-B

Band Thickness: 1/4" Screw: See Screw Chart (A)



17" Active Band Hinge - Bean

20-317-B

Band Thickness: 1/4" Screw: See Screw Chart (A)



12" Active Band Hinge - Bean

20-312-B

Band Thickness: 1/4" Screw: See Screw Chart (A)

Specify screw head type and length when ordering any Band Hinge

(A)





28" Non-Active Band Hinge - Bean

20-155-B

Band Thickness: 1/4" Screw: See Screw Chart (A)



22" Non-Active Band Hinge - Bean

20-150-B

Band Thickness: 1/4" Screw: See Screw Chart (A)



15" Non-Active Band Hinge - Bean

20-145-B

Band Thickness: 1/4" Screw: See Screw Chart (A)



10" Non-Active Band Hinge - Bean

20-140-B

Band Thickness: 1/4" Screw: See Screw Chart (A) Paired with any of the 3 handles to the right. (Not sold invidually) See Below for Details




Dimensions: 8-3/4" x 2-1/4" W

8" C2C Euro Bar Pull

40-730

Dimensions: 11" L x 1" W x 1/2" Diameter Screw: #1/4-20



Dimensions: 8" L x 1" W Dimensions: 8" L x 3/4" W Screw: #1/4-20

8" C2C Cabinet Bar Pull

80-825

Screw: #1/4-20



40-730 with Finger Pull (Above) (40-800)

40-710 with Finger Pull (Above) (40-801)

80-825 with Finger Pull (Above) (40-802)

All Bar Pulls Above are available to be used with the Finger Pull (Above). Just choose your handle and select the appropriate type code.

> Base SKU: 40-80X Type Code

This product would be a Finger Pull w/40-710

8-3/4" Pocket Door Pull - Square

500-58

Dimensions: 8-3/4" L x 2-1/4" W Screw: 1" Flat | #10 Stainless (Cannot be paired with above handles)









1/4" Door Stud/Clavos - Square **90-505**

<u>Dimensions:</u> 1/4" Projection, 3/4" Stud <u>Diameter:</u> 1/4"

All door studs/clavos are for decorative purpose and should not be used to mount product or support weight. Make sure to pre-drill your desired area before inserting door stud/clavos.

6" Lockable Hasp

50-450

Thickness: .20" / 5mm Screw: 1" Flat | #10 Stainless Dimensions: 6" L x 1-1/2" W Padlock Hole Diameter: 3/8"



1" Door Stud/Clavos - Crest **90-520**

<u>Dimensions:</u> 1/4" Projection, 1" Stud <u>Diameter:</u> 1"



5" Surface Slide Bolt

90-105

<u>Dimensions:</u> 5" L x 3/4" W <u>Screw:</u> 1" Round | #10 Stainless

Throw: 1" Total

Included: (1) Slide Bolt, Catch (Shown)




Door Stop - Floor **500-30** Dimensions: 1" Diameter x 1-1/4" L Screw: 1-1/2" Flat | #10 Stainless

By request, Mortise Plates can replace flush catch free of charge.



Mortise Plate **90-110** <u>Used With:</u> 90-105



Displayed SKU: 102-75-PAS



5" Offset Square Series **102-00-PAS/DUM**

Thickness: 1/8"
Screw: 1" Oval | #10 Stainless
Dimensions: 5" H x 2-3/4" W
Large Mushroom (**75**) Knob Shown



Included with PAS Function: (2) Plates with Levers, Knobs, or Ring & 1 Spring Latch Set

Included with DUM Function:
(2) Plates with Levers, Knobs, or Ring

This is a double sided spindle based set and can be used on both Gates & Doors. Both sides can have different Levers, just specify when you order. One side may be ordered as a half-set dummy.



Simply add your desired Lever or Knob Code to the end of the Base SKU.

Base SKU's shown above are: 102-00-PAS or DUM

This product would be a 5" Offset Square Plate Passage with a Large Mushroom Knob.

Displayed SKU: 105-60-PAS



2-3/4" Square Series 105-00-PAS/DUM Thickness: 1/8" Screw: 1" Oval | #10 Stainless Dimensions: 2-3/4" W x 2-3/4" H

Oval Knob (60) Lever Shown



Included with PAS Function: (2) Plates with Levers, Knob, or Ring, 1 Spring Latch Set

Included with DUM Function: (2) Plates with Levers, Knob, or Ring

This is a double sided spindle based set and can be used on both Gates & Doors. Both sides can have different Levers, just specify when you order. One side may be ordered as a half-set dummy.



Simply add your desired Lever or Knob Code to the end of the Base SKU. Base SKU's shown above are: **105-00-PAS or DUM**




Large Square Deadbolt - Single Cylinder **30-290** Dimension: 2-3/4" x 2-3/4" Screw: 1" Oval | #10 Stainless



Large Square Deadbolt - Double Cylinder **30-290-D** <u>Dimension:</u> 2-3/4" x 2-3/4" <u>Screw:</u> 1" Oval|#10 Stainless

17" C2C Bar Pull **80-827** <u>Dimensions:</u> 17" L x 7/8" W <u>Screw:</u> #1/4-20





Cabinet Utility Pull - 6-1/2" **80-828**<u>Dimensions:</u> 6-1/2" L x 1-3/4" W
<u>Screw:</u> 1" Round Head | Stainless #10



Cabinet Utility Pull - 5-1/2"
80-829
Dimensions: 5-1/2" L x 1-1/4" W
Screw: 1" Round Head | Stainless #10



4" C2C Arch Pull **80-831** Dimensions: 5-1/2" L x 1-1/4" W Screw: 1-1/4" Zinc Plated Pan Head | #8-32







