HOOKS

HOOKS
LATCH HOOKS
SWING HOOKS
HANGER PLATES
RECESSED HOOKS
VANITY HOOKS
MAGNETIC HOOKS
COAT HOOKS
PXB HOOK SERIES

Zwei L HOOKS

Picture	Item No.	Load Capacity (lbs)	Page
	ZL-2101	81	423
	ZL-2102	66	423
	ZL-2103	-	424
	ZL-2104	36~107	424
	ZL-2105	33	425
	ZL-3401	45~90	425

LARGE HOOKS

Picture	Item No.	Load Capacity (lbs)	Page
	JF-45, 70, 110	22~26	426
	JF-50, 80, 120	26~48	426
	JFT-180, 260	22~33	427
	XL-CUJ	30~42	427
	XL-CUF	33~70	427
	XL-SB210	Upper Hook: 44 lbs Lower Hook: 83 lbs	428
	XL-SF115	83	428

SMALL HOOKS

Picture	Item No.	Load Capacity (lbs)	Page
	DS-H-50, 60	22	429
	KB-H-35, 40	44	429
	TA-3	35	429
	XL-HJT	17.6~22	430
	HJT	17.6~22	430
	EU	44~66	430
	EL-25, 30	44	431

SMALL HOOKS

Picture	Item No.	Load Capacity (lbs)	Page
	EP-25, 40	44	431
	FC-50, 65	22~26	431
	RN-50	20	434
	RI-074	11	434
	RB-102	-	434
	HJ	17.6~22	435
	2H	13.2~22	435
	HJU	17.6~22	435
	4HJU-40M	33.7	435.1
	5HJU-60M	44.9	435.1
	KB-F-70	-	436
	KB-F-75	-	436
	TY	6.6~17.6	437
	TF	6.6~26	437
	TL	11~26	437
	PF	4.4	438
	CH	11~17.6	438

LATCH HOOKS

Picture	Item No.	Load Capacity (lbs)	Page
	EN-R100F	132	432
	EN-R80-K	44	432
	EN-K	44~132	433
	EN-R80	44	433
	WH	33	433

SWING HOOKS

Picture	Item No.	Load Capacity (lbs)	Page
	JF-T	22	439
	JN-T100	88	439
	HK-TS, HK-TT	22.5-58.4	439.1
	TK, TKF	17~26	440
	TZ-360	6.6~13.2	440
	DZ-270	6.6~17.6	440
	RF-D35	11.7~23.4	441
	RF-U50	13	441
	RF-50	6.6	441
	XL-JSF40TT	110	442
	UC	12~14	442
	UJ	14~19	442

HANGER PLATES

Picture	Item No.	Load Capacity (lbs)	Page
	AP	22	443
	SP	22	443

RECESSED HOOKS

Picture	Item No.	Load Capacity (lbs)	Page
	NF-60	44	444
	NF-60D	66	444
	NF-R52, R64, R77	44	445

VANITY HOOKS / MAGNET HOOKS

Picture	Item No.	Load Capacity (lbs)	Page
	SSF	12.8	446
	MJ-45	4.4	446

COAT HOOKS

Picture	Item No.	Load Capacity (lbs)	Page
	DSH-01	22	447
	DSH-04	22	447
	DSH-05	22	447
	DSH-02	22	448
	DSH-03	22	448
	DSH-129	22	449
	DSH-P5	22	449
	EW-65E	44	449

RECESSED HOOKS

Picture	Item No.	Load Capacity (lbs)	Page
	PXB-GR05-111	22	450
	PXB-GR05-211	22	450
	PXB-GN05-101	9	451
	PXB-GN05M-101 (mag)	2.4	451
	PXB-GN05-111	18	452
	PXB-WM05-111	22	452
	PXB-UM05-101	22	453
	PXB-UM05-101-Q1	22	453
	PXB-AB05	22	454
	PXB-AC05-111	44	454
	PXB-AS05-111	19.8	455
	PXB-LE05-111	25	455
	PXB-BN05	18.7~ 33	455.1
	HK-FH	22~33	455.2
	HK-LB	33.7	455.2

Zwei L®
Zwei L

Zwei L Hook

RoHS compliant | STAINLESS 316 STEEL

ZL-2101

- Supplied with stainless steel wood screws (4.1 × 32) and concrete anchor (for wood screw 4.1, ø6 mm hole).



Item No.	Material	Finish/Color	Load Capacity (kg)	Weight (g)	Box (pcs)
ZL-2101	316 Stainless Steel	Zwei L	37 (81 lbs)	381	1

Zwei L Hook

RoHS compliant | STAINLESS 316 STEEL

ZL-2102

- Supplied with stainless steel wood screws (4.1 × 32) and concrete anchor (for wood screw 4.1, ø6 mm hole).



Item No.	Material	Finish/Color	Load Capacity (kg)	Weight (g)	Box (pcs)
ZL-2102	316 Stainless Steel	Zwei L	30 (66 lbs)	221	1

Zwei L Hook

RoHS compliant | STAINLESS 316 STEEL

ZL-2103

- Supplied with stainless steel wood screws (4.1 × 32), anchor plug and 3 mm allen key.



Item No.	Weight (g)	Box (pcs)
ZL-2103	841	1

No.	Part Name	Material	Finish/Color
①	Hook	316 Stainless Steel	Zwei L
②	Cover		
③	Pin		
④	Base Plate		Plain
⑤	Cap	Silicone Rubber	Clear
⑥	Screws	316 Stainless Steel	Plain

Zwei L Hook

RoHS compliant | STAINLESS 316 STEEL

ZL-2104

- Supplied with stainless steel wood screw (4.1 × 32).



Part Name	Material	Finish/Color
Body	316 Stainless Steel	Zwei L

Item No.	A	B	C	P_1	P_2	Load Capacity (kg)	Weight (g)	Box (pcs)
ZL-2104-10	10 (3/8")	29 (1-1/8")	29 (1-1/8")	5	7	16.3 (36 lbs)	-	1
ZL-2104-16	16 (5/8")	47 (1-7/8")	47 (1-7/8")	8	10	48.4 (107 lbs)	-	1

Zwei L Hook ZL-2105

• Supplied with stainless steel wood screws (4 × 50).



Item No.	Material	Finish/Color	Load Capacity (kg)
ZL-2105	316 Stainless Steel	Zwei L	15 (33 lbs)

Zwei L Hook ZL-3401

• Supplied with stainless steel wood screws (4 × 30).



Item No.	Material	Finish Color	A	B	C	D	E	F	t	t1	Load Capacity (kg)
ZL-3401-10	316 Stainless Steel	Zwei L	36.7(1-7/16")	60 (2-3/8")	37 (1-7/16")	24.5	90°	10 (13/32")	3.8	6	20.4 (45 lbs)
ZL-3401-16			58.0 (2-9/32")	93 (3-21/32")	52 (2-1/16")	41.0	120°	6 (5/8")	3.8	10	30.6 (67 lbs)
ZL-3401-25			91.0 (3-9/16")	145 (5-23/32")	80 (3-1/8")	65.0		25 (1")	6.0	16	40.8 (90 lbs)

LARGE UTILITY HOOK

NSF COMPONENT | RoHS compliant | STAINLESS 303 STEEL | LOAD CAPACITY 10~12 kg 22~26 lbs | TEST 4 P.696 | STAINLESS

JF-45, 70, 110



Material	Finish
303 Stainless Steel	Mirror

Item No.	D	W	W1	H	H1	C	C1	t	t1	d1	d2	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)	Screw
JF- 45	45 (1-25/32")	12	10	72 (2-27/32")	34	20	8.5	3.5	5	3.8	7.2	10 (22 lbs)	40	20	120	3.5 × 16
JF- 70	68 (2-11/16")	16	13	120 (4-23/32")	55	35	15.0	4.0	6	4.3	8.6		95	6	36	4.1 × 20
JF-110	110 (4-21/64")	18	14	200 (7-7/8")	90	70	17.0	5.5	8	5.3	10.6	12 (26 lbs)	270	5	30	5.1 × 32

LARGE UTILITY HOOK

NSF COMPONENT | RoHS compliant | STAINLESS 303 STEEL | LOAD CAPACITY 12~22 kg 26~48 lbs | TEST 4 P.696 | STAINLESS

JF-50, 80, 120





Installation





Material	Finish
303 Stainless Steel	Mirror

Item No.	D	W	W1	H	H1	H2	H3	C	C1	t	t1	d1	d2	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)	Screw
JF- 50	50 (1-31/32")	12	10	74 (2-29/32")	34	46	28	20	8.5	3.5	5	3.8	7.2	12 (26 lbs)	40	20	120	3.5 × 16
JF- 80	80 (3-5/32")	16	13	115 (4-17/32")	50	65	50	30	15.0	4.0	6	4.3	8.6	20 (44 lbs)	95	6	36	4.1 × 20
JF-120	120 (4-23/32")	18	14	200 (7-7/8")	90	112	88	70	17.0	5.5	8	5.3	10.6	22 (48 lbs)	260	5	30	5.1 × 32

LARGE UTILITY HOOK

NSF COMPONENT | RoHS compliant | STAINLESS 303 STEEL | LOAD CAPACITY 10~15 kg 22~33 lbs | STAINLESS

JFT-180, 260



Material	Finish
303 Stainless Steel	Mirror

Item No.	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)	Screw
JFT-180	10 (22 lbs)	180	5	30	4.5 × 25
JFT-260	15 (33 lbs)	380			5.1 × 38

LARGE UTILITY HOOK

RoHS compliant | STAINLESS 303 STEEL | LOAD CAPACITY 14~19 kg 30~42 lbs | STAINLESS

XL-CUJ



Material	Finish
303 Stainless Steel	Mirror Satin combination

Item No.	D	W	W1	(H)	(H1)	P1	P2	t	t1	d1	d2	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)	Screw
XL-CUJ-45TT	46 (1-13/16")	12	10	(75) (2-61/64")	(36)	8.5	20	4.5	6	3.8	7.2	19 (42 lbs)	48	20	120	3.5 × 20
XL-CUJ-70TT	72 (2-53/64")			(112) (4-13/32")	(56)	10.0	35			4.3	8.6	14 (30 lbs)	82	10	60	4.0 × 20

LARGE UTILITY HOOK

RoHS compliant | STAINLESS 303 STEEL | LOAD CAPACITY 15~32 kg 33~72 lbs | STAINLESS

XL-CUF



Material	Finish
303 Stainless Steel	Mirror Satin combination

Item No.	D	(H)	(H1)	P1	P2	P3	t	t1	d1	d2	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)	Screw
XL-CUF-110TT	112	198	91.0	17	-	70	7.5	10	5.2	10.5	32 (70 lbs)	357	5	30	5 × 30
XL-CUF-170TT	173	300	138.5	20	55	110	7.5	10	6.2	12.5	15 (33 lbs)	552		20	6 × 30

LARGE HOOK

RoHS compliant | STAINLESS 304 STEEL | LOAD CAPACITY 20 kg 44 lbs | LOAD CAPACITY 38 kg 83 lbs | 5×30 STAINLESS

XL-SB210

- Stainless steel hook with dimensional design.
- Two-in-one hook.

Mirror Satin



Item No.	Load Capacity (kg)		Weight (g)	Box (pcs)	Carton (pcs)
	Upper	Lower			
XL-SB210/M	20 (44 lbs)	38 (83 lbs)	500	2	20
XL-SB210/S					

Material	Finish
304 Stainless Steel	Mirror (M), Satin (S)

LARGE HOOK

RoHS compliant | STAINLESS 304 STEEL | LOAD CAPACITY 38 kg 83 lbs | 5×30 STAINLESS

XL-SF115

- Stainless steel hook with dimensional design.

Mirror Satin



Item No.	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)
XL-SF115/M	38 (83 lbs)	280	4	40
XL-SF115/S				

Material	Finish
304 Stainless Steel	Mirror (M), Satin (S)

HOOK

RoHS compliant | STAINLESS 303 STEEL | LOAD CAPACITY 10 kg 22 lbs | 4×20 STAINLESS

DS-H-50, 60



Material	Finish
303 Stainless Steel	Mirror

Item No.	D	C	H	H1	L	M	t	Load Capacity (kg)	Weight (g)	Box (pcs)
DS-H-50	50	35	70 (2-3/4")	30	55 (2-5/32")	20	6	10 (22 lbs)	100	5
DS-H-60	60		100 (3-15/16")	40					105	

HOOK

RoHS compliant | STAINLESS 303 STEEL | LOAD CAPACITY 20 kg 44 lbs | 4×20 STAINLESS

KB-H-35, 40



Material	Finish
303 Stainless Steel	Mirror

Item No.	D	C	H	H1	L	M	t	Load Capacity (kg)	Weight (g)	Box (pcs)
KB-H-35	35	27	45 (1-25/32")	22	40 (1-37/64")	13	4	20 (44 lbs)	50	10
KB-H-40	40		50 (1-31/32")	25					55	

HOOK

NSF COMPONENT | RoHS compliant | STAINLESS 304 STEEL | LOAD CAPACITY 16 kg 35 lbs | TEST 4 P.696 | 3.1×16 STAINLESS

TA-3

- Anti-rotation pin prevents hook from turning.



Material	Finish
304 Stainless Steel	Mirror

Item No.	D	W	H	H1	t	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)
TA-3S	22 (7/8")	9	29 (1-9/64")	16	4.0	16 (35 lbs)	10	30	600
TA-3L	30 (1-3/16")	10	34 (1-11/32")	22	5.5		19	20	400

HOOK XL-HJT

NSF COMPONENT · RoHS compliant · STAINLESS 304 STEEL · LOAD CAPACITY 8~10 kg 17.6~22 lbs · 4.1×16 STAINLESS

Mirror

Mirror and Satin combination



- 304 stainless steel hooks.
- Available in Mirror (M) or Combination of Mirror and Satin (TT) finish.

Item No.	D	W	H	H1	P1	P2	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)
XL-HJT-55/M	33	15.0	55	23	8	19	20 (44.0 lbs)	34	30	300
XL-HJT-55/TT		15.5								
XL-HJT-70/M	43	18.0	70	30	10	23	15 (33.0 lbs)	53	20	200
XL-HJT-70/TT		18.5								

Material	Finish	
	M	TT
304 Stainless Steel	Mirror	Mirror and Satin Combination

HOOK HJT

RoHS compliant · STAINLESS 304 STEEL · LOAD CAPACITY 8~10 kg 17.6~22 lbs · TEST 4 P.696 · 4.1×16 STAINLESS



- 4mm thick material designed for excellent durability.

Item No.	D	H	H1	t	W	C1	C2	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)
HJT-55	33	55	23	4	15	8	19	10 (22.0 lbs)	34	30	300
HJT-70	43	70	30	4	18	10	23	8 (17.6 lbs)	53	20	200

Material	Finish
304 Stainless Steel	Satin

FORK HOOK EU

NSF COMPONENT · RoHS compliant · STAINLESS 316 STEEL · LOAD CAPACITY 20~30 kg 44~66 lbs · 4.1×20 3.5×20 STAINLESS



- Hook with unique design.
- Can hang 3 items at the same time: two on the tips and one on the neck.
- Two-tip shape ideal to hang hats, caps etc.

Item No.	W1	(W2)	D1	D2	(D3)	D4	H1	H2	d	d1	P1	P2
EU-50	22	38 (1-1/2")	38 (1-1/2")	4	17.8	5	50 (1-31/32")	9	4	7.4	7	20
EU-72	32	56 (2-13/64")	52 (2-3/64")	6	23.0	8	72 (2-53/64")	14	4.6	8.6	10	34

Item No.	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)
EU-50	20 (44 lbs)	42	20	120
EU-72	30 (66 lbs)	118	10	60

Material	Finish
316 Stainless Steel	Mirror

HOOK

NSF COMPONENT · RoHS compliant · STAINLESS 304 STEEL · LOAD CAPACITY 20 kg 44 lbs · STAINLESS

EL-25, 30



Material	Finish
304 Stainless Steel	Mirror

Item No.	D	H	H1	t	t1	W	C1	C2	d1	d2	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)	Screw
EL-25	26 (1-1/32")	40 (1-37/64")	19	5.5	4	12	5	12	3	6	20 (44 lbs)	19	30	300	2.7 × 16
EL-30	32 (1-17/64")	54.5 (2-9/64")	25	6.0	5	15	6	16	4	8		32	20	200	3.8 × 20

HOOK

NSF COMPONENT · RoHS compliant · STAINLESS 304 STEEL · LOAD CAPACITY 20 kg 44 lbs · STAINLESS

EP-25, 40



Material	Finish
304 Stainless Steel	Mirror

Item No.	D	W	H	H1	H2	t	t1	C	d1	d2	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)	Screw
EP-25	25 (63/64")	28	25 (63/64")	12	19	4	5	18	3	6	20 (44 lbs)	16	30	300	2.7 × 16
EP-40	32 (1-17/64")	36	33 (1-19/64")	16	25	5	6	23	4	8		31	20	200	3.8 × 20

HOOK

NSF COMPONENT · RoHS compliant · STAINLESS 304 STEEL · LOAD CAPACITY 10~12 kg 22~26 lbs · STAINLESS

FC-50, 65



Material	Finish
304 Stainless Steel	Mirror

Item No.	D	H	H1	t	C	d1	d2	E	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)	Screw
FC-50	47 (1-27/32")	37 (1-29/64")	28	3	18.5	3.3	6.5	6.5	10(22 lbs)	25.0	40	480	3.1 × 16
FC-65	65 (2-9/16")	44 (1-47/64")	35	4	22.5	4.2	8.0	8.0	12(26 lbs)	54.5	20	240	3.8 × 20

LATCH HOOK

RoHS compliant | STAINLESS 316 STEEL | LOAD CAPACITY 60 kg 132 lbs | 5×30 STAINLESS

EN-R100F

- Keeps items hooked, ideal for vibration or shock applications.
- Swivels 180 degrees.



Item No.	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)
EN-R100F	60 (132 lbs)	350	10	50

Material	Finish
316 Stainless Steel	Polished

LATCH HOOK (W/PADLOCK HOLE)

RoHS compliant | STAINLESS 316 STEEL | STAINLESS 304 STEEL

EN-R80-K

Closed

Open

- Keeps items hooked, ideal for vibration or shock applications.
- Can be used with padlock.







Item No.	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)
EN-R80-K	20 (44 lbs)	180	10	60

No.	Part Name	Material	Finish
①	Body	304 Stainless Steel	Mirror
②	Cover	316 Stainless Steel	
③	O ring	EPDM	Black
④	Lever	304 Stainless Steel	Mirror
⑤	Shaft	316 Stainless Steel	Plain
⑥	Shaft for cover		

LATCH HOOK EN-K

NSF COMPONENT | RoHS | STAINLESS 316 STEEL | LOAD CAPACITY 20~60 kg 44~132 lbs | 4×25 STAINLESS



- Keeps items hooked, ideal for vibration or shock applications.

Item No.	D	C	B	H	H_1	d	W	Load Capacity (kg)		Weight (g)	Box (pcs)	Carton (pcs)
								Hook	Arm			
EN-K 84	84 (3-5/16")	64	16 (5/8")	38 (1-1/2")	10 (25/64")	4.5, 8.5	Max.10	20 (44 lbs)	10 (22 lbs)	92	10	120
EN-K120	120 (4-23/32")	96	22 (7/8")	54 (2-1/8")	12 (15/32")	5.4, 10.5	Max.20	60 (132 lbs)		280		60

Material	Finish
316 Stainless Steel	Polished

LATCH HOOK EN-R80

NSF COMPONENT | RoHS | STAINLESS 316 STEEL | LOAD CAPACITY 20 kg 44 lbs | 4×25 STAINLESS



- Keeps items hooked, ideal for vibration or shock applications.

Item No.	Load Capacity (kg)		Weight (g)	Box (pcs)	Carton (pcs)
	Hook	Arm			
EN-R80	20 (44 lbs)	10 (22 lbs)	85	10	120

Material	Finish
316 Stainless Steel	Polished

LATCH HOOK WH

NSF COMPONENT | STAINLESS 304 STEEL | LOAD CAPACITY 15 kg 33 lbs | 3.5×16 STAINLESS



- Keep items hooked, ideal for vibration or shock applications.

Item No.	L	H	S	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)
WH-1	38 (1-1/2")	25 (63/64")	7	15 (33 lbs)	40	20	200
WH-2	41 (1-39/64")	34 (1-11/32")	10		55		

Material	Finish
304 Stainless Steel	Plain

HOOK

RoHS compliant | STAINLESS 304 STEEL | LOAD CAPACITY 9.4 kg 20 lbs | TEST 4 P.696

RN-50



• Designed for use on partitions.



Installation

Item No.	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)
RN-50	9.4 (20 lbs)	17	40	400

Material	Finish
304 Stainless Steel	Satin

DOUBLE HOOK

RoHS compliant | STAINLESS 304 STEEL | LOAD CAPACITY 5 kg 11 lbs | TEST 4 P.696 | 3×16 STAINLESS

RI-074



• Unique two-in-one hook.

Item No.	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)
RI-074	5 (11 lbs)	16	40	400

Material	Finish
304 Stainless Steel	Satin

DOUBLE HOOK

RoHS compliant | STAINLESS 304 STEEL | TEST 4 P.696 | 3×16 STAINLESS

RB-102



• Can be used as a light duty tie up cleat.



Installation

Item No.	Weight (g)	Box (pcs)	Carton (pcs)
RB-102	16	40	400

Material	Finish
304 Stainless Steel	Satin

HOOK HJ

NSF COMPONENT | RoHS compliant | STAINLESS 304 STEEL | LOAD CAPACITY 8~10 kg 17.6~22 lbs | STAINLESS

• Ideal for undermount applications.

HJ-50 HJ-30SBL





Installation

Material	Finish
304 Stainless Steel	Satin/Black (BL)

Item No.	D	C	H	H1	A	B	t	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)
HJ-20	28.0 (1-3/32")	18	27.0 (1-1/16")	11.0	13	17 (43/64")	2.5	10 (22.0 lbs)	11	120	1200
HJ-20SBL											
HJ-30*	33.0 (1-9/32")	20	32.5 (1-9/32")	13.5	16			8 (17.6 lbs)	15	30	600
HJ-30SBL											
HJ-50*	43.5 (23/32")	30	47.0 (1-27/32")	19.6	21	22 (7/8")		10 (22.0 lbs)	30	40	800
HJ-50SBL											

∗ NSF Component

HOOK 2H

NSF COMPONENT | RoHS compliant | STAINLESS 304 STEEL | LOAD CAPACITY 6~10 kg 13.2~22 lbs | STAINLESS

• Unique design, also can be used as a pull.





Installation

Material	Finish
304 Stainless Steel	Satin

Item No.	L	C	C1	H	B	d	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)	Screw
2H-20	28.0 (1-3/32")	18.0	10	30 (1-3/16")	18	4.62	10 (22.0 lbs)	13	120	1200	3.1 × 16
2H-30	32.5 (1-09/32")	20.0	13	39 (1-17/32")		4.70		18	100	1000	3.5 × 16
2H-40	35.0 (1-3/8")	21.5	16	44 (1-47/64")	23		6 (13.2 lbs)	23	80	800	
2H-50	43.0 (1-11/16")	30.0	18	56 (2-13/64")	25			34	50	500	

HOOK HJU

RoHS compliant | STAINLESS 304 STEEL | LOAD CAPACITY 8~10 kg 17.6~22 lbs | 3.5×20 STAINLESS



Material	Finish
304 Stainless Steel	Satin

Item No.	D	P	H	H1	A	B	Load Capacity (kg)	Weigh t(g)	Box (pcs)	Carton (pcs)
HJU-30S	32.5 (1-9/32")	20 (25/32")	25.0 (63/64")	13	13	41.8	8 (17.6 lbs)	15	30	600
HJU-50S	43.5 (1-45/64")	30 (1-11/64")	38.5 (1-33/64")	18	18	59.0	10 (22.0 lbs)	30	40	800

UNDERMOUNT HOOK

4HJU-40M

- Chamfered edges prevent injury.



Item No.	Material	Finish	Load Capacity kgf	Weight (g)
4HJU-40M	304 Stainless Steel	Mirror	15.3 (33.7 lbs)	42.5

UNDERMOUNT HOOK

5HJU-60M

- Chamfered edges prevent injury.



Item No.	Material	Finish	Load Capacity kgf	Weight (g)
5HJU-60M	304 Stainless Steel	Mirror	20.4 (44.9 lbs)	130

CURTAIN TIE BACK HOOK

STAINLESS 304 STEEL | STAINLESS 303 STEEL | 3.5×20 STAINLESS

KB-F-70





Item No.	Weight (g)	Box (pcs)	Carton (pcs)
KB-F-70	46	5	50

Part Name	Material	Finish
Mounting plate	304 Stainless Steel	Polished
Hook	303 Stainless Steel	

CURTAIN TIE BACK HOOK

STAINLESS 304 STEEL | STAINLESS 303 STEEL | 3.5×20 STAINLESS

KB-F-75





Item No.	Weight (g)	Box (pcs)	Carton (pcs)
KB-F-75	56	5	50

Part Name	Material	Finish
Mounting plate	304 Stainless Steel	Polished
Hook	303 Stainless Steel	

WIRE HOOK

NSF COMPONENT | RoHS compliant | STAINLESS 304 STEEL | LOAD CAPACITY 3~8 kg 6.6~17.6 lbs | TEST 4 P.696

TY





Material	Finish
304 Stainless Steel	Polished

Item No.	D	D1	H	d	d1	d2	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)
TY-20	21.8 (55/64")	11	14 (35/64")	2.7	6.5	4.5	3 (6.6 lbs)	1.5	200	7200
TY-25	27.0 (1-1/16")	13	17 (43/64")	3.0	7.0	5.0		3.0	100	3600
TY-30	31.2 (1-7/32")	15	20 (25/32")	3.5	8.0	6.0	7 (15.4 lbs)	5.0		1800
TY-35-15	36.5 (1-7/16")	15	23 (29/32")	4.0	9.0	6.5		7.0	50	
TY-40-15	43.5 (1-23/32")		27 (1-1/16")	4.5	10.0	7.5	8 (17.6 lbs)	11.0		900

WIRE HOOK

RoHS compliant | STAINLESS 304 STEEL | LOAD CAPACITY 3~12 kg 6.6~26 lbs | TEST 4 P.696

TF



Material	Finish
304 Stainless Steel	Polished

Item No.	D	D1	H	d	d1	d2	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)
TF-20	20.8 (13/16")	11	20 (25/32")	2.7	6.5	4.5	3 (6.6 lbs)	3.0	200	7200
TF-30	29.2 (1-5/32")	15	26 (1-1/32")	3.5	8.0	6.0	7 (15.4 lbs)	5.5	100	1800
TF-35	40.5 (1-19/32")	20	35 (1-3/8")	4.5	10.0	7.5	12 (26.0 lbs)	13.5	50	900

WIRE HOOK

RoHS compliant | STAINLESS 304 STEEL | LOAD CAPACITY 5~12 kg 11~26 lbs | TEST 4 P.696

TL



Material	Finish
304 Stainless Steel	Polished

Item No.	D	D1	H	d	d1	d2	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)
TL-15	16.8 (21/32")	11	15 (19/32")	2.7	6.5	4.5	5(11 lbs)	1.9	200	7200
TL-20	22.8 (29/32")		20 (25/32")					2.1	100	3600
TL-30	29.2 (1-5/32")	15	25 (63/64")	3.5	8.0	6.0		6.0	50	900
TL-40	40.5 (1-19/32")	20	34 (1-11/32")	4.5	10.0	7.5	12(26 lbs)	13.5	50	900

HOOK PF

STAINLESS 304 STEEL | LOAD CAPACITY 2 kg 4.4 lbs | 1.5×28 STAINLESS

Pin/Stainless Steel ø1.5

• For Dry Wall Mount.



Material	Finish/Color
304 Stainless Steel	Mirror

Item No.	D	W	H	H_1	t	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)
PF-22	22	9	30	16	3	2 (4.4 lbs)	13	20	200
PF-30	30	10	35	22	4		23		

HOOK CH

RoHS compliant | STAINLESS 304 STEEL | LOAD CAPACITY 5~8 kg 11~17.6 lbs | TEST 4 P.696



Material	Finish/Color
304 Stainless Steel	Mirror

Item No.	D	D_1	W	H	H_1	d	C	t	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)
CH-S	22 (7/8")	17	9	27 (1-1/16")	15	3.1	9	4	5 (11.0 lbs)	10.0	30	600
CH-L	30 (1-3/16")		10	33 (1-19/64")	22		11	5	8 (17.6 lbs)	18.5	20	400

SWING HOOK (W/FRICTION)

NSF COMPONENT | RoHS compliant | STAINLESS 304 STEEL | LOAD CAPACITY 10 kg 22 lbs | TEST 4 P.696 | 4×20 STAINLESS

JF-T

- Swivels 180 degrees.
- Hook has constant torque when swiveling.
- Ideal for vibration or shock applications.

JF-T45 JF-T70 JF-T100







Item No.	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)
JF-T45	17 (37 lbs)	90	10	100
JF-T70		225		
JF-T100	40 (88 lbs)	638	5	20

Material	Finish
304 Stainless Steel	Mirror

LARGE SWING LATCH HOOK (W/FRICTION)

RoHS compliant | STAINLESS 304 STEEL | LOAD CAPACITY 40 kg 88 lbs | 4×20 STAINLESS

JN-T100

- Swivels 180 degrees.
- Hook has constant torque when swinging.
- Ideal for vibration or shock applications.







Item No.	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)
JN-T100	40 (88 lbs)	780	5	20

No.	Part Name	Material	Finish
①	Strike	304 Stainless Steel	Mirror
②	Hook	303 Stainless Steel	
③	Arm	304 Stainless Steel	
④	Shaft	303 Stainless Steel	Plain
⑤	Back Plate	304 Stainless Steel	

STAINLESS STEEL FRICTION TYPE LARGE HOOK

RoHS compliant · STAINLESS · STAINLESS 304 STEEL

HK-TS

HK-TS100

HK-TS70



- Hook swivels 180°.
- Friction prevents unintended swivelling caused by vibrations.
- Ball shaped tip prevents injury.
- Double-hook type (HK-TT) is also available.



HK-TS70



HK-TS100

Item No.	Load Capacity (kg)	Weight (g)
HK-TS70	22.5 lbs (10.2)	230
HK-TS100	58.4 lbs (26.5)	550

No.	Part Name	Material	Finish
①	Hook	304 Stainless Steel	Polished
②	Mount	Stainless Steel	

STAINLESS STEEL FRICTION TYPE DOUBLE LARGE HOOK

RoHS compliant · STAINLESS · STAINLESS 304 STEEL

HK-TT

HK-TT100

HK-TT70



- Hook swivels 180°.
- Friction prevents unintended swivelling caused by vibrations.
- Ball shaped tip prevents injury.
- Single-hook type (HK-TS) is also available.



HK-TT70



HK-TT100

Item No.	Load Capacity (kg)	Weight (g)
HK-TT70	22.5 lbs (10.2)	260
HK-TT100	58.4 lbs (26.5)	600

No.	Part Name	Material	Finish
①	Hook	304 Stainless Steel	Polished
②	Mount	Stainless Steel	

* Load capacity values are for one side only.

Decorative & Utility Hooks

Sugatsune offers one of the most extensive line-up of decorative, wall, cabinet and utility hooks of any manufacture. Explore all of our decorative hooks undermount hooks, latch hooks, swing hooks, hanger plates, and even magnetic hooks and rubber hooks Regardless of their application, our utility and decorative hooks for hanging are designed for convenience helping professionals to create spaces that maximize storage space without sacrificing their creative vision.

SWING HOOK

RoHS compliant | STAINLESS 304 STEEL | LOAD CAPACITY 8~12 kg 17~26 lbs | TEST 4 P.696 | STAINLESS

TK, TKF



- Swivels 180 degrees.
- Type “F” models have constant torque when swiveling.
- Ideal for vibration or shock applications.



Installation

Material	Finish
304 Stainless Steel	Polished

Item No.	Type	A	B	C	R	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)
TK-30	Without Friction	14.5	23.4 (59/64")	36.0 (1-27/64")	10	12 (26 lbs)	17	100	1000
TK-45	Without Friction	19.4	28.4 (1-1/8")	44.3 (1-3/4")	15	8 (17 lbs)	20		
TK-30F	With Friction	14.5	23.4 (59/64")	36.0 (1-27/64")	10	12 (26 lbs)	17	100	1000
TK-45F	With Friction	19.4	28.4 (1-1/8")	44.3 (1-3/4")	15	8 (17 lbs)	20		

BUTTERFLY HOOK

RoHS compliant | STAINLESS 304 STEEL | LOAD CAPACITY 3~6 kg 6.6~13.2 lbs | TEST 4 P.696 | 4×12 STAINLESS

TZ-360





- Hinged flap allows flush or corner mount.
- Applicable angle: 90°~270°

A. 180° Surface, Flush



B. 270° Surface, Inner Corner



C. 90° Outer Corner



Installation

Material	Finish
304 Stainless Steel	Polished

Item No.	Load Capacity A (kg)	Load Capacity B (kg)	Load Capacity C (kg)	Weight (g)	Box (pcs)	Carton (pcs)
TZ-360	6 (13.2 lbs)	5.6 (12.3 lbs)	3 (6.6 lbs)	27	50	500

BUTTERFLY HOOK

RoHS compliant | STAINLESS 304 STEEL | LOAD CAPACITY 3~8 kg 6.6~17.6 lbs | 4×12 STEEL

DZ-270



- Eyelet swivels for various installation applications.
- Hinged leaves for flush or corner mount.
- Includes ½" (M4 × 12) long screws.

Installation



A. 270° Surface, Inner Corner



B. 180° Surface, Flush



C. 90° Outer Corner

Material	Finish
304 Stainless Steel	Polished

Item No.	Load Capacity A (270°)		Load Capacity B (180°)		Load Capacity C (90°)		Weight (g)	Box (pcs)	Carton (pcs)
	Horizontal	Vertical	Horizontal	Vertical	Horizontal	Vertical			
DZ-270	5.6 kg (12.3 lbs)	6 kg (13.2 lbs)	6 kg (13.2 lbs)	8 kg (17.6 lbs)	3 kg (6.6 lbs)	8 kg (17.6 lbs)	29	50	500

EYE HOOK

RoHS compliant | STAINLESS 304 STEEL | LOAD CAPACITY 5.3~10.6 kg 11.7~23.4 lbs | TEST 4 P.696 | 3.5×16 STEEL

RF-D35

Ⓐ Horizontal

Ⓑ Vertical



- Eyelet swivels for various installation applications.
- Can be mounted horizontally to walls or under-mounted for vertical applications.
- Includes 5/8" (M3.5 × 16) long screws.

Item No.	Load Capacity (kg)		Weight (g)	Box (pcs)	Carton (pcs)	Material	Finish
RF-D35	Ⓐ 5.3 (11.7 lbs)	Ⓑ 10.6 (23.4 lbs)	27	50	400	304 Stainless Steel	Satin

ROTATING/SWING HOOK

RoHS compliant | STAINLESS 304 STEEL | LOAD CAPACITY 6.1 kg 13 lbs | TEST 4 P.696 | 3×25 STAINLESS

RF-U50



- Rotates 360° and swings 180°.
- Can be mounted in various directions.

Item No.	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)	Material	Finish
RF-U50	6.1 (13 lbs)	40	25	250	304 Stainless Steel	Satin

ROTATING HOOK

NSF COMPONENT | RoHS compliant | STAINLESS 304 STEEL | LOAD CAPACITY 3 kg 6.6 lbs | TEST 4 P.696 | 3×25 STAINLESS

RF-50



- Rotates 360°.
- Can be mounted in various directions.

Item No.	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)	Material	Finish
RF-50	3 (6.6 lbs)	33	25	500	304 Stainless Steel	Satin

SWING HOOK

STAINLESS 304 STEEL | STAINLESS 303 STEEL | LOAD CAPACITY 50 kg 110 lbs | TEST 4 P.696 | 4×20 STAINLESS

XL-JSF40TT



- Vertical swivel allows for under mount applications.

Item No.	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)
XL-JSF40TT	50 (110 lbs)	70	20	120

Part Name	Material	Finish
Hook	303 Stainless Steel	Mirror/Satin Combination
Bracket	304 Stainless Steel	

SWING HOOK

RoHS compliant | STAINLESS 304 STEEL | LOAD CAPACITY 5.6~6.7 kg 12~14 lbs | TEST 4 P.696 | 4×16 STAINLESS

UC



- Vertical swivel allows for under mount applications.

Material	Finish
304 Stainless Steel	Satin

Item No.	W	D	H	H1	H2	H3	C	R	t	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)
UC-048	9 (23/64")	(24.9) (63/64")	55 (2-11/64")	48 (1-57/64")	(21.4) (27/32")	64.5	6.5	10.0	2.0	5.6 (12 lbs)	37	40	400
UC-055	10 (25/64")	(30.8) (1-7/32")	62 (2-7/16")	55 (2-11/64")	(25.5) (57/64")	71.5	5.0	12.5	2.5	6.7 (14 lbs)	45	25	250

SWING HOOK

NSF COMPONENT | RoHS compliant | STAINLESS 304 STEEL | LOAD CAPACITY 6.7~8.9 kg 14~19 lbs | TEST 4 P.696 | 4×16 STAINLESS

UJ



- Rotates 360° and swivels 180°.
- Can be mounted in various directions.

Material	Finish
304 Stainless Steel	Satin

Item No.	W	W1	D	D1	D2	H	H1	H2	P	E	R	t	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)
UJ-040	16	(9)	16.5	5.5	(24.9) (63/64")	42	40 (1-37/64")	(21.4)	30	ø 9	10.0	2.0	6.7 (14 lbs)	27	50	500
UJ-050	18	(10)	19.0	7.0	(30.8) (1-7/32")	48	50 (1-31/32")	(25.5)	35	ø10	12.5	2.5	8.9 (19 lbs)	45	30	300

HANGER PLATE

RoHS compliant | STAINLESS 304 STEEL | LOAD CAPACITY 10 kg 22 lbs | TEST 3 P.696 | STAINLESS

AP



AP-20



AP-25, 32

Material	Finish
304 Stainless Steel	Polished

Item No.	B1	B2	B3	H	A	C1	C2	C3	d	E1	E2	E3	T	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)	Screw
AP-20	20 (25/32")	9.2	9.2	30.4 (1-3/16")	11.8	12	5.0	-	2.8	2.0	16.8	13.6	6	10 (22 lbs)	6	100	1000	2.7 × 13
AP-25	25 (63/64")	11.5	11.5	37.5 (1-15/32")	14.7	14	6.5	9	3.3	2.5	20.5	17.0	8		10			3.1 × 16
AP-32	32 (1-17/64")	14.8	14.8	47.0 (1-27/32")	17.2	18	8.0	12	4.2	3.2	24.5	22.5	10		16			3.5 × 16

HANGER PLATE

RoHS compliant | STAINLESS 304 STEEL | LOAD CAPACITY 10 kg 22 lbs | TEST 3 P.696 | STAINLESS

SP





SP-17, 22



SP-30



Material	Finish
304 Stainless Steel	Polished

Item No.	B	B1	H	A	C1	C2	C3	C4	d	E1	E2	T	t	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)	Screw
SP-17	17 (43/64")	10.5	28.5 (1-1/8")	7	8	4.5	9.5	-	2.7	3.5	4	4	1.2	10 (22 lbs)	4	200	1000	2.7 × 13
SP-22	22 (7/8")	14.0	36.5 (1-7/16")	10	13	6.0	10.0	-	3.3	4.5	6	5	1.5		8			3.1 × 16
SP-30	30 (1-3/16")	18.0	43.5 (1-23/32")	12	20	9.5	10.0	5.5	4.2	5.0	7	6			13	100	500	3.5 × 16

RECESSED HOOK

RoHS compliant | LOAD CAPACITY 20 kg 44 lbs | TEST 17 P.698 | NO SCREW

NF-60

- Hook is spring loaded to retract.
- Ideal for vibration or shock applications.
- Panel Thickness: - Wood: Min. 20 mm (25/32")
  - Sheet metal: 0.8~1.6 mm with optional bracket NF-50, sold separately.





Bore Dimensions
(For thickness over 30 mm)



Bore Dimensions
(For thickness 20~29 mm)

Part Name	Material	Finish
Body	Aluminum	Grey
Pin/Spring	304 Stainless Steel	Plain
Rubber	Polychloroprene	Black

Item No.	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)
NF-60	20 (44 lbs)	31	10	200

SOFT CLOSE RECESSED HOOK

RoHS compliant | LOAD CAPACITY 30 kg 66 lbs | TEST 17 P.698 | NO SCREW

NF-60D

- Hook is spring loaded to retract with a soft closing action.
- Ideal for vibration or shock applications.
- Panel Thickness: - Wood: Min. 25 mm (1")
  - Sheet metal: 0.8~1.6 mm with optional bracket NF-50, sold separately.





Bore Dimensions
(For thickness over 30 mm)



Bore Dimensions
(For thickness 25~29 mm)

Part Name	Material	Finish
Body	Aluminum	Grey/Silver Metallic Silver
Pin/Spring	304 Stainless Steel	Plain
Rubber	Polychloroprene	Black
Rear Cover	POM	Grey

Item No.	Finish	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)
NF-60D/GR	Grey	30 (66 lbs)	49	10	200
NF-60D/SL	Silver				
NF-60D/MSL	Metallic Silver				

Bracket for sheet metal application



Supplied with M4×14 Stainless steel screw.



Cut Out Dimensions for NF-60



Cut Out Dimensions for NF-60D



Item No.	Weight (g)	Box (pcs)	Carton (pcs)	Material	Finish
NF-50	22	20	400	Steel	Yellow Zinc Chromate

RECESSED HOOK (W/SOFT CLOSE)

RoHS compliant | LOAD CAPACITY 9.1 kg 20 lbs | NO SCREW

NF-45D

NF-45D-GR NF-45D-BL NF-45D-SSL NF-45D-WT

- A modern, clean hook solution with Motion Design Technology.
- Hook is spring loaded to retract and soft close.
- Ideal for vibration or shock applications.
- Panel Thickness: - Wood: Min. 27~31 mm (1-1/16~1-1/4")
  - Sheet metal: 0.8~4.0 mm
- Hook bracket (NF-45DB) for sheet metal sold separately.



Wood panel (27~31mm) | Wood panel (32mm or thicker) | Sheet metal



Cut Out Dimensions

No.	Part Name	Material	Finish
①	Body	Aluminum Alloy	Grey/Black/Silver White
②	Arm		
③	Cover	Polyacetal	
④	Pin	304 Stainless Steel	Plain
-	Spring		
⑤	Bumper	Rubber	Black/White

Item No.	Color	Load Capacity of Arm (kg·f)	Load Capacity of Base (kg·f)	Weight (g)	Box (pcs)	Carton (pcs)
NF-45D-GR	Grey	9.5 (21 lbs·f)	51 (112 lbs·f)	32	10	200
NF-45D-BL	Black					
NF-45D-SSL	Silver					
NF-45D-WT	White					

RECESSED HOOK BRACKET

STEEL

NF-45DB

NF-45DB



- Allows for the NF-45D hook to be mounted onto sheet metal.
- Can be mounted from both front and back sides.
- Has flanges for double-sided tape, which allows for temporary fixing before mounting.

Item No.	Material	Finish	Box (pcs)	Carton (pcs)
NF-45DB	Steel	Yellow Zinc Chromate	40	40

COUNTER HOOKS HK-CH35

- Recessed mounted hook provides a clean appearance.
- Hook can be seen at the edge when unused.
- Hook closes and retracts with a soft-close motion into body when hooked items are removed.
- Board thickness: Min. 1" (26 mm).

Board Thickness	Qty of Spacers	Bore Depth
Min 1" (26mm)	None	11/16" (17mm)
15/16" ~1" (23~26mm)	1 pcs	9/16" (14mm)
13/16"~15/16" (20~23mm)	2 pcs	7/16" (11mm)
11/16"~13/16" (17~20mm)	3 pcs	5/16" (8 mm)



[Spacer]



[Bore Dimensions]



Item No.	Finish	LoadCapacity (kgf)	Box (pcs)	Carton (pcs)
HK-CH35-BL	Black	10 (22 lbf)	20	200
HK-CH35-BR	Brown			
HK-CH35-SL	Silver			

No.	Part Name	Material	Finish
①	Body	Aluminum Alloy (ADC)	Enamel Finish Black/Brown/Silver
②	Arm	AluminumAlloy (ADC)	Enamel Finish Black/Brown/Silver
③	Cover	Plastic (POM)	-
④	Bumper	PUR	Clear
⑤	Spacer	Plastic (PA)	Black

RECESSED HOOK

RoHS compliant | LOAD CAPACITY 20 kg 44 lbs | TEST 17 P.698 | NO SCREW

NF-R

Dull Chrome

Chrome

Matte Black

- Hook is spring loaded to retract.
- Ideal for vibration or shock application.

No.	Part Name	Material
①	Main Body	Zinc Alloy (ZDC)
②	Arm	
③	Spring	304 Stainless Steel
④	Knurled Pin	303 Stainless Steel
⑤	Cushioning Rubber	Chloroprene Rubber (CR)

NF-R52





NF-R64





NF-R77





Item No.	Load Capacity (kg)	Weight (g)	Finish	Box (pcs)	Carton (pcs)	Material
NF-R52-SCR	20 (44 lbs)	70	Dull Chrome	10	120	Zinc Alloy
NF-R52-CR			Chrome Plating	10	120	
NF-R52-BL			Matte Black	10	120	
NF-R64-SCR		90	Dull Chrome	10	120	
NF-R64-CR			Chrome Plating	10	120	
NF-R64-BL			Matte Black	10	120	
NF-R77-SCR		130	Dull Chrome	10	120	
NF-R77-CR			Chrome Plating	10	120	
NF-R77-BL			Matte Black	10	120	

VANITY HOOK

LOAD CAPACITY 5.8 kg 12.8 lbs | 3.5×30 STEEL | SSF

SSF-10/GA

SSF-10/CR-SW

- Slim 3/8" (10 mm) diameter hook with groove, useful for hanging bags, brushes, etc.
- Includes 1-3/16" (3.5 × 30 mm) long self-tapping screw.
- Available in gold (GA) or chrome (CR) with option of designer crystals, adding a touch of glamour.



SSF-10/CR
SSF-10/GA



SSF-10/CR-SW
SSF-10/GA-SW



Application



Installation

Item No.	Material	Finish	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)
SSF-10/CR	Brass	Chrome	5.8 (12.8 lbs)	24	10	100
SSF-10/GA		Gold				
SSF-10/CR-SW	Brass, Crystal	Chrome		25		
SSF-10/GA-SW		Gold				

MAGNETIC HOOK

LOAD CAPACITY 2 kg 4.4 lbs | MJ-45

- Hook with strong magnet.
- Convenient for use on steel cabinets, refrigerators, tool cabinets etc.





Item No.	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)
MJ-45/BRN	2 (4.4 lbs)	58	20	240
MJ-45/IVY				
MJ-45/ORG				

Material	Color
Magnet ABS	Brown (BRN) Ivory (IVY) Orange (ORG)

COAT HOOK

STAINLESS 304 STEEL | STAINLESS 303 STEEL | LOAD CAPACITY 10 kg 22 lbs | STEEL

DSH-01

• Supplied with screw, and plastic expansion anchor.





Installation

Item No.	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)	Material	Finish
DSH-01	10 (22 lbs)	71	25	250	303/304 Stainless Steel	Satin

COAT HOOK

STAINLESS 304 STEEL | STAINLESS 303 STEEL | LOAD CAPACITY 10 kg 22 lbs | STEEL

DSH-04

• Supplied with screw, and plastic expansion anchor.





Installation

Item No.	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)	Material	Finish
DSH-04	10 (22 lbs)	55	25	250	303/304 Stainless Steel	Satin

COAT HOOK

STAINLESS 304 STEEL | STAINLESS 303 STEEL | LOAD CAPACITY 10 kg 22 lbs | STEEL

DSH-05

• Supplied with screws and plastic expansion anchors.





Installation

Item No.	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)	Material	Finish
DSH-05	10 (22 lbs)	280	1	10	303/304 Stainless Steel	Satin

COAT HOOK

STAINLESS 304 STEEL | STAINLESS 303 STEEL | LOAD CAPACITY 10 kg 22 lbs | STEEL

DSH-02

- Supplied with screws, brackets, plastic expansion anchors and allen key.





Installation

Item No.	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)
DSH-02	10 (22 lbs)	178	10	100

Material	Finish
303/304 Stainless Steel	Satin

COAT HOOK

STAINLESS 304 STEEL | STAINLESS 303 STEEL | LOAD CAPACITY 10 kg 22 lbs | STEEL

DSH-03

- Supplied with screws, brackets, plastic expansion anchors and allen key.





Installation

Item No.	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)
DSH-03	10 (22 lbs)	71	5	50

Material	Finish
303/304 Stainless Steel	Satin

COAT HOOK

STAINLESS 304 STEEL | STAINLESS 303 STEEL | LOAD CAPACITY 10 kg 22 lbs | STEEL

DSH-129

• Supplied with screw, and plastic expansion anchor.





Installation

Item No.	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)
DSH-129	10 (22 lbs)	100	25	250

Material	Finish
303/304 Stainless Steel	Satin

COAT HOOK

STAINLESS 304 STEEL | STAINLESS 303 STEEL | LOAD CAPACITY 10 kg 22 lbs

DSH-P5

• Supplied with screw, and plastic expansion anchor.





Installation

Item No.	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)
DSH-P5-20	10 (22 lbs)	45	25	250
DSH-P5-25		113		

Material	Finish
303/304 Stainless Steel	Satin

HOOK

NSF COMPONENT | RoHS compliant | STAINLESS 304 STEEL | LOAD CAPACITY 20 kg 44 lbs | STAINLESS

EW-65E, 80E





Material	Finish
304 Stainless Steel	Mirror

Item No.	A	C1	C	D	E	F	C2	H	H1	Load Capacity (kg)	Weight (g)	Box (pcs)	Carton (pcs)	Screw
EW-65E	65 (2-9/16")	36	6.5	25	4	5	7.3	33 (1-19/64")	20	20 (44 lbs)	52	10	100	3.1 × 16
EW-80E	80 (3-5/32")	44	8.0	32	5	6	9.0	42 (1-21/32")	25		93			3.8 × 20

RUBBER HOOK (PASTEL COLOR) PXB-GR05-111

Red Yellow Green Blue White Black

- Simple and safe design.
- Base made of stainless steel provides high strength and durability.
- Available in a wide range of colors.





Item No.	Color	Load Capacity kg (lbs)	Weight (g)	Box (pcs)	Carton (pcs)
PXB-GR05-111-LRD	Red	10 (22 lbs)	48	10	100
PXB-GR05-111-LYE	Yellow				
PXB-GR05-111-LGN	Green				
PXB-GR05-111-LBU	Blue				
PXB-GR05-111-WT	White				
PXB-GR05-111-BL	Black				

No.	Part Name	Material	Finish
①	Base Plate	304 Stainless Steel	Plain
②	Base		
③	Cover	Silicone Rubber	-

RUBBER HOOK (HAT & COAT HOOK) PXB-GR05-211

Red Yellow Green Blue White Black

- Simple and safe design.
- Base made of stainless steel provides high strength and durability.
- Available in a wide range of colors.





Item No.	Color	Load Capacity kg (lbs)	Weight (g)	Box (pcs)	Carton (pcs)
PXB-GR05-211-RD	Red	10 (22 lbs)	66	10	100
PXB-GR05-211-YE	Yellow				
PXB-GR05-211-GN	Green				
PXB-GR05-211-BU	Blue				
PXB-GR05-211-WT	White				
PXB-GR05-211-BL	Black				

No.	Part Name	Material	Finish
①	Base Plate	304 Stainless Steel	Plain
②	Base		
③	Cover	Silicone Rubber	-

RUBBER HOOK (NORDIC)

RoHS compliant

PXB-GN05-101

White

Brown

Black

Greyish Pink

Greyish Yellow

Greyish Green

Greyish Blue

- Simple and safe design.
- Includes pin for drywall installation.
- Available in a wide range of colors.







Item No.	Color	Load Capacitykg (lbs)	Weight (g)	Box (pcs)	Carton (pcs)
PXB-GN05-101-GWT	White	4.1 (9 lbs)	39	10	100
PXB-GN05-101-BR	Brown				
PXB-GN05-101-BL	Black				
PXB-GN05-101-GPK	Greyish Pink				
PXB-GN05-101-GYE	Greyish Yellow				
PXB-GN05-101-GGN	Greyish Green				
PXB-GN05-101-GBU	Greyish Blue				

No.	Part Name	Material	Finish
①	Base	Zinc Alloy	Nickel
②	Cover	Silicone Rubber	-
③	Drywall Pin	AES	Plain
④	Drywall Screw	Stainless Steel	

RUBBER HOOK (MAGNETIC)

RoHS compliant

PXB-GN05M-101

Grey

Green Yellow

Navy Blue

White

Orange

- Magnetic type
- Simple and safe design.
- Available in a wide range of colors.





Item No.	Color	Load Capacity kg (lbs)	Weight (g)	Box (pcs)	Carton (pcs)
PXB-GN05M -101-GR	Grey	1.1 (2.4 lbs)	32	10	100
PXB-GN05M -101-GY	Green Yellow				
PXB-GN05M -101-NB	Navy Blue				
PXB-GN05M -101-GWT	White				
PXB-GN05M -101-YR	Orange				

No.	Part Name	Material	Finish
①	Base	Zinc Alloy	Plain
②	Cover	Silicone Rubber	-

RUBBER HOOK (NORDIC) PXB-GN05-111

Dark Grey Brown Beige

- Simple and safe design.
- Base made of stainless steel provides high strength and durability.
- Designed to Integrate modern style.



Item No.	Color	Load Capacity kgf (lbs)	Weight (g)	Box (pcs)	Carton (pcs)
PXB-GN05-111-DG	Dark Grey	8 (18 lbs)	93	10	100
PXB-GN05-111-BR	Brown				
PXB-GN05-111-BE	Beige				

No.	Part Name	Material	Finish
①	Base	Stainless Steel	Plain
②	Cover	Silicone Rubber	-

COAT HOOK (PREMIUM WOOD SERIES) PXB-WM05-111

White Birch Ostrya Japonica (Hornbeam) Walnut

- The contrast of the gentle touch of wood surface and shiny metallic texture creates a unique rectilinear feature.
- Metal core inside the wooden arm provides high-durability.
- Clear coating greatly improves the endurance.



No.	Part Name	Material	Finish
①	Base	Steel	Zinc Chromate
②	Base Cover	Zinc Alloy	Nickel/Black
③	Arm	Wood	Clear Coating
④	Socket Screw	Stainless Steel	Plain

Item No.	Color	Load Capacity kgf (lbs)	Weight (g)	Box (pcs)	Carton (pcs)
PXB-WM05-111-MK	White Birch	10 (22 lbs)	110	6	48
PXB-WM05-111-AS	Ostrya Japonica (Hornbeam)				
PXB-WM05-111-WN	Walnut				

COAT HOOK (URBAN METAL SERIES)

STAINLESS

PXB-UM05-101

Satin

Black

- An unprecedented design with sleekness from aluminum extrusion and edge treatment.
- Designed to integrate with modern style interiors where rectilinear-themed.
- Modern and minimalistic appearance add to the high quality design



Item No.	Color	Load Capacity kg (lbs)	Weight (g)	Box (pcs)	Carton (pcs)
PXB-UM05-101-ST	Satin	10 (22 lbs)	112	8	64
PXB-UM05-101-BL	Black				

No.	Part Name	Material	Finish
①	Base	Aluminum	Satin/Black
②	Arm		
③	Socket Screw	Stainless Steel	Plain

COAT HOOK (URBAN METAL/QUEST SERIES)

STAINLESS

PXB-UM05-101-Q1

Black

Gold

- Decorative plate fitted into hook arm represents modern luxury style.
- The combination of simple form and decorative plate suite modern/classic interior design.
- Custom engraving available by special order.





Item No.	Color	Load Capacity kgf (lbs)	Weight (g)	Box (pcs)	Carton (pcs)
PXB-UM05-101-Q1-BL	Black	10 (22 lbs)	114	8	64
PXB-UM05-101-Q1-GL	Gold				

No.	Part Name	Material	Finish
①	Base	Aluminum	Gold/Black
②	Arm		
③	Plate	Brass	
④	Screw	Stainless Steel	Plain

COAT HOOK

STEEL

PXB-AB05

Bronze Brown

Bronze Black

- Vintage design with brass casting.

PXB-AB05-101



PXB-AB05-111



Item No.	Color	Load Capacity kg (lbs)	W	H	D	Weight (g)
PXB-AB05-101-BL	Bronze Black	10 (22 lbs)	11/16" (17 mm)	1-5/8" (42 mm)	1-9/16" (39 mm)	79
PXB-AB05-101-BR	Bronze Brown					
PXB-AB05-111-BL	Bronze Black		15/16" (23.5 mm)	2-1/4" (58 mm)	2-1/8" (54 mm)	210
PXB-AB05-111-BR	Bronze Brown					

No.	Part Name	Material	Finish
①	Body	Brass	Bronze Black (BL) Bronze Brown (BR)
②	Screw		
③	Sharp Pin	Stainless Steel	Plain

COAT HOOK (AGED CAST)

STEEL

PXB-AC05-111

Bronze Black

Bronze Brown

- Vintage design with brass casting.



No.	Part Name	Material	Finish
①	Body	Brass	Bronze Black (BL) Bronze Brown (BR)
②	Insert		
③	Screw	Bronze	

Item No.	Color	Load Capacity kgf (lbs)	W	H	D	Weight (g)
PXB-AC05-111-BL	Bronze Black	20 (44 lbs)	36 (1-7/16")	52.5 (2-1/16")	58 (2-1/4")	400
PXB-AC05-111-BR	Bronze Brown					

COAT HOOK (AGED SCREW SERIES)

STEEL

PXB-AS05-111

• Vintage design with brass casting.

Bronze Brown

Bronze Clear



No.	Part Name	Material	Finish
①	Body	Brass	Bronze Brown(BR) Bronze Clear(SD)
②	Insert		
③	Screw		
④			

Item No.	Color	Load Capacity kgf (lbs)	W	H	D	Weight (g)
PXB-AS05-111-BR	Bronze Brown	9 (19.8 lbs)	51 (2")	45.2 (1-3/4")	58.6 (2-5/16")	200
PXB-AS05-111-SD	Bronze Clear					

COAT HOOK (LEATHERY CHIC)

STAINLESS

PXB-LE05-111

• Modern design with contrasting materials.

Black

Tan

Brown



No.	Part Name	Material	Finish
①	Head	ZDC	Black(BL) Brown(BR) Tan(TN)
②	Body		
③	Screw	304 Stainless Steel	
④	Pin	316 Stainless Steel	

Item No.	Color	Load Capacity kgf (lbs)	W	H	D	Weight (g)
PXB-LE05-111-BL	Black	11 (25 lbs)	45.5 (1-13/16")	45.5 (1-13/16")	66 (2-5/8")	267
PXB-LE05-111-BR	Brown					
PXB-LE05-111-TN	Tan					

FORGED BRASS DOUBLE HOOK

STEEL

PXB-BN05-211

- A high-end design which harmonizes both classical and contemporary styles.
- Built from luxurious solid brass forged to perfection.
- Meticulously crafted to ensure durability and a high quality finish.
- A clear lacquer coating is applied to prevent tarnishing.
- The endpoints feature a spherical design making it safer to use and lowers the risk of accidental injury.
- Includes screws that match the color of the finish.

Blasted Metal Polished Brass Satin Brass Antique Brass Matte Black



PXB-BN05-231



PXB-BN05-211

Item No.	Material	Finish	Load Capacity	Weight (g)	Box (pcs)	Carton (pcs)
PXB-BN05-211-BM	Brass	Blasted Metal	18.7 lbs (8.5 kg)	165	4	20
PXB-BN05-211-PB		Polished Brass				
PXB-BN05-211-SB		Satin Brass				
PXB-BN05-211-AB		Antique Brass				
PXB-BN05-211-BL		Matte Black				
PXB-BN05-231-BM		Blasted Metal	33 lbs. (15 kg)	415		
PXB-BN05-231-PB		Polished Brass				
PXB-BN05-231-SB		Satin Brass				
PXB-BN05-231-AB		Antique Brass				
PXB-BN05-231-BL		Matte Black				

No.	Part Name	Material
①	Base	Brass
②	Arm	
③	Hex Socket Bolts	Steel

HOOK HK-FH

Black

Copper

Brass

Chrome

- Decorative contemporary hook.
- Available in four finishes and two sizes.



Item No.	Material	Finish	D	d_1	d_2	H	H_1	H_2	P	t	W	W_1	Load Capacity	Weight (g)	Box (pcs)	Carton (pcs)
HK-FH30-CR	Zinc Alloy	Chrome	1" (25 mm)	3/16" (4.5 mm)	5/16" (8.6 mm)	1-3/16" (30 mm)	1/2" (12 mm)	1/4" (7 mm)	15/16" (23 mm)	3/16" (5 mm)	1-5/16" (34 mm)	3/8" (9 mm)	22 lb (10 kg)	22	25	300
HK-FH30-BL		Black														
HK-FH30-DB		Copper														
HK-FH30-PB		Brass														
HK-FH50-CR		Chrome	1-9/16 (39 mm)	3/16" (5.3 mm)	7/16" (10.6 mm)	1-3/4" (45 mm)	5/8" (16 mm)	3/8" (9.5 mm)	1-5/16" (34 mm)	1/4" (7 mm)	2" (50 mm)	1/2" (13 mm)	33 lb (15 kg)	65	15	200
HK-FH50-BL		Black														
HK-FH50-DB		Copper														
HK-FH50-PB		Brass														

HOOK STAINLESS 316 STEEL HK-LB

- A stainless steel hook with a thick plate for a high-end look.
- Rounded hook tip to ensure safety.



Item No.	Material	Finish	W	H1	H2	P	A	B	C	D	t	Load Capacity (kgf)	Weight (g)
HK-LB50	316 Stainless Steel	Polished	5/8" (16 mm)	2-9/16" (65 mm)	1-1/4" (32 mm)	2" (50 mm)	5/16" (8 mm)	5/8" (16.5 mm)	5/16" (8 mm)	1-9/16" (39.5 mm)	3/16" (5 mm)	33.7 lbs (15.3 kgf)	46
HK-LB65			11/16" (18 mm)	3-3/8" (85 mm)	1-3/4" (44.5 mm)	2-9/16" (65 mm)	3/8" (9 mm)	13/16" (20 mm)	3/8" (9 mm)	1-15/16" (49 mm)	1/4" (6.5 mm)		81