





















































Specification Guide

Product Category	Part Number to Specify	Description of Product	Verbiage for Specification	Picture	Vertical Mrkt./ Application
PUSH/PULL PLATES AND PULLS					
Anti-Microbial Pull	1185 Series <i>Trimco Exclusive</i>	Specify .710 finish for anti-microbial copper - also available in other finishes	Furnish 1-1/4" adjustable offset pulls for entrances. End caps shall be flexible in size, shape, and color. Pulls shall be made with Copper Alloy. Coatings are unacceptable.		
Customized Entrance Pulls	9550 - Economy 9570 - Premium 9590 - Boutique <i>Trimco Exclusive</i>	Anodized aluminum pull, customized with owners logo or other markings.	Provide T Printed anodized pulls with anodized parts to meet the guidelines of the Mil-A-8625 Rev F Type II, Class 2 dyed standard. Utilize UV resistant inks to implement owner's logo in high definition. Owner to coordinate with Trimco to finalize design.		
Flush Pulls	1111A - Mounted in Cup 1111B - Surface Mounted/ BTB 1111C - ADA Mounted in Cup	Specify coated with plasticol for very hot or cold climates - specify Healthy Hardware copper alloy for healthcare applications	Provide flush pulls manufactured with 11 gauge 316 marine grade stainless steel. Optional specify - Coated with Plasticol OR made with Copper Alloy.		
Anti-Vandal Pulls	1096 - With Astragal 1097 - Without Astragal	Anti-vandal pull with or without astragal	Manufactured from 11 gauge, type 316 stainless steel with handle coated with Plasticol. Optional - can be mated with exit devices.		
Full Length Door Pulls	1160 - Straight Standoffs 1170 - Offset Standoffs	Full length door pulls available in stainless steel, brass or bronze with straight or offset standoffs, square or round ends and leather wrapped options.	Provide full length door pulls made from solid/tube stainless steel, brass or bronze; straight or offset standoffs; square or round ends; optional leather wrap.		
POCKET AND BARN DOOR HARDWARE					
ADA Pocket Door Pull	1069 - (pass) 1069L - (latching non locking) 1069FP - (full privacy) <i>Trimco Exclusive</i>	ADA pocket door hardware	Provide ADA pocket door pulls manufactured from stainless steel with black nylon handles.		
Barn Door Hardware	1074 - 1 (tubular) 1074 - 2 (mortise) <i>Trimco Exclusive</i>	ADA locking barn door hardware	TUBULAR - Provide ADA compliant latching barn door hardware mounted in vertical position with one lever used to slide and unlatch the door. MORTISE - Provide ADA compliant sliding door hardware in vertical position with one lever used to slide and unlatch the door.		
FLUSH BOLTS AND SURFACE BOLTS					
Manual Flush Bolts	3917 - Hollow Metal 3913 - Wood	Manual flush bolts for hollow metal and wood doors	Flush bolts to be manufactured with stainless steel finger. Flush bolt body to be made of high density extrusion.		
Surface Bolts	3922 - HD UL 3922L - Locking HD UL 3922NYPV - Locking Prison Version	Heavy duty sliding bolt for prison applications	Prison version with torx screws and increased spring tension for cell doors.		
SPEC SECTION - COORDINATORS					
Door Coordinators	3094 - Stop Coordinator	Ultra quiet, stop mounted coordinator	Supply stop type steel body door coordinator with nylon coated trigger and roller that reduces noise and closing force. Must include adjustable override to prevent hinges racking and oversized filler bar.	 Detail	
LEGEND:  Healthcare  Public Restroom  Hospitality  Schools  Prisons  Offices					

Product Category	Part Number to Specify	Description of Product	Verbiage for Specification	Picture	Vertical Mrkt./ Application
LOCKDOWN HARDWARE					
NEW Panic Release Button	Available early 2016	SIMPLE, CLEAN & AFFORDABLE solution for quick lockdown of dogged panic devices.	Provide patented panic release button for non-fire rated exit devices at points of egress where quick lockdown without a hex wrench or key is required.		
DOOR PROTECTIVE TRIM					
Kick Plates/ Armor Plates	K0050 - Kick Plate 7" - 16" KM050 - Mop Plate ≤6" KA050 - Armor Plate ≥17" KS050 - Stretcher Plate	Heavy-duty kick and armor plates with standard pencil bevel on all four sides.	Protection plates to be manufactured of .050" thick (US 18 gauge) 300 series stainless steel. Special mechanical counter sink for mechanical fasteners. Fasten with flat oval head stainless steel metal screws provided by protective plate manufacturer. Bevel all four sides.		
Kick Plates Customized with Owner's Logo Etched	K0050 T-Etch 	Acid etched protection plates, customized with owners logo or other markings.	Kick plates to be acid etched with high definition graphic of owner's logo with slight texturing. All four edges to be beveled. Specify monochromatic or with color infill.		
Frame Guard Protector	FG8000 	Frame guard protects door frames from rolling carts and spins when impacted to deflect the force.	Frame guard manufactured from stainless steel with spinning center tube and fixed ends.		
Cylindrical Latch Guards	1082 Series (4", 6" or 8")	Heavy-duty guards install under the cylindrical lock body and protect the latch from attacks.	Cylindrical latch guard to be manufactured with from 11 gauge, type 316 stainless steel and universal to all bored commercial 2 3/4" cylindrical locks.		
End Cap Guard for Exit Device	PG8125VV-1 - 8" PG8125VV-4 - 4"	Guard to protect dislodging of the end cap for abusive environments.	End cap guards to be installed over the exit device end caps and manufactured from 18GA stainless steel to fit any exit device.	 PG8125VV-1 - 8 PG8125VV-4 - 4	
DOOR STOPS AND HOLDERS					
Vandal-Resistant Wall Stops	1270CV - Cast Concave 1270CX - Cast Convex 1270CVCS - Cast School Version 1270CVPV - Cast Prison Version	Wall Stop	Wall stops: Provide cast concave wall stops with concealed, combo-pack fasteners and a stainless steel washer embedded in the rubber bumper.		
Universal Dome Stop	1211 - Cast W1211 - Wrought 	Universal Dome Stop - low rise lip, high rise bumper all in one sku Wrought, sloped floor stop to prevent vacuum and floor polisher cords from getting caught.	(1211) Floor stops: Provide cast dome stops with combo pack fasteners with low lip and high dome. (W1211) Floor stops: Provide wrought floor stops with sloped face manufactured from 304 stainless steel: Low lip, high dome.	 1211 W1211	
Patented Door Holders	1283 Series 	Heavy duty, self-adjusting door holder. Self adjusts for door sag. Tension adjustable.	Provide door holders gripped by 1/2" diameter ball bearings with adjustable tension. Door holders to be self-adjusting and to contain concealed, tamper-proof rubber cushion. Door holder to have different strike options including floor, wall and adjustable wall.		
Modern Floor Stop	7280 Series	7280 comes with Double Redhead 5/16-18 fasteners to ensure heavy duty anchoring.	Supply floor stop with 360 degree contact surface which includes 5/16-18 fasteners. All fasteners must be concealed.		

1351 Rocky Point Drive, Oceanside, CA, 92056

Phone: 323.262.4191

Fax: 800.637.8746

Local Fax: 323.264.7214

TrimcoHardware.com